

ISHIKAWAJIMA-SHIBAURA MACHINERY CO., LTD.

EXECUTIVE ORDER U-R-026-0144 New Off-Road Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engine and emission control system produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)		
YEAR 2005	5H3XM.761D20	0.507 & 0.761	Diesel	3000		
SPECIAL FEATURES & EMISSION CONTROL SYSTEMS			TYPICAL EQUIPMENT APPLICATION			
	Indirect Diesel Inje		Marine Engine			

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

	EXHAUST (g/kw-hr)				OPACITY (%)					
RATED POWER	EMISSION STANDARD CATEGORY Tier 2		HC	NOx	NMHC+NOx	СО	РМ	ACCEL	LUG	PEAK
CLASS 8 <kw<19< td=""><td>STD</td><td>N/A</td><td>N/A</td><td>7.5</td><td>6.6</td><td>0.80</td><td>N/A</td><td>N/A</td><td>N/A</td></kw<19<>		STD	N/A	N/A	7.5	6.6	0.80	N/A	N/A	N/A
0 <u>5</u> KW13	11012	CERT			4.8	1.1	0.17			L

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this _______ day of April 2005.

Allen Lyons, Chief

Mobile Source Operations Division

u-R-026-0144

Engine Model Summary Form

Manufacturer: Ishikawajima-Shibaura Machinery Co., Ltd.

Engine category: Nonroad Cl

EPA Engine Family: 5H3XM.761D20

Mfr Family Name: N/A

Process Code: New Submission

Fuel Rate: 5.Fuel Rate: 9.Emission Control Ade @ peak HP (Ibshri) @ peak HP (SEA Gross) torque @ RPM ministroke@peak (Ibshri)@peak torque Device Per SAE J1930 torque anity) (SEA Gross) torque (Ibshri)@peak torque Device Per SAE J1930 torque 5.64-1-0.3
7. Fuel Rate: munstroke@peak EA. Gross) torque 2.8@2400 18.04-41.8 5.7@2400 18.4-4/-1.5
6.Torque @ RPM (SEA Gross) + 22 9@2400 36.7@2400
5.Fuel Rate: (lbs/hr) @ peak HP (for dissels only) 5.8+1-0.3
4. Fuel Rate: mm/stroke @ peak HP (for diesel only) 16.04/1.0
3.ВНР@RPM (SAE Gross) (12.6@3200 (18.5@3200
1.Engine Code 2.Engine Model D1:13
1,Engine Code D143 D1+20