California Environmental Protection Agency AIR RESOURCES BOARD YANMAR CO., LTD.	EXECUTIVE ORDER U-R-028-0260 New Off-Road Compression-Ignition Engines
--	--

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)		
2005	5YDXL0.75R2N	0.749	Diesel	3000		
SPECIAL FEATURES & EMISSION CONTROL SYSTEMS						
Indirect Diesel Injection			Crane, Loader, Dozer, Pump, Turf Ca			

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for hydrocarbons (HC), oxides of nitrogen (NOx), or non-methane hydrocarbons plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kW-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED EMISSION POWER STANDARD CLASS CATEGORY			EXHAUST (g/kw-hr)				OPACITY (%)			
			нс	NOx	NMHC+NOx	со	PM	ACCEL	LUG	PEAK
8≤ kW < 19	Tier 2	STD	N/A	N/A	7.5	6.6	0.80	20	15	50
		CERT		4-	5.1	2.2	0.34	7	10	11

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this

10TH day of January 2005.

Allen Loons, Chief Mobile Source Operations Division

Engine Model Summary Form

ЕО#U-R-028-0260 АПАСИМЕНТ 10F1

1

Manufacturer:Yanmar Co.,Ltd.Engine category:Nonroad ClEPA Engine Famiy.SYDXL0.75R2NMfr Family Name:N/AProcess Code:New Submission

*

	.			*···		· ·	
9.Emission Control evice Per SAE J1930	J D I EN	EM	EM	EM	EM	↓ EM	
8.Fuel Rate: 9.Emission Control (lbs/hr)@peak torque Device Per SAE J1930		6.7	6.7	6.5	6.4	6.4	
7.Fuel Rate: mm/stroke@peak torque	26.4	26.3	26.3	26.3	26.4	26.2	
6.Torque @ RPM (SEA Gross)	35,2/2200	34,9/2300	34.9/2300	34.9/2250	35.2/2200	34.8/2200	
5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	8.3	9.8	9.3	8.8	8.3	6.7	
4 .Fuel Rate: mm/stroke @ peak HP (for diesel only)	25.1	24.7	24.9	25.0	25.1	21.6	
3.BHP@RPM (SAE Gross)	18.1/3000	18.6/3600	18.4/3400	18.2/3200	18.1/3000	17.2/2800	
2.Engine Model	2V750-DM1	2V750-A	2V750-B	2V750-C	2V750-D	2V750-K	
1.Engine Code	NA	N/A	NA	N/A	NA	N/A	ting a state of the second

Engine Model Summary Form

E0#U-R-028-0260 ATTACHMENT 105 2

Yanmar Co.,Ltd.	Nonroad Cl	5YDXL0.75R2N		Running Change
Manufacturer:	Engine category:	EPA Engine Fam i y.	Mfr Family Name:	Process Code:

	4.		
ol 930			
는 전 년 년 년 년			
ion (G		an se
9.Emission Control Jevice Per SAE J193	-		2
9.E Jevic	2		
8.Fuel Rate: 9.Emission Control bs/hr)@peak torque Device Per SAE J1930	(10 ⁻¹⁰⁾ (11-10)		
tord			
8.Fuel Rate: hr)@peak torc	6.3		
r)@r			
3 1/sdľ			
ž			X.
te: (peal			
7.Fuel Rate: mm/stroke@peak torque	26.0		
7.Fue n/stro to			6.71.) 6.71.)
Ē			
_			
RPN ss)	00		147 147
6.Torque @ RPM (SEA Gross)	5122		
orqu	33.		14.1
6.T (in an
۵.			
5.Fuel Rate: bs/hr) @ peak HP (for dieseis only)	Hur.		y. Sec. 1
el Ra O pe seis	8.3		alar ara Martina
5.Fuel Rate: s.hr) @ peak H for diesels only)			
(lbs)			1997 - 1 1997 - 1 1997 - 1
先			
te: beak only)	C		
el Ra © F ssel (23.5		
4.Fuel Rate: //stroke @ pea (for diesel only			
4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	10 A		
-			
KPM (ss)	00		
3.BHP@RPM (SAE Gross)	3/32		
3.BH (SAF	17.		
el	6		
Моф	ç		
ne I	750-		
Engi	2V		
	Ĩ.		
1.Engine Code		5 X	an a
õ			
Jine			
Eng			
÷.			