Compression-Ignition Engines



Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engine and emission control system produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR			FUEL TYPE	USEFUL LIFE (hours)		
2006	6CEXL0239AAF	3.9	Diesel	8000		
SPECIAL FEATURES & EMISSION CONTROL SYSTEMS			TYPICAL EQUIPMENT APPLICATION			
Direct Dies	sel Injection, Turbocharg Engine Control Mo	er, Charge Air Cooler, odule	Loader, Tractor, Dozer, Pump, Compressor			

The engine models and codes are attached.

The following are the exhaust certification standards (STD), or family emission limit(s) (FEL) as applicable, and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED	EMISSION		EXHAUST (g/kw-hr)					OPACITY (%)		
POWER CLASS	STANDARD CATEGORY		нс	NOx	NMHC+NOx	со	PM	ACCEL	LUG	PEAK
75 ≤ kW < 130	Tier 2	STD	N/A	N/A	6.6	5.0	0.30	20	15	50
		FEL	N/A	N/A	6.2	N/A	N/A	N/A	N/A	N/A
		CERT			5.6	0.6	0.18	12	2	26

BE IT FURTHER RESOLVED: That the family emission limit(s) (FEL) is an emission level declared by the manufacturer for use in any averaging, banking and trading program and in lieu of an emission standard for certification. It serves as the applicable emission standard for determining compliance of any engine within this engine family under 13 CCR Sections 2423 and 2427.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this ______ day of November 2005.

Allen Loons, Chief

Mobile Source Operations Division

Engine Model Summary Form Aれみながものて 客 いもい

U-R-002-0324

Cummins Inc. Manufacturer:

Engine category:

Nonroad CI 6CEXL0239AAF EPA Engine Family.

E383 Mfr Family Name: **New Submission** Process Code:

_ &	Hijaria Hita Kili
ontrol = J19;	9 X 9
sion C er SAI	
Emis vice P	TC, EC/CAC TC, EC/CAC TC, EC/CAC
e De	\$ →
te: torqu	
8.Fuel Rate: 9.Emission Control ibs/hr)@peak torque Device Per SAE J1930	36.6 7,24, TC, EC/CAC 36.2 / TC, EC/CAC 36.8 / TC, EC/CAC
8.Fu s/hr)@	i.o.
- ₹ €	
7.Fuel Rate: mm/stroke@peak torque	6 / 6
Fuel R stroke torqu	109 107 109
7.1 mm/s	
@ RP iross)	7500 7500 7500
.Torque @ RPM (SEA Gross)	355@1500 350@1500 355@1500
6.T	
. <u>F</u> &	
Rate peak sels or	54.7 48.3 47.6
5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	70 4 4
e: Pak Py) H	
4.Fuel Rat stroke @ pr for diesel o	98 96 96
4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	
Ē	
RPM (see	200 200
3.BHP@RPM (SAE Gross)	130@2500 120@2500 125@2200
3.B (S.	, <u>8</u> 2 2
	6.6
	QSB3.9 QSB3.9 QSB3.9
	60 62 61
	3911 3911 3911
	8240,FR91160 8334;FR91162 8335,FR91161
	8 8