California Environmental Protection Agency AIR RESOURCES BOARD	DETROIT DIESEL CORPORATION	EXECUTIVE ORDER U-R-007-0105-1 New Off-Road Compression-Ignition Engines
---	----------------------------	--

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)				
2006	6DDXL31.8XRR	23.9, 31.8	Diesel	8000				
	FEATURES & EMISSION							
Direc	t Diesel Injection, Engine Turbocharger, Charge	Control Module, Air Cooler	Crane, Loader, Tractor, P	ump, Compressor				

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for hydrocarbons (HC), oxides of nitrogen (NOx), or non-methane hydrocarbons plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kW-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER CLASS	EMISSION			E	XHAUST (g/kW-l	OPACITY (%)				
	STANDARD CATEGORY		нс	NOx	NMHC+NOx	со	PM	ACCEL	LUG	PEAK
kW > 560	Tier 2	STD	N/A	N/A	6.4	3.5	0.20	20	15	50
		CERT			6.1	1.6	0.16	8	3	10

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this ______ day of April 2006.

Allen Lyons, Chief Mobile Source Operations Division

Engine Model r mmary Form

Manufacturer:Detroit Diesel CorporationEngine category:Nonroad CIEPA Engine Family:6DDXL31.8XRR

Mfr Family Name: SERIES 2000 - TIER 2

New Submission

Process Code:

ATTACHNENT PACE 1 OF 2 - 0105.1 E0 #U-K-007-0105.1

8.Fuel Rate: 9.Emission Control (lbs/hr)@peak torque Device Per SAE J1930	EC TAW (all ratings)	DD), ECM, TO, CAL	_									Ž
8.Fuel Rate: (lbs/hr)@peak torque	383	440	289	289	383	383		201	224	277	295	301
7,Fuel Rate: mm/stroke@peak torque	288	331	242	242	288	288		223	249	278	296	302
6. Torque @ RPM (SEA Gross)	3905 @ 1500	4429 @ 1500	3290 @ 1350	3290 @ 1350	3905 @ 1500	3905 @ 1500		2277 @ 1350	2452 @ 1350	2762 @ 1500	2946 @ 1500	3014 @ 1500
5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	495	547	407	376	428	461		288	293	324	345	381
4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	267	295	219	237	270	249	·	207	210	232	247	273
3.BHP@RPM (SAE Gross)	1340 @ 2100	1500 @ 2100	1050 @ 2100	1050 @ 1800	1205 @ 1800	1205 @ 2100		760 @ 2100	760 @ 2100	850 @ 2100	905 @ 2100	1005 @ 2100
2.Engine Model	16V-2000 SCCC 1340 @ 2100	16V-2000 SCCC	16V-2000 SCCC	16V-2000 SCCC	16V-2000 SCCC	16V-2000 SCCC		12V-2000 SCCC 1005 @ 2100				
1.Engine Code	5545	5492	5541	5542	5543	5544		5365	5568	5569	5570	5571

Engine Model Summary Form

ATTACHMENT OF. EO[#]U-R.007-0105-1 PAGE 2 OF 2

Manufacturer: Detroit Diesel Corporation

Engine category: Nonroad Cl EPA Engine Family. 6DDXL31.8XRR

Mfr Family Name:

Process Code: Running Change

8.Fuel Rate: 9.Emission Control (Ibs/hr)@peak torque Device Per SAE J1930	TTH + ECM + TC	EC, TAA		;		EC, TAW			:	>	EC, TAA	>	EC, TAW		>
8.Fuel Rate: (lbs/hr)@peak torque		NA	(all ratings)												
7.Fuel Rate: mm/stroke@peak torque		NA	(all ratings)												
6.Torque @ RPM (SEA Gross)		AN	(all ratings)												
5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)		374	341	350	314	350	374	417	313	342	467	508	433	467	508
4.Fuel Rate: mm/stroke @ peak HP (for diesel only)		330	300	308	280	308	330	. 367	280	300	306	333	285	306	333
3.BHP@RPM (SAE Gross)	na mang mang mang mang mang mang mang ma	1120 @ 1800	986 @ 1800	1021 @ 1800	896 @ 1800	1021 @ 1800	1120 @ 1800	1234 @ 1800	896 @ 1800	986 @ 1800	1354 @ 1800	1495 @ 1800	1227 @ 1800	1354 @ 1800	1495 @ 1800
1.Engine Code 2.Engine Model	ENGINES	12V-2000 A/A			>	12V-2000 SCCC				>	16\/_2000 \/A	N	16V-2000 SCCC		•>
1.Engine Code	ADEC	5549 S	5547 S	5548 P	5546 P	5552 P	5553 S	¥ 5567 S	5550 P	5551 S	גבבה חוי	5557 S	5558 P	5559 P/S	5561 S

P - prime S - standby