

ISHIKAWAJIMA-SHIBAURA MACHINERY CO., LTD.

EXECUTIVE ORDER U-R-026-0172 New Off-Road Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engine and emission control system produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)		
2006	6H3XL2.22N4L	2.216	Diesel	8000		
	CIAL FEATURES & EMISSION CONTROL SYSTEMS		TYPICAL EQUIPMENT APPLICATION			
Indirect Diesel Injection			Loader and Industrial Equipment			

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED	EMISSION	-	EXHAUST (g/kw-hr)			OPACITY (%)				
POWER CLASS	STANDARD CATEGORY		нс	NOx	NMHC+NOx	co	PM	ACCEL	LUG	PEAK
37 <u><</u> KW<75	Tier 2	STD	N/A	N/A	7.5	5.0	0.40	20	15	50
		CERT			4.8	0.9	0.27	5	4	12

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Raphael Susnewiff
frAllen Lyons, Chief

Mobile Source Operations Division

ATTO MAN 107

Engine Model Summary Form

4-626-0172

Ishikawajima-Shibaura Machinery Co., Ltd. Manufacturer:

Nonroad CI Engine category:

6H3XL2.22N4L

EPA Engine Family.

Process Code:

Mfr Family Name: N/A

New Submission

8.Fuel Rate: 9.Emission Control (Ibs/hr)@peak torque Device Per SAE J1930	<u> </u>	- <u>-</u>	ū	-	
8.Fuel Rate: (lbs/hr)@peak torque	447-144	4.7-7-1.4	77171	14.(+/-1.4	
7.Fuel Rate: mm/stroke@peak torque	0.6-1/4-1.0	37.1+/-3.0	0.00	37.1+/-3.5	
6.Torque @ RPM (SEA Gross)	105.5@1800	105.5@1800	പരാത്രിയാ	106.3@1800	
بق الق	21.3+/-2.0	22.5+/-2.1	21.3+/-2.0	22.2+/-1.2	
4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	34.7+/-3.2	33.5+/-3.2	34.7+/-3.2	34.9+/-1.8	
3.BHP@RPM (SAE Gross)	50.0@2800	51.0@3000	50.0@2800	51.0@2800	
2.Engine Model	HP50/2800	HP51/3000	HP50A/2800	51/2900	
1.Engine Code	404G-22	404C-22	404C-22	N844L-C	