

## SISU DIESEL INC.

EXECUTIVE ORDER U-R-050-0010 New Off-Road Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engine and emission control system produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR ENGINE FAMILY		DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)			
2006	6SIDL07.4G4D	7.4	Diesel	8000			
	FEATURES & EMISSION	CONTROL SYSTEMS	TYPICAL EQUIPMENT APPLICATION				
Direct Dies Engine	el Injection, Turbocharg e Control Module and Si	er, Charge Air Cooler, moke Puff Limiter	Tractor				

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED	EMISSION			E	XHAUST (g/kw-ł		OPACITY (%)			
POWER CLASS	STANDARD CATEGORY	İ	HC	NOx	NMHC+NOx	CO	PM	ACCEL	LUG	PEAK
130 ≤ KW < 225	Tier 3	STD	N/A	N/A	4.0	3.5	0.20	20	15	50
		CERT		1	3.8	0.8	0.17	10	3	35

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this \_\_\_\_\_\_\_ day of February 2006.

Allen Lyons, Chief

Mobile Source Operations Division

## MTACHMENT 1 OF 1

## **Engine Model Summary Form**

Sisu Diesel Inc. Manufacturer:

Engine category: Nonroad CI
EPA Engine Farmy: 6SIDL07.4G4D

UR-050-0010

Mfr Family Name: 74 CTA

**New Submission** Process Code:

0	4						1			1	
8.Fuel Rate: 9.Emission Control (lbs/hr)@peak torque Device Per SAE J1930	) (A)						1			>	
9.Emission Control evice Per SAE J193	TOP, SPL	SP	<u>d</u>	SPL	d G	SPL	g S	g S	년 S	SPL	
9.E e Devic	到									$\Rightarrow$	
kate: ak torqu	o Par	0	0	2	Ο.	in	22	0	0	0	
8.Fuel Rate: hr)@peak tor	82.0	74.	92.0	76.5	74.0	티	71.5	96.0	59.0	99	
					4						
7.Fuel Rate: mm/stroke@peak torque	<u>8</u>	148	011	53	<b>4</b> 8	143	43 د	132	<b>&amp;</b>	32	
7.Fuel Rate: nm/stroke@pe torque			7	•						<b>Y</b>	
forque @ RPN (SEA Gross)	807@1500	769@1500	546@1500	769@1500	2,1500	731@1500	731@1500	692@1500	615@1500	<b>2</b> 1500	
6.Torque @ RPM (SEA Gross)	807(	769(	546(	769(	, 769(	731(	731(	692(	615(	692(	
5.Fuel Rate: bs/hr) @ peak Hi (for diesels only)	93.9	94.6	71.9	7.08	4.6	89.5	89.5	73.3	73.3	73.3	
5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6	ത	2	æ	6		8		7	7	
4.Fuel Rate: vstroke @ peak (for diesel only)	128	53	86	9	129	22	122	991	8	8	
4.Fuel Rate: mm/stroke @ peak HP (for diesel only)											
3.BHP@RPM (SAE Gross)	235@2200	240@2200	181@2200	201@2200	240@2200	222@2200	222@2200	192@2200	188@2200	192@2200	
3.BHI (SAE	2356	240(	181(	201(	2400	222(	222(	192(	188	192(	
<u>e</u>	ののはおいます。		#a								Card P
e Moc	74 383 CTA	74,400 CTA	74 401 OTA	74.410 CTA	74.420 CTA	74.421 CTA	74.422 CTA	66.405 CTA	66.409 CTA	66.418 CTA	
2.Engine Model	74.38	74.40	74.40	74 14.4	74.42	74.42	74.42	66.40	66.40	66.41	
ne Coc		74 500	74 507	74.501	74 511	74.508	74.510	66.508	88 503	66.510	
1.Engine Code		47	7.	7.4	7	, 4	74	99	88	99	
								3			