Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the December 15, 1998 Settlement Agreement between the Air Resources Board and the manufacturer, and any modifications thereof to the Settlement Agreement;

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engine and emission control system produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)		
2007	7CPXL15.2ESL	15.2	Diesel	8000		
SPECIAL FEATURES & EMISSION CONTROL SYSTEMS			TYPICAL EQUIPMENT APPLICATION			
Direct Diesel Injection, Turbocharger, Charge Air Cooler and Engine Control Module			Generator			

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED	EMISSION		EXHAUST (g/kw-hr)					OPACITY (%)		
POWER STANDARE CLASS CATEGORY			НС	NOx	NMHC+NOx	со	PM	ACCEL	LUG	PEAK
KW > 560	Tier 2	STD	N/A	N/A	6.4	3.5	0.20	N/A	N/A	N/A
		CERT			5.3	1.8	0.12			

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this \_\_\_\_\_ // the day of October 2006.

anette Hebert, Chief Mobile Source Operations Division

**Engine Model Summary Form** 

ATTACHMENT 1 OF 1

Nonroad Over 50 Hp **CATERPILLAR INC.** EPA Engine Family. 7CPXL15.2ESL Engine category: Manufacturer:

New Submission

Process Code:

Mfr Family Name: NA

ù-R-001-0309

7.Fuel Rate:

8.Fuel Rate: 9.Emission Control (Ibs/hr)@peak torque Device Per SAE J1930		EM, DI, I C, ECM, CA			EM, DI, TC, ECM,		EM, UI, IC, ECM,		
8.Fuel Rate: (Ibs/hr)@peak torqu	may cnange.	AN		AN	NA		AN		
7.Fuel Rate: mm/stroke@peak torque	these	AN		AN	NIA	5	٩Z	· · · · · · · · · · · · · · · · · · ·	
6.Torque @ RPM (SEA Gross)	ion engine avgs.	NA		AN		NA	NA		
5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	Due to product-	0100	0.102	281 G		268.4	760 /	±'007	
4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	nominal values.		465	ACE	64	443		443	
3.BHP@RPM (SAF Gross)	fuel rates are		865@1800			788@1800		788@1800	
o Encine Model	Contraction Parallo	Note: Feak HP and Feak Luique	0.15		C15	310	2	C15	
4 Essing Code 2 Engine Model	(	Note: Peak HP	1 Cart Engine		0	ç	Ŷ	4	

## **Engine Model Summary Form**

<b>CATERPILLAR INC.</b>	y: Nonroad Over 50 Hp	EPA Engine Family: 7CPXL15.2ESL	ne;	C
Manufacturer:	Engine category:	ingine Fa	Mfr Family Name:	Process Code.

W-R-001-0309

Process Code: Running Change - 2

.

8.Fuel Rate: 9.Emission Control (lbs/hr)@peak torque Device Per SAE J1930	EM, DI, TC, ECM,
8.Fuel Rate: (lbs/hr)@peak torq	NA
7.Fuel Rate: mm/stroke@peak torque	NA
6.Torque @ RPM (SEA Gross)	NA
5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	256
4.Fuel Rate: 5.Fuel Rate: mm/stroke @ peak HP (lbs/hr) @ peak HP (for diesel only) (for diesels only)	423
3.BHP@RPM (SAE Gross)	788@1800
2.Engine Model	C15
1.Engine Code	ъ