

JOHN DEERE POWER SYSTEMS OF DEERE

EXECUTIVE ORDER U-R-004-0278 New Off-Road Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)			
2007	7JDXL04.5051	4.5	Diesel	8000			
	FEATURES & EMISSION	CONTROL SYSTEMS	TYPICAL EQUIPMENT APPLICATION				
	Direct Diesel Inje	ction	Tractor, Pump, Compressor, Generator Set, Other Industrial Equipment				

The engine models and codes are attached.

The following are the exhaust certification standards (STD), and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kW-hr); and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED	EMISSION		EXHAUST (g/kW-hr)					OPACITY (%)		
POWER CLASS	STANDARD CATEGORY		нс	NOx	NMHC+NOx	co	PM	ACCEL	LUG	PEAK
37 ≤ kW < 75	Tier 2	STD	N/A	N/A	7.5	5.0	0.40	20	15	50
		CERT	-	-	7.0	3.2	0.33	4	3	10

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this day of December 2006.

Annette Hebert, Chief

Mobile Source Operations Division

Engine Model Summary Form

Manufacturer:

John Deere Power Systems of Deere and

Engine category:

Nonroad Cl

EPA Engine Family: 7JDXL04.5051

nily Name: 350DF Pr ___s Code:

New Submission

Attachment p. 1 of 2 EAST U-R-MY-0278

1.Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm/stroke@peak torque	8.Fuel Rate: (lbs/hr)@peak torque	9.Emission Control Device Per SAE J1930
4045DF270D	4045D	67:06@1800	62.60 @ 1800	25.36@1800			e e e e e e e e e e e e e e e e e e e	EM DFI
4045DF270A	4045D	80.47@2500	60.70@2500	34.18@2500	224.93@1000	73@1000	16.32@1000	EM DFI
		200					Contract Annual	THE SHIP STATE OF THE SAME

Engine Model Summary Form

Manufacturer:

John Deere Power Systems

Engine category:

Nonroad Cl

EPA Engine Family: 7JDXL04.5051

Mfr Family Name: 350DF

Process Code:

1.Engine Code

Running Change

Attachment p. 2 of 2 U-R-004-0278

. 8.Fuel Rate: 9.Emission Control (ibs/hr)@peak torque Device Per SAE J1930

4045DF2701

2. Engine Model 4045D

3.BHP@RPM (SAE Gross) 67.06@1800 4.Fuel Rate: mm/stroke @ peak HP (for diesel only) 62.60@1800

5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only) 25.36@1800

6.Torque @ RPM (SEA Gross)

7.Fuel Rate; mm/stroke@peak torque

EM DFI