

JOHN DEERE POWER SYSTEMS OF DEERE

EXECUTIVE ORDER U-R-004-0309-1 New Off-Road Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)		
2007	7JDXL04.5107	4.5	Diesel	8000		
SPECIAL FEATURES & EMISSION CONTROL SYSTEMS			TYPICAL EQUIPMENT APPLICATION			
Direct Diesel Injection, Turbocharger, Charge Air Cooler, Smoke Puff Limiter, Electronic Control Module			Pump, Compressor, Generator Set, Other Industrial Equipment			

The engine models and codes are attached.

The following are the exhaust certification standards (STD), or family emission limit(s) (FEL) as applicable, and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kW-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER CLASS	EMISSION STANDARD CATEGORY	EXHAUST (g/kW-hr)				OPACITY (%)				
			нс	NOx	NMHC+NOx	co	PM	ACCEL	LUG	PEAK
37 ≤ kW < 75	Tier 2	STD	N/A	N/A	7.5	5.0	0.40	20	15	50
		FEL	-	-	4.7	-	-	-	-	-
		CERT	-	-	4.1	2.3	0.19	1	2	2

BE IT FURTHER RESOLVED: That the family emission limit(s) (FEL) is an emission level declared by the manufacturer for use in any averaging, banking and trading program and in lieu of an emission standard for certification. It serves as the applicable emission standard for determining compliance of any engine within this engine family under 13 CCR Sections 2423 and 2427.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

This Executive Order hereby supersedes Executive Order U-R-004-0309 dated March 21, 2007.

Executed at El Monte, California on this day of June 200

Annette Hebert, Chief

Mobile Source Operations Division

Engine Model S nmary Form

John Deere Power Systems of Deere and Manufacturer:

Nonroad Cl Engine category:

EPA Engine Family: 7JDXL04.5107

Mfr Family Name: 350TAA

R. Hochman J. E0# 4- 8-084-0309-1

Process Code:

New Submission

	# QK					
8.Fuel Rate: 9.Emission Control (Ibs/hr)@peak torque Device Per SAE J1930	EM EC SPL DOZ TE CAC	EM EC SPL	EM EC SPL	EM EC SPL	EM EC SPL	
8.Fuel Rate: (lbs/hr)@peak torque	89.7@1600 32.35@1600	27.39@1600	30.65@1600	•	31.24@1600	
7.Fuel Rate: mm/stroke@peak torque	89.7@1600	76.1@1600	85.1@1600	-	86.8@1600	
6.Torque @ RPM (SEA Gross)	278.03@1600	231,57@1600	261.80@1600	-	261.80@1600	
5.Fuel Rate: (lbs/hr) @ peak HP (for dlesels only)	- 40.72@2400	35.04@2400	34.46@2200	37.53@1800	41.58@2400	
4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	4045T - 1 99.24@2400 75.40@2400	64.90@2400	80.60@2200	92.70@1800	77.10@2400	
3.BHP@RPM (SAE Gross)	· 99.24@2400	(† 84.49@2400	84.49@2200	99.24@1800	99.24@2400	
2.Engine Model	4045T	4045T (い	4045T	. 40 4 5T	4045T	
1.Engine Code	4045TF285A	4045TF285C	4045TF285D	4045TF285E	4045TF285B	