

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engine and emission control system produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)
2007	7KLXL03.3JA3	3.3	Diesel	8000
SPECIAL FEATURES & EMISSION CONTROL SYSTEMS			TYPICAL EQUIPMENT APPLICATION	
Direct Diesel Injection			Crane, Loader, Tractor, Dozer, Pump, Compressor, Generator	

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NO_x), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NO_x), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):


RATED POWER CLASS	EMISSION STANDARD CATEGORY		EXHAUST (g/kw-hr)					OPACITY (%)		
			HC	NO _x	NMHC+NO _x	CO	PM	ACCEL	LUG	PEAK
37 ≤ kW < 56	Tier 2	STD	N/A	N/A	7.5	5.0	0.40	20	15	50
		CERT	--	--	6.7	2.2	0.34	7	11	11

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this 15 day of December 2006.



Annette Hebert, Chief
 Mobile Source Operations Division

ATTACHMENT Pg 1 of 2

LARGE ENGINE MODEL SUMMARY

U-R-005-0266

Manufacturer: **KOMATSU Ltd.**

Process Code: **New Submission**

EPA Engine Family: **7KLXL03.3JA3**

Manufacturer Family Name: **4D95LE-3**

1.Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm/stroke@peak t orque	8.Fuel Rate: (lbs/hr)@peak torque, Device Per SAE J1930	9.Emission Control
2C05	4D95LE-3	65@2600	42	25	158@1600	50	18	EM, DOZ
2C06	4D95LE-3	60@2200	47	23	158@1600	50	18	EM
2C10	4D95LE-3	58@2200	46	22	149@1650	47	17	EM
2C13	4D95LE-3	54@2350	42	22	153@1600	49	16	EM
2C14	4D95LE-3	60@2350	46	24	158@1600	50	18	EM
2C15	4D95LE-3	65@2600	45	26	148@1800	49	20	EM
2C16	4D95LE-3	60@2200	47	23	158@1600	50	18	EM
2C19	4D95LE-3	65@2600	45	26	164@1800	51	21	EM



LARGE ENGINE MODEL SUMMARY

9/12/06

U-P-005-0266

Manufacturer: **KOMATSU Ltd.**

Process Code: **New Sub - continued**

EPA Engine Family: **7KLLX103.3JA3**

Manufacturer Family Name: **4D95LE-3**

1.Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm/stroke@peak t orque	8.Fuel Rate: (lbs/hr)@peak torque	9.Emission Control Device Per SAE J1930
FR30201	B3.3	65@2600	42	25	158@1600	50	18	EM, DDZ
FR30202	B3.3	60@2200	47	23	158@1600	50	18	EM
FR30221	B3.3	58@2200	46	22	149@1650	47	17	EM
FR30222	B3.3	54@2350	42	22	153@1600	49	16	EM
FR30223	B3.3	60@2350	46	24	158@1600	50	18	EM
FR30225	B3.3	60@2200	47	23	158@1600	50	18	EM
FR30228	B3.3	65@2600	45	26	164@1800	51	21	EM