



Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

**IT IS ORDERED AND RESOLVED:** That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)
2007	7KBXL03.8ACD	3.769	Diesel	8000
SPECIAL FEATURES & EMISSION CONTROL SYSTEMS			TYPICAL EQUIPMENT APPLICATION	
Direct Diesel Injection			Pump, Compressor, Other Industrial Equipment	

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kW-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER CLASS	EMISSION STANDARD CATEGORY		EXHAUST (g/kW-hr)					OPACITY (%)		
			HC	NOx	NMHC+NOx	CO	PM	ACCEL	LUG	PEAK
37 ≤ kW < 75	Tier 2	STD	N/A	N/A	7.5	5.0	0.40	20	15	50
		CERT	--	--	6.6	1.9	0.28	2	2	3

**BE IT FURTHER RESOLVED:** That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

**This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.**

Executed at El Monte, California on this 20 day of December 2006.

Annette Hebert, Chief  
Mobile Source Operations Division

# Engine Model Summary Form

Manufacturer: **KUBOTA Corporation**  
 Line category: **Nonroad CI**  
 Engine Family: **7KBXL03.8ACD**  
 Family Name: **N/A**  
 Access Code: **New Submission**

*Attachment*  
 EOT WR-025-0312

Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm/stroke@peak torque	8.Fuel Rate: (lbs/hr)@peak torque	9.Emission Control Device Per SAE J1930
3800-DI-ES01	V3800-DI-ES	81.5@2600	55.0	32.0	191.8@1500	68.0	20.1	EM
3800-DI-ES02	V3800-DI-ES	75.6@2400	53.0	28.4	194.7@1500	57.0	19.1	EM
3800-DI-ES03	V3800-DI-ES	69.7@2200	51.5	25.7	191.8@1500	56.0	18.6	EM
3800-DI-ES04	V3800-DI-ES	66.6@2000	55.0	24.6	193.8@1400	59.8	18.7	EM

# Engine Model Summary Form

**Manufacturer:** KUBOTA Corporation  
**Engine category:** Nonroad CI  
**EPA Engine Family:** 7KBXL03.8ACD  
**Mfr Family Name:** N/A  
**Process Code:** Running Change

ATTACHMENT

U-R-025-0312

1.Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm/stroke@peak torque	8.Fuel Rate: (lbs/hr)@peak torque	9.Emission Control Device Per SAE J1930
V3800-DI-ES01	V3800-DI-ES	81.5@2600	55.0	32.0	199.7@1500	60.0	20.1	EM
V3800-DI-ES02	V3800-DI-ES	75.6@2400	53.0	28.4	194.7@1500	57.0	19.1	EM
V3800-DI-ES03	V3800-DI-ES	69.7@2200	51.5	25.3	191.8@1500	56.0	18.8	EM
V3800-DI-ES04	V3800-DI-ES	66.6@2000	55.0	24.6	193.8@1400	59.8	18.7	EM
V3800-DI-ES05	V3800-DI-ES	68.9@2200	52.6	25.9	191.8@1500	57.2	19.2	EM

DDI →