Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)			
2007	7YDXL1.50K3H	1.496	Diesel	5000			
SPECIAL	FEATURES & EMISSION		TYPICAL EQUIPMENT AP	TYPICAL EQUIPMENT APPLICATION			
Direct Dies	sel Injection, Turbocharg	er, Charge Air Cooler	Crane, Loader, Tra Dozer, Pump, Comp				

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for hydrocarbons (HC), oxides of nitrogen (NOx), or non-methane hydrocarbons plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kW-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER CLASS	EMISSION		EXHAUST (g/kw-hr)				OPACITY (%)			
	STANDARD CATEGORY		HC	NOx	NMHC+NOx	СО	PM	ACCEL	LUG	PEAK
19 ≤ kW < 37	Tier 2	STD	N/A	N/A	7.5	5.5	0.60	20	15	50
		CERT			5.8	1.7	0.34	3	1	9

**BE IT FURTHER RESOLVED:** That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this \_\_\_\_\_ day of December 2006.

Annette Hebert, Chief

Mobile Source Operations Division

## **Engine Model Summary Form**

E0#U-R-028-0336 ATTACHNENT, PloF/

Manufacturer: Yanmar Co., Ltd.

Engine category: Nonroad CI

EPA Engine Family: 7YDXL1.50K3H

Mfr Family Name: N/A

Process Code: New Submission

	<b>4</b> .3		<b>116</b> 0000	en in	統約製
0	182 DENEW TOTAL	H			
8.Fuel Rate: 9.Emission Control (lbs/hr)@peak torque Device Per SAE J1930	3	1	¥.	5	
S A	1				
sion er S	ā	E	ā	H	
E e	ō				
9.E	Δ			>	
6				141	
nd n		1.4			
Rate ak to	S.	တ	N	တ	
Jei F	33	7	13	7	
8.Fuel Rate: hr)@peak to				1 . 1	M.
(lbs/					廛
J			HY		
7.Fuel Rate: mm/stroke@peak torque					
7.Fuel Rate: m/stroke@pe: torque	4.4	3.5	V.	3.5	
Fuel Ral stroke@ torque	*	4		4	
7.1 Mm/s			A	111	
E		171			
*			m	124	
RPA 33)	8	8	9	8	
6.Torque @ RPM (SEA Gross)	ij	=	<b>#</b>	31/2	H
rque EA	7	22	¥	2.7	
S. To	Ŧ	ĭ	Ħ	Ŧ	
ŭ				iji Jet	
<b>₽</b> €					M
ak F				it. Uze	n.
Ra Pe pe	2	6.8	2	6.8	
5.Fuel Rate: lbs/hr) @ peak HF (for diesels only)					
s lbs/t (for		, i		de i	ļi h
4.Fuel Rate: 5.Fuel Rate: mm/stroke @ peak HP (lbs/hr) @ peak HP (for diesel only) (for diesels only)	10.0	111	17.2 1047/1850 1944 444		
Ħ (			He.		關
4.Fuel Rate: n/stroke @ peak H (for diesel only)			0.0		
el R	ğ	စ္က	ğ	39.0	
4.Fuel stroke or dies					
4 m/st (fo					
E					
< -				al di San	
RPN ossj	900	200	8	8	
@ © ©	2	2/2	22	22	
3.BHP@RPM (SAE Gross)	TTNV84HT-VM - 44.0/2600	43.2/2600	7	£3	
(7				iji igi	
					W
de	S	5	Ħ.	4	
ž	Ě	Ļ	Ħ.	4	
je	8	8	<b>B</b>	84	
ing.	Ž	Ž	È	Ž	
2.6	ਲ	31	3TNV84HT-JT	3	
1.Engine Code 2.Engine Model		NA 3TNV84HT-JT	EP	N/A 3TNV84HT-JF 43.2/2600	
ode					
e C	(A	-	/战	-	M
gin	Š	ŝ	2	Ž	
뎐				M	
4			間		