

KUBOTA CORPORATION

EXECUTIVE ORDER U-R-025-0339 New Off-Road Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	EAR ENGINE FAMILY (liters)		FUEL TYPE	USEFUL LIFE (hours)		
2008			Diesel	5000		
	FEATURES & EMISSION		TYPICAL EQUIPMENT APPLICATION			
Indirect Diesel Injection, Engine Control Module (some models)			Generator Set			

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kW-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED	EMISSION STANDARD CATEGORY	EXHAUST (g/kW-hr)				OPACITY (%)				
POWER CLASS			нс	NOx	NMHC+NOx	CO	PM	ACCEL	LUG	PEAK
19 ≤ kW < 37	Tier 4 Interim	STD	N/A	N/A	7.5	5.5	0.30	N/A	N/A	N/A
		CERT			6.0	1.0	0.18			

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this /

Rophal Summerity Le Annette Hebert, Chief

Mobile Source Operations Division

Engine Model Summary Form

Manufacturer: KUBOTA Corporation

Engine category: Nonroad CI

EPA Engine Family: 8KBXL02.0FCC

Mfr Family Name: N/A

Process Code: New Submission

Attachment E0#4-2055-0339

0	1		
8.Fuel Rate: 9.Emission Control (lbs/hr)@peak torque Device Per SAE J1930	EM	EM,Electronic	
8.Fuel Rate: (lbs/hr)@peak torqi	NA	NA	
7.Fuel Rate: mm/stroke@peak torque	NA	N/A	
6. Torque @ RPM (SEA Gross)	NA	NA	
5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	13.5	13.3	
4.Fuel Rate: 5.Fuel Rate: mm/stroke @ peak HP (lbs/hr) @ peak HP (for diesel only) (for diesels only)	33.6	33.1	
_	33.4@1800	32.6@1800	
2.Engine Model	V2003-M-BG-ET	V2003-M-BG-ET	
1.Engine Code 2.Engine Model	V2003-M-BG-ET01 V2003-M-BG-ET 33.4@1800	V2003-M-BG-ET02e V2003-M-BG-ET 32.6@1800	

Engine Model Summary Form

KUBOTA Corporation Manufacturer:

Engine category:

Nonroad CI 8KBXL02.0FCC EPA Engine Family.

Mfr Family Name: N/A

Running Change Process Code:

	1		
8.Fuel Rate: 9.Emission Control (lbs/hr)@peak torque Device Per SAE J1930	EIX	ini tandidasi artari menerita indana ind	EM, Electronic
8.Fuel Rate: (lbs/hr)@peak torque	Š	NA	NA
7.Fuel Rate: mm/stroke@peak torque	NA	NA	NA
6.Torque @ RPM (SEA Gross)	NA	NA	WA
5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	13.5	13.3	C 91
4. Fuel Rate: mm/stroke @ peak HP (for diesel only)	33.6	33.1	28.1
3.BHP@RPM (SAE Gross)	33.4@1800	32.6@1800	32.6@1800
2.Engine Model	V2003-M-BG-ET	V2003-M-BG-ET	V2003-M-BG-ET
1.Engine Code	V2003-M-BG-ET01 V2003-M-BG-ET	V2003-M-BG-ET02	V2003-M-BG-ET02e V2003-M-BG-ET