LOMBARDINI MOTORI S.R.L.

EXECUTIVE ORDER U-R-027-0085 New Off-Road Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR			FUEL TYPE	USEFUL LIFE (hours)	
2008	8LBDL.95412L	0.954	Diesel	3000	
SPECIAL FEATURES & EMISSION CONTROL SYSTEMS			TYPICAL EQUIPMENT APPLICATION		
Direct Diesel Injection			Tractor, Pump, Compressor, Generator Set, and Other Industrial Equipment		

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED	EMISSION		EXHAUST (g/kw-hr)			OPACITY (%)				
POWER	STANDARD		нс	NOx	NMHC+NOx	co	PM	ACCEL	LUG	PEAK
8 <u><</u> KW < 19	Tier 4	STD	N/A	N/A	7.5	6.6	0.40	20	15	50
		CERT			6.3	5.5	0.30	4	3	6

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Annette Hebert, Chief

Mobile Source Operations Division

	1-R-027-0085	7.Fuel Rate: n/stroke@peak 8.Fuel Rate: 9.Emission Control torque (lbs/hr)@peak torqueDevice Per SAE J1930	EM DDI
	N-1	8.Fuel Rate: (lbs/hr)@peak torque	6.22
		7.Fuel Rate: mm/stroke@peak torque	28.0
mplate	2 to	6.Torque @ RPM (SEA Gross)	36.9@2000
ummary Te	nt, 1	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	7.03
Engine Model Summary Template	Attachment, 1 of 2	4.Fuel Rate: 5.Fuel Rate: 7.Fuel Rate: 7.Fuel Rate: mm/stroke@peak HP 6.Torque@RPM mm/stroke@peak (for diesel only) (for diesels only) (SEA Gross) torque (1	23.5
Ē		3.BHP@RPM (SAE Gross)	17.2@2700
		Engine Family 1.Engine Code 2.Engine Model	12LD477 17.2@2
		1.Engine Code	generalism en unitere de Responsación de la companya
		Engine Family	8LBDL.95412L

Engine Model Summary Template

Attachment 2 of 2

U-R-027-008T

2	1930	EM DDI
9.Emission Control	lbs/hr)@peak torqueDevice Per SAE J1930	EM
8.Fuel Rate:	(lbs/hr)@peak torq	6.22
7.Fuel Rate: mm/stroke@peak	torque	28.0
	(SEA Gross)	36.9@2000
5.Fuel Rate: (lbs/hr) @ peak HP	(for diesels only)	7.03
4.Fuel Rate: 5.Fuel Rate: mm/stroke @ peak HP(lbs/hr) @ peak HP 6	(for diesel only)	23.5
3.BHP@RPM	(SAE Gross)	17.2@2700
	Engine Family 1.Engine Code 2.Engine Model	KD 477-2
	1.Engine Code	
	Engine Family	8LBDL.95412L