

KOMATSU LIMITED

EXECUTIVE ORDER U-R-005-0332 New Off-Road Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003:

IT IS ORDERED AND RESOLVED: That the following compression-ignition engine and emission control system produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)
2009	9KLXL0409AAC	6.7	Diesel	8000
** E. A. S.	FEATURES & EMISSION	CONTROL SYSTEMS	TYPICAL EQUIPMENT	
Direct Dies	el Injection, Turbocharge Engine Control Mo	er, Charge Air Cooler, dules	Loader, Tractor, Dozer, Pun	np and Compressor

The engine models and codes are attached.

The following are the exhaust certification standards (STD), or family emission limit(s) (FEL) as applicable, and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED	EMISSION			I	EXHAUST (g/kw-h	nr)		OF	PACITY (%	6)
POWER	STANDARD		нс	NOx	NMHC+NOx	co	PM	ACCEL	LUG	PEAK
75 ≤ kW < 130	Tier 3	STD	N/A	N/A	4.0	5.0	0.30	20	15	50
		FEL	N/A	N/A	N/A	N/A	0.24	N/A	N/A	N/A
		CERT	1221		3.4	1.8	0.14	6	2	10

BE IT FURTHER RESOLVED: That the family emission limit(s) (FEL) is an emission level declared by the manufacturer for use in any averaging, banking and trading program and in lieu of an emission standard for certification. It serves as the applicable emission standard for determining compliance of any engine within this engine family under 13 CCR Sections 2423 and 2427.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this

day of November 2008.

Annette Hebert, Chief

Mobile Source Operations Division

Fucume Family	1 Engine Code	2 Engine Model	3.8HP@RPM (SAE Gross)	4 Fuel Rate: mm/stroke @ peak HP ((for diesel orby)	S.Fuel Rate (Bouhr) @ peak HP (for desels only)	6. Torque @ RPM (SEA Gross)	7 Fuel Rate: mm/stroke@peak lorque	8.Fuel Rater (Ibs/hr)@peak torqu	MaCantus Macantus	9.Emission Control arDevice Per SAE J1930
KLXL0409AAC	0426.FR91850		173@1800	105	64	644@1300	136	9.69	18	DOS, ECM TC CAC
A MODAAC	1586 FR91446		173@1800	105	64	644@1300	136	59.6	=	ECM TO CAC
- Cakal	1586 FR91443	SAA6D1076-1	167@2000	77	51.7	548@1500	118	59.6		ECM TC CAC
ONTOGAC	1586 FR92050	SAA6D107E-1	173@2200	68	66.1	435@1800	88	48.1		ECM TO CAC
a lat ozganan	1584 FR91350		155@2000	60	57.2	460@1500	102	51.4		ECM TC CAC
AL ALBATHAAC	1584 FR91444		140@2000	80	53.7	463@1400	86	46.5	1116	ECM TC CAC
NUX MODAN	1584 FR91438		133@2200	71	52.8	430@1450	82	45.1	-	ECM TO CAC
C. J. D403AAC	1584 FR92420		155@2000	85	57.2	450@1500	102	51.4	-	ECM TC CAC
NI KONDONA	3068 FR91442		171@2000	94	63.5	496@1500	104	52.6	>	ECM TO CAC