## ISUZU MOTORS LIMITED

EXECUTIVE ORDER U-R-006-0305 New Off-Road Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

| MODEL<br>YEAR             | ENGINE FAMILY                                     | DISPLACEMENT (liters)                          | FUEL TYPE                     | USEFUL LIFE<br>(hours) |  |  |
|---------------------------|---|--|-------------------------------|------------------------|--|--|
| 2009                      | 9SZXL05.2HXA                                      | 5.2  | Diesel                        | 8000                   |  |  |
| SPECIAL                   | FEATURES & EMISSION                               | CONTROL SYSTEMS                                | TYPICAL EQUIPMENT APPLICATION |                        |  |  |
| Direct Dies<br>Electronic | el Injection, Turbocharg<br>Control Module, Exhau | er, Charge Air Cooler,<br>st Gas Recirculation | Crane, Excavator, Other In    | dustrial Equipment     |  |  |

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kW-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

| RATED          | EMISSION |      |     | E   | XHAUST (g/kW-l | nr) |      | OF    | PACITY (% | (a)  |
|----------------|----------|------|-----|-----|----------------|-----|------|-------|-----------|------|
| POWER          | STANDARD |      | НС  | NOx | NMHC+NOx       | CO  | PM   | ACCEL | LUG       | PEAK |
| 130 ≤ kW < 225 | Tier 3   | STD  | N/A | N/A | 4.0            | 3.5 | 0.20 | 20    | 15        | 50   |
|                |          | CERT |     | -   | 3.5            | 0.6 | 0.08 | 9     | 2         | 17   |

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this

Annette Hebert, Chief

Mobile Source Operations Division

day of September 2008.

## Engine Model Summary Template

|   |                |                |                          | ngine Model Sullillary Telliplate   | dililiary ich   | Holare                         |  | (                                   |  |
|---|----------------|----------------|--------------------------|---|---|--------------------------------|--|-------------------------------------|--|
|   |                |                |                          | ATTACK  | ATTACHMENT  | ,                              | ٥  | U_K_006-0305                        | 6305   |
| 4.F. 3.BH-giRPM mmstvoid (SAE Gress) (for the Family 1 Engine Code 2.Engine Model (SAE Gress) (for the control of the control | 1. Engine Code | 2.Engine Model | 3.BHP@RPM<br>(SAE Grass) | 4 Fuel Rate:<br>mm/stroke @ peak HP<br>(for diesel only)  | 5.Fuel Rate:<br>(fbs/hr.) (() peak HP<br>(for diesets only) | 6.Torque (§ RPM<br>(SEA Gross) | 7.Fuel Rate:<br>mm/skroke@peak<br>torque | 8. Fuel Rate.<br>(bs/hr)@peak torqu | 4 Fuel Rate. 5 Fuel Rate. 7 Fuel Rate. 1 Fuel Rate. 9 Fuel Rate. 9 Fuel Rate. 9 Fuel Rate. 10 Fuel Rate. 9 Fuel Rate. 10 Fuel Rate. 10 Fuel Rate. 9 Fuel Rate. 10 Fuel Rat |
| 15,7 klins 2HXA   | 4HK1XDHAA-01   | AH-4HK1X       | 197.2@2100               | 15. C.D. 2HXA 4HKIXDHAA-01 AH-4HKIX 1972@2100 145.0@2100 67.7@2100 508.0@1500 149.6@1500 49.9@1500 ECM, T.C. CAC      | 67.7@2100   | 506.0@1500                     | 149.6@1500                               | 49.9@1500                           | DFT, EGR   |
| 952×1052HXA   | 4HK1XDHAA-02   | AH-4HK1X       | 187.8@2000               | 95ZX115 ZHXA, 4HK1XDH4AAC2 AH-4HK1X 187.8@2000 143.0@2000 63.8@2000 506.0@1500 151.0@1500 50.4@1500 € ECM.TC, CAC EGR | 63.6@2000   | 506.0@1500                     | 151.0@1500                               | 50.4@1500                           | & ECM, TC, CAC<br>EGR  |