CNH UK LIMITED

EXECUTIVE ORDER U-R-008-0091 New Off-Road Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engine and emission control system produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)
2009	9NHXL06.7DCC	6.7	Diesel	8000
	FEATURES & EMISSION	CONTROL SYSTEMS	TYPICAL EQUIPMENT	APPLICATION
Exhaust (sel Injection, Turbocharg Sas Recirculation and Er	er, Charge Air Cooler, gine Control Module	Tractor, Dozer, Generator and Ot	ther Industrial Equipment

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED	EMISSION			E	XHAUST (g/kw-l	ır)		OF	ACITY (%	6)
POWER CLASS	STANDARD CATEGORY		HC	NOx	NMHC+NOx	co	PM	ACCEL	LUG	PEAK
75 ≤ kW < 130	Tier 3	STD	N/A	N/A	4.0	5.0	0.30	20	15	50
		CERT		'	3.5	1.0	0.22	10	2	16

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this day of January 2009.

Annette Hebert, Chief

Mobile Source Operations Division

HTJ4CMHEらT 隔 () よ'! Engine Model Summary Template

_
003
-0
ĭ
\mathfrak{D}
300
-O
dy.
Ī
7
_

Engine Family	Engine Faurity 1 Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuei Rate: mm/stroke@peak torque	8.Fuel Rate։ (lbs/hr)@peak torqı	8.Fuel Rate: 9.Emission Control (lbs/hr)@peak torque Device Per SAE J1930
9NHXL06.7DCC	A/N	E40F9687F1.# 5-4HE9687E1.#	165 @ 2200	83	N/A	551 @ 1400	110	() A/N	N/A DOLTCEM. EC. CAC. EAR
SNHXL05.7DCC	667TA/EDB	F4HE9684R*J	169 @ 2000	93	A/A	538 @ 1400	108	N/A	EM. EC. CAC
9NH (XL06,710CC	667TA/EDJ	F4DE9684KU F4DE9684KU	130 @ 2200	68	N/A	434 @ 1400	06	A/A	EM. EC. CAC.
SNHXLOS 7DCC	667TA/EDD	F4DE9687X*J	150 @ 2200	82.3	A/N	457 @ 1600	93.1	A/N	EM. EC. CAC.
9NHXLU6.7DCC	667TA/EDF	F4DE9684R*J	140 @ 2200	77.4	N/A	424 @ 1600	88.2	N/A	EM. EC. CAC.
9NHXL06.7DCC	667TA/EDG	F4DE9684Z*J	139 @ 2200	4.77	N/A	474 @ 1400	100	N/A	EM. EC. CAC.
9NHXL06.7DCC	667TA/EDH	F4DE9684U*J	155 @ 2200	85.3	A/N	509 @ 1400	104.9	A/N	EM. EC. CAC.
9NHXL 86.7DCC	667TA/EDK	F4DE9684F*J	125 @ 2200	70.6	N/A	437 @ 1400	90.2	N/A	EM. EC. CAC.
9NHXL08.7DCC	667TA/EDL	F4DE9684G*J	115 @ 2200	66.6	N/A	400 @ 1400	84.3	A/N	EM. EC. CAC.
9NHX1.06.7DCC	667TA/EDN	F4DE9687R*J	140 @ 2200	4.77	N/A	452 @ 1400	93.1	A/N	EM, EC, CAC.
9NHXLD6.7DCC	N/A	F4DE9884X1J	150 @ 2200	77	N/A	502 @ 1400	101	N/A	EM. EC. CAC.
SNHXLO6.7DCC	667TA/EDT	F4HE9687H*J	162 @ 2000	86	N/A	538 @ 1500	107	A/N	EM. EC. CAC.
9NHXL06.7DCC	667TA/EDE	F4HE9684T*J	139 @ 2100	2.2	N/A	465 @ 1400	94	N/A)	EM. EC. CAC.
9NHXL08,7DCC	667TA/EDH	F4HE9684U*J	156 @ 2200	85.3	N/A	509 @ 1400	104.9	N/A	V EM. EC. CAC.