

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)			
2010	AVEXL04.5DTD	4.5	Diesel	8000			
	FEATURES & EMISSION	CONTROL SYSTEMS	TYPICAL EQUIPMENT APPLICATION				
Direct I Li	Diesel Injection, Turboch miter, and Exhaust Gas	arger, Smoke Puff Recirculation	Loader, Tractor, and C	Senerator Set			

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER CLASS	EMISSION STANDARD CATEGORY		EXHAUST (g/kw-hr) OPACITY (%)							%)
			нс	NOx	NMHC+NOx	co	PM	ACCEL	LUG	PEAK
56 ≤ kW < 75	Tier 3	STD	N/A	N/A	4.7	5.0	0.40	20	15	50
		CERT			4.3	1.4	0.33	14	10	20

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this ____ day of May 2010.

Annette Hebert, Chief

Mobile Source Operations Division

emitt Hebert

Engine Model Summary Template

U-K-U1>-0100 Atlachment 1/1 pg 1/1 4(13)200

Engine Family	1.Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm/stroke@peak torque	8.Fuel Rate: (lbs/hr)@peak torqu		ssion Control Per SAE J1930	- Standard Standard
AVEXL04.5DTD	445T/MMM	F4CE9454H*J/ F4GE9454H*J	99 @ 2200	88.2	N/A	302 @ 1400	110	N/A	LΕV	I. SPL. TC.	Delitation when you
AVEXL04.5DTD	445T/MMG	F4GE9545K*J	84 @ 2200	76	N/A	273 @ 1320	98	N/A	EV	I. SPL. TC.	
AVEXL04.5DTD	445T/ M MJ	F4GE9454J*J	89 @ 2200	78	N/A	288 @ 1320	102	N/A	E	I. SPL. TC.	
AVEXL04.5DTD	445T/MMC	F4GE9454C*J/ F4CE9454C*J	90 @ 2300	74	N/A	284 @ 1380	99	N/A	EN	I. SPL. TC.	
AVEXL04.5DTD	N/A	F4GE9455A*J	93 @ 1800	88	N/A	270 @ 1800	88	N/A	E	1. SPL. TC	
AVEXL04.5DTD	N/A	F4GE9455B*J	79 @ 1800	76	N/A	231 @ 1800	76	N/A	NOT EN	1. SPL. TC, <i>C</i> 4	C, FGR