EXECUTIVE ORDER U-R-025-0426 New Off-Road Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)							
2010	AKBXL01.3DCC	1.261	Diesel 3000								
SPECIAL	FEATURES & EMISSION	CONTROL SYSTEMS	TYPICAL EQUIPMENT APPLICATION								
	Indirect Diesel Inje	ection	Generator Set, Refrig	geration Unit							

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER CLASS	EMISSION			E	OPACITY (%)					
	STANDARD CATEGORY		нс	NOx	NMHC+NOx	co	PM	ACCEL	LUG	PEAK
8 ≤ kW < 19	Tier 4	STD	N/A	N/A	7.5	6.6	0.40	N/A	N/A	N/A
		CERT			5.2	1.0	0.19			

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this

_ day of December 2009.

Annette Hebert, Chief

Mobile Source Operations Division

Engine Model Summary Form

KUBOTA Corporation Manufacturer:

Nonroad Cl Engine category:

EPA Engine Family: AKBXL01.3DCC

Mfr Family Name: N/A

New Submission Process Code:

Attachment

E0# U-R-025-0426 poot / 21 /2)

page 1 of

4				:																					þ
57	_	->		٠.												-									
EM	EM	EM																							
A	A	A																							
Ž	Ž	Ž																							
																				-					
N/A	N/A	N/A								:.															
															ı									-	
												-													
N/N/N/N/N/N/N/N/N/N/N/N/N/N/N/N/N/N/N/	N/A	N/A																							
·.						1.																			
8.2	8.7	5.4						-												-					
	•				-							-													
														,											
27.2	25.9	25.4																							
1800	1800	1500																							
19.8@	19.0@	15.6@																							
ΞΞ	Ξ	h.																							
05-BG-F	05-BG-I	05-BG-E							-																
D13	D13	55	•								-														
3-ET01	3-ET02	3-ET03							,																
305-BC	305-BC	305-BC																							
	D1305-BG-ET 19.8@1800 27.2 8.2 N/A N/A	D1305-BG-ET 19.8@1800 27.2 8.2 N/A N/A N/A D1305-BG-ET 19.0@1800 25.9 7.8 N/A N/A N/A	D1305-BG-ET 19.8@1800 27.2 8.2 N/A N/A N/A D1305-BG-ET 19.0@1800 25.9 7.8 N/A N/A N/A D1305-BG-ET 15.6@1500 25.4 6.4 N/A N/A N/A	D1305-BG-ET 19.8@1800 27.2 8.2 N/A N/A N/A D1305-BG-ET 19.0@1800 25.9 7.8 N/A N/A N/A D1305-BG-ET 15.6@1500 25.4 6.4 N/A N/A N/A	D1305-BG-ET 19.8@1800 27.2 8.2 N/A N/A N/A D1305-BG-ET 15.6@1500 25.4 6.4 N/A N/A N/A	D1305-BG-ET 19.8@1800 27.2 8.2 N/A N/A N/A D1305-BG-ET 19.0@1800 25.9 7.8 N/A N/A N/A D1305-BG-ET 15.6@1500 25.4 6.4 N/A N/A N/A	D1305-BG-ET 19.8@1800 27.2 8.2 N/A N/A N/A D1305-BG-ET 15.6@1500 25.9 7.8 N/A N/A N/A	D1305-BG-ET 19.8@1800 27.2 8.2 N/A N/A N/A D1305-BG-ET 15.6@1500 25.4 6.4 N/A N/A N/A	D1305-BG-ET 19.8@1800 27.2 8.2 N/A N/A N/A D1305-BG-ET 15.6@1500 25.4 6.4 N/A N/A N/A	D1305-BG-ET 19.8@1800 27.2 8.2 N/A N/A N/A D1305-BG-ET 15.6@1500 25.9 7.8 N/A N/A N/A	D1305-BG-ET 19.8@1800 27.2 8.2 N/A N/A N/A D1305-BG-ET 15.6@1500 25.4 6.4 N/A N/A N/A	D1305-BG-ET 19.8@1800 27.2 8.2 N/A N/A N/A N/A D1305-BG-ET 19.0@1800 25.9 7.8 N/A N/A N/A N/A D1305-BG-ET 15.6@1500 25.4 6.4 N/A N/A N/A	D1305-BG-ET 19.8@1800 27.2 8.2 N/A N/A N/A N/A D1305-BG-ET 15.6@1500 25.9 7.8 N/A N/A N/A N/A D1305-BG-ET 15.6@1500 25.4 6.4 N/A N/A N/A N/A	D1305-BG-ET 19.8@1800 27.2 8.2 N/A N/A N/A N/A D1305-BG-ET 19.0@1800 25.9 7.8 N/A N/A N/A N/A D1305-BG-ET 15.6@1500 25.4 6.4 N/A	D1305-BG-ET 19.8@1800 27.2 8.2 NIA NIA NIA NIA D1305-BG-ET 19.0@1800 25.9 7.8 NIA NIA NIA NIA D1305-BG-ET 15.6@1500 25.4 6.4 NIA	D1305-BG-ET 19.8@1800 27.2 8.2 N/A N/A N/A N/A N/A D1305-BG-ET 19.0@1800 25.9 7.8 N/A	D1305-BG-ET 19.8@1800 27.2 8.2 N/A N/A N/A N/A D1305-BG-ET 19.0@1800 25.9 7.8 N/A N/A N/A N/A D1305-BG-ET 15.6@1500 25.4 6.4 N/A N/A N/A N/A N/A	D1305-BG-ET 19.8@1800 27.2 8.2 N/A N/A N/A N/A D1305-BG-ET 19.0@1800 25.9 7.8 N/A N/A N/A N/A D1305-BG-ET 15.6@1500 25.4 6.4 N/A N/A N/A N/A N/A	D1305-BG-ET 19.8@1800 27.2 8.2 N/A N/A N/A N/A N/A D1305-BG-ET 19.0@1800 25.9 7.8 N/A N/A N/A N/A N/A D1305-BG-ET 15.6@1500 25.4 6.4 N/A	D1305-BG-ET 19.8@1800 27.2 8.2 N/A N/A N/A D1305-BG-ET 19.0@1800 25.9 7.8 N/A N/A N/A N/A D1305-BG-ET 15.6@1500 25.4 6.4 N/A N/A N/A N/A	D1305-BG-ET 19.8@1800 27.2 8.2 N/A N/A N/A D1305-BG-ET 19.0@1800 25.9 7.8 N/A N/A N/A N/A D1305-BG-ET 15.6@1500 25.4 6.4 N/A N/A N/A N/A N/A	D1305-BG-ET 19.8@1800 27.2 8.2 N/A N/A N/A N/A D1305-BG-ET 19.0@1800 25.9 7.8 N/A N/A N/A N/A D1305-BG-ET 15.6@1500 25.4 6.4 N/A	D1305-BG-ET 19.0@1800 27.2 8.2 NJA NJA NJA NJA D1305-BG-ET 19.0@1800 25.9 7.8 NJA NJA NJA NJA D1305-BG-ET 15.0@1500 25.4 6.4 NJA	D1305-BG-ET 19.8@1800 27.2 8.2 N/A N/A N/A D1305-BG-ET 15.6@1500 25.9 7.8 N/A N/A N/A D1305-BG-ET 15.6@1500 25.4 6.4 N/A N/A N/A	D1305-BG-ET 19.8@1800 27.2 8.2 N/A N/A N/A D1305-BG-ET 15.6@1500 25.9 7.8 N/A N/A N/A D1305-BG-ET 15.6@1500 25.4 6.4 N/A N/A N/A