

## **KUBOTA Corporation**

EXECUTIVE ORDER U-R-025-0441 New Off-Road Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)							
2010	AKBXL02.4ECD	1.826, 2.434	Diesel	5000							
	FEATURES & EMISSION		TYPICAL EQUIPMENT APPLICATION								
	Mechanical Direct In	jection	Wheel Loader, Skid Steer Loader								

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kW-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED	EMISSION			E	XHAUST (g/kW-l	OPACITY (%)					
POWER CLASS	STANDARD CATEGORY		НС	NOx	NMHC+NOx	co	PM	ACCEL	LUG	PEAK	
19 ≤ kW < 37	Tier 4 Interim	STD	N/A	N/A	7.5	5.5	0.30	20	15	50	
		CERT		-	6.2	2.2	0.21	1	1	1	

**BE IT FURTHER RESOLVED:** That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this

day of December 2009.

Annette Hebert, Chief

Mobile Source Operations Division

## **Engine Model Summary Form**

**KUBOTA** Corporation Manufacturer:

Nonroad Cl Engine category:

AKBXL02.4ECD EPA Engine Family.

Mfr Family Name:

**New Submission** Process Code:

Attachment

Page 1 of 1

U-R-025-0441

	X																						
	omcal																						<b>&gt;</b> !
8.Fuel Rate: 9.Emission Control (bs/hr)@peak torque Device Per SAE_J1930	EM Mechiancal DI	EM	E	EM																			
8.Fuel Rate: (lbs/hr)@peak torque	12.9	9.5	8.4	9.5	9.5	8.4	8.4	12.7	12.9	11.3	12.9	13.0	11.2	11.3	-							A COLUMN TO THE REAL PROPERTY OF THE PROPERTY	
7.Fuel Rate: mm/stroke@peak torque	36.0	35.4	35.8	35.4	35.5	35.7	35.9	38.0	36.0	36.0	36.0	36.4	35.9	36.0							A A - A DO TO THE REAL PROPERTY OF THE REAL PROPERT		
6. Torque @ RPM (SEA Gross)	117.0@1600	85.3@1600	83.8@1400	85.3@1600	85.3@1600	83.8@1400	83.8@1400	121.7@1500	117.0@1600	115.0@1400	117.0@1600	117.0@1600	115.0@1400	115.0@1400									
5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	19.2	15.1	12.2	14.3	13.7	13.6	12.6	19.5	19.5	15.9	19.2	18.6	18.3	17.2						and the same state of the same			
4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	33.1	33.4	33.1	32.9	32.6	33.8	32.7	32.3	32.3	32.3	33.1	33.2	34.1	33.5									
3.BHP@RPM (SAE Gross)	48.9@2600	37.4@2700	30.6@2200	36.1@2600	34.7@2500	33.3@2400	31.9@2300	48.9@2700	48.9@2700	41.8@2200	48.9@2600	47.6@2500	45.7@2400	43.9@2300					-				-
2.Engine Model	4IRX3N	D1803-M-DI-ET	D1803-M-DI-ET	D1803-M-DI-ET	D1803-M-DI-ET	D1803-M-DI-ET	D1803-M-DI-ET	V2403-M-DI-ET															
1.Engine Code	4IRX3N	D1803-M-DI-ET01	D1803-M-DI-ET02	D1803-M-DI-ET03	D1803-M-DI-ET04	D1803-M-DI-ET05	D1803-M-DI-ET06	V2403-M-DI-ET01	V2403-M-DI-ET02	V2403-M-DI-ET03	V2403-M-DI-ET04	V2403-M-DI-ET05	V2403-M-DI-ET06	V2403-M-DI-ET07			1 1 1 1 1						