

MITSUBISHI HEAVY INDUSTRIES, LTD.

EXECUTIVE ORDER U-R-035-0301 New Off-Road Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003:

IT IS ORDERED AND RESOLVED: That the following compression-ignition engine and emission control system produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)			
2010	AMVXL06.4FFF	4.2, 6.4	Diesel	8000			
SPECIAL	FEATURES & EMISSION	CONTROL SYSTEMS	TYPICAL EQUIPMENT APPLICATION				
Direct Dies	sel Injection, Turbocharg Engine Control Mo	er, Charge Air Cooler, odule	Crane, Loader, Tractor, Pump, Compressor and Industrial Equipment				

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED	EMISSION		EXHAUST (g/kw-hr)					OPACITY (%)		
POWER CLASS	STANDARD CATEGORY		нс	NOx	NMHC+NOx	co	PM	ACCEL	LUG	PEAK
75 ≤ KW < 130	Tier 3	STD	N/A	N/A	4.0	5.0	0.30	20	15	50
		CERT			3.1	3.5	0.21	5	1	12

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this

Annette Hebert, Chief

Mobile Source Operations Division

ATTACHMENT 10F1

Engine Model Summary Template

U-R-035-0301 3/29110

Engine Family	1.Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm/stroke@peak _torque	8.Fuel Rate: (lbs/hr)@peak torqu	9.Emission Control PDevice Per SAE J1930	
AMVXL06.4FFF	C6.4-117kW-02	C6.4	156.8@1800	94.5	56.7	482@1400	108.5	50.6	DITAA, ECM	
AMVXL06.4FFF	C6.4-110kW-02	C6.4	147.4@1800	92.5	55.5	482@1400	108.5	50.6	DI TAA	gy cyllines demonstrate springegree
AMVXL06.4FFF	C6.4-117kW	C6.4	156.8@1800	93.6	56.3	482@1400	104.4	48.8	DI TAA	alertrans, the State of the Lat of the Latency and the Latency and the Latency and the Latency and the Latency
AMVXL06.4FFF	C6.4-110kW	C6.4	147.4@1800	91.7	55.2	482@1400	104.4	48.9	DI TAA	
AMVXL06.4FFF	C4.2-98kW	C4.2	131.4@2200	102.0	49.9	345@1800	114.0	45.6	DI TAA	makan mana pendangangan ki 1700 - pendangan
AMVXL06.4FFF	C4.2-91kW	C4.2	122.0@2150	99.0	47.3	328@1700	112.0	42.3	DI TAA	
AMVXL06.4FFF	D04FD-98kW-H01	D04FD	131.4@2200	102.0	49.9	345@1800	114.0	45.6	DI TAA	- the real of the state of the
AMVXL06.4FFF	D04FD-91kW-H01	D04FD	122.0@2150	99.0	47.3	328@1700	112.0	42.3	DI TAA 🗸	