

## **MOTORENFABRIK HATZ**

EXECUTIVE ORDER U-R-034-0249 New Off-Road Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)			
2011	BHZXL.445C42	0.445	Diesel	3000			
	FEATURES & EMISSION C		TYPICAL EQUIPMENT APPLICATION				
,	Mechanical Direct Inj	ection	Pump, Generator Set, an Other Industrial Equipme	nd ent			

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED	EMISSION			E	XHAUST (g/kw-l	nr)		OF	PACITY (%	5)
POWER CLASS	STANDARD CATEGORY		HC	NOx	NMHC+NOx	СО	PM	ACCEL	LUG	PEAK
kW < 8	Tier 4 - Final	STD	N/A	N/A	7.5	8.0	0.60	N/A	N/A	N/A
		CERT	-		7.4	4.2	0.29			

**BE IT FURTHER RESOLVED:** That certification to the standards in 13 CCR 2423(b)(1)(A) -Table 1b listed above has been permitted pursuant to Endnote 2 of the same table.

**BE IT FURTHER RESOLVED:** That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Sections 2425 and 2426 (emission control system warranty).

BE IT FURTHER RESOLVED: The listed engine models are conditionally certified pending submission of new emission control labels to comply with 13 CCR Section 2424 (emission control labels). The manufacturer has until May 16, 2011 to replace all existing MY2011 emission control labels to remove this conditional certification. Failure to resolve concerns by the specified date, shall be cause for the Executive Officer to rescind this conditional certification, in which case all engines covered under this conditional certification would be deemed uncertified and subject to civil penalties pursuant to Health and Safety Code Section 43154.

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this

24th day of February 2011.

Annette Hebert, Chief

Mobile Source Operations Division

Motorenfabrik Hatz Nonroad CI

Attachment

page 1 of 3

E0#U-R-034-0249

Return to Template

## **Engine Model Summary Template**

1 W. St. L. 1 A. 1 S. 1 S. 1 S. 1	See Marian .								
Engine Family	1.Engine Code	2.Engine Model	3.8 HP@RPM (SAEG1066)	4.Fuel Parle; mm.stroke @ peak HP 	5.Fuel Rafe: (bs/hr) @ peak HP (br diesels only)	6.Torque @ RPM (SEA Gross)	7.Feel Pade: nomas troke@peak torque	8.Frei Rafe: (Ix/Iŋ@peak forque	9.Emiksida Coef Devide Per SAEJ
BHZXL.445C42	N/A	1042 S/Z	9,2@3300	24,0	4,4	14,7@3300	24,0	4,4	Mechanic
3HZXL.445C42	N/A	1D42 S/Z	9,1@3250	24,0	4,3	14,8@3250	24,0	4,3	
BHZXL.446C42	N/A	1D42 S/Z	9,1@3200	24,0	4,3	14,9@3200	24,0	4,3	
3HZXL.445C42	N/A	1D42 S/Z	9,0@3150	24,0	4,2	15,1@3150	24,0	4,2	
3HZXL.445C42	N/A	1D42 S/Z	9,0@3100	24,0	4,1	15,2@3100	24,0	4,1	
3HZXL.445C42	N/A	1D42 S/Z	8,9@3050	24,0	4,1	15,4@3050	24,0	4,1	
9HZXL.445C42	N/A	1D42 S/Z	8,8@3000	25,0	4,2	15,5@3000	25,0	3,4	
BHZXL.445C42	N/A	1D42 S/Z	8,8@2950	25,0	4,1	15,7@2950	25,0	4,2	
BHZXL.445C42	N/A	1D42 S/Z	8,7@2900	25,0	4,0	15,8@2900	25,0	4,0	
3HZXL.445C42	N/A	1D42 S/Z	8,6@2850	25,0	4,0	16,0@2850	25,0	4,0	
HZXL.445C42	N/A	1D42 S/Z	8,5@2800	25,0	3,9	16,1@2800	25,0	3,9	
HZXL.445C42	N/A	1D42 S/Z	8,5@2750	25,0	3,8	18,2@2750	25,0	3,8	
HZXL.445C42	N/A	1D42 S/Z	8,4@2700	25, <b>0</b>	3,8	18,4@2700	25,0	3,8	
HZXL,445C42	N/A	1D42 S/Z	8,3@2650	25,0	3,7	16,5@2650	25,0	3,7	
9HZXL 445C42	N/A	1D42 S/Z	8, <b>1@</b> 2600	25,0	3,6	16,5@2600	25,0	3,6	
HZXL.445C42	N/A	1D42 S/Z	8,0 <b>@25</b> 50	25,0	3,6	18,8@2550	25,0	3,6	
HZXL.445C42	N/A	1D42 S/Z	7,9@2500	2 <b>5,</b> 0	3,5	16,6@2500	25,0	3,5	
9HZXL.445 C42	N/A	1D42 S/Z	7, <b>7@</b> 2450	25,0	3,4	16,8@2450	25,0	3,4	
9HZXL.445C42	N/A	1D42 S/Z	7, <b>8@</b> 2400	25,0	3,3	16,7@2400	25,0	3,3	
9HZXL.445C42	N/A	1D42 S/Z	7,5@2350	25,0	3,3	16,7@2350	25,0	3,3	
3HZXL.445C42	N/A	1D42 S/Z	7, <b>3@2</b> 300	25,0	3,2	16,7@2300	25,0	3,2	
HZXL.445C42	N/A	1D42 S/Z	7,1@2250	25,0	3,1	18,7@2250	25,0	3,1	emonement in a si meneri emone.
HZXL.445C42	N/A	1 <b>D4</b> 2 S/Z	7,0@2200	25,0	3,1	16,7@2200	25,0	3,1	
3HZXL.445C42	N/A	1D42 S/Z	6,8@2150	25,0	0,8	16,8@2150	25,0	3,0	
9HZXL.446C42	N/A	1D42 S/Z	8,8@2100	25,0	2,9	16,8@2100	25,0	2,9	
9HZXL.445C42	N/A	1D42 S/Z	6,4@2050	25,0	2,9	16,8@2050	25,0	2,9	
9HZXL.445C42	N/A	1D42 S/Z	6,3@2000	25,0	2,8	16,5@2000	25,0	2,8	A

Motorenfabrik Hatz Nonroad CI

Attachment

page 2 of 3 1/31/2011

EO#U-R-034-0249

Return to Template

## **Engine Model Summary Template**

	4.5		3.8HP@RPM	4.F vel Plate: mm.k troke @ peak HP	5.Fitel Rate: (los/hi) @ peak HP	6.Torque @ RPM	7.Frei Rate: mm.k troke@pe.ak	8.Fuel Rate:	9.Emission Cont
Engine Family		2.Engine Model	(CAEGross)	(for diese ton ly)	(dor diese is only)	(SEA Gross)	10 F	(bs/h)@peak forq te	1/1
BHZXL.445C42	N/A	1D42C	7,0@3300	19,5	3,6	11,1@3300	19,5	3,6	Mechanica
BHZXL.445C42	N/A	1D42C	7,0@3250	19,5	3,5	11,3@3250	19,5	3,5	
BHZXL.445C42	N/A	1D42C	7,0@3200	19,5	3,5	11,5@3200	19,5	3,5	
BHZXL.445C42	N/A	1D42C	7,0@3150	19,5	3,4	11,7@3150	19,5	3,4	
BHZXL.445C42	N/A	1D42C	7,0@3100	19,5	3,4	11,9@3100	19,5	3,4	
BHZXL.446C42	N/A	1D42C	7,0@3050	19,5	3,3	12,0@3050	19,5	3,3	
BHZXL,446C42	N/A	1D42C	7,0@3000	20,0	3,3	12,2@3000	20,0	3,3	
BHZXL.445C42	N/A	1D42C	6,8@2950	20,0	3,3	12,2@2950	20,0	3,3	
BHZXL.445 C42	N/A	1D42C	6,8@2900	20,0	3,2	12,4@2900	20,0	3,2	
BHZXL.445C42	N/A	1D42C	6,7@2850	20,0	3,2	12,4@2850	20,0	3,2	
BHZXL.445C42	N/A	1D42C	6,7@2800	20,0	3,1	12,6@2800	20,0	3,1	
BHZXL.446C42	N/A	1D42C	6,6@2750	20,0	3,1	12,6@2750	20,0	3,1	
BHZXL.445C42	N/A	1D42C	6,4@2700	20.0	3,0	12,6@2700	20,0	3,0	
BHZXL.445C42	N/A	1D42C	6,4@2650	20,0	3,0	12,8@2650	20,0	0,8	
BHZXL.445C42	N/A	1D42C	6,3@2600	20,0	2,9	12,8@2600	20,0	2,9	
BHZXL.445C42	N/A	1D42C	6,2@2550	20,0	2,8	12,7@2550	20,0	2,8	
BHZXL.445C42	N/A	1D42C	6,2@2500	2 <b>0</b> ,0	2,8	13,0@2500	20,0	2,8	
BHZXL.445C42	N/A	1D41C	5, <b>4@</b> 2000	20,5	2,3	14,1@2000	20,5	2,3	
BHZXL.445C42	N/A	1D42C	6,0@2450	20,0	2,7	13,0@2450	20,0	2,7	
BHZXL.445C42	N/A	1D42C	5,9@2400	20,0	2,7	13,0@2400	20,0	2,7	
BHZXL.445C42	N/A	1D42C	5, <b>8@</b> 2350	20,0	2,6	12,9@2350	20,0	2,6	
BHZXL.446C42	N/A	1D42C	5,6@2300	20,0	2,6	12,9@2300	20,0	2,6	
BHZXL.445C42	N/A	1D42C	5,5@2250	20,0	2,5	12,9@2250	20,0	2,5	
BHZXL.445C42	N/A	1D42C	5,5@2200	20,0	2,5	13,2@2200	20,0	2,5	
BHZXL.445C42	N/A	1D42C	5,4@2150	20,0	2,4	13,1@2150	20,0	2,4	
BHZXL.445C42	N/A	1D42C	5,2@2100	20,0	2,3	13,1@2100	20,0	2,3	
BHZXL.445C42	N/A	1D42C	5,1@2050	20,0	2,3	13,1@2050	20,0	2,3	

Motorenfabrik Hatz Nonroad CI Attachment

page 3 of 3

EO# U-R-034-0249

1/31/2011

Return to Template

## **Engine Model Summary Template**

Engine Family	1.Engine Code	2.Engine Model	3.8HP@RPM (SAEGross)	4.Frei Rate: mm के troke @ peak HP ्रोका dieselonia)	6.Fuel Rate: (Ds/hf) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fte!Rale: mm.&troke@jzeak torq te	8.Fuel Bate: (bxA)@peak brique	9.Emission Cost Device Per SAE J	
BHZXL.446042	N/A	1D42C	5,0@2000	20,0	2,2	13,1@2000	20,0	2,2	Mechanical	DI