

MITSUBISHI HEAVY INDUSTRIES, LTD.

EXECUTIVE ORDER U-R-035-0338 New Off-Road Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engine and emission control system produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR ENGINE FAMILY		DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)		
2012	CMVXL02.5FFF	1.9, 2.5	Diesel	5000		
SPECIAL FEATURES & EMISSION CONTROL SYSTEMS			TYPICAL EQUIPMENT APPLICATION			
ln	direct Diesel Injection, T	urbocharger	Excavator			

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER CLASS		EMISSION		EXHAUST (g/kw-hr)					OPACITY (%)		
		STANDARD CATEGORY		NMHC	NOx	NMHC+NOx	со	PM	ACCEL	LUG	PEAK
19 ≤ KW	/ < 37	Interim Tier 4	STD	N/A	N/A	7.5	5.5	0.30	20	15	50
			CERT			5.5	0.7	0.24	4	3	7

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this 30 day of April 2012

Annette Hebert, Chief

Mobile Source Operations Division

Engine Model Summary Template

ATTACHMENT 10F1

U-R-035-0438 . 4/17/2012

Engine Family	1.Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm/stroke@peak torque	8,Fuel Rate: (lbs/hr)@peak torqu	9.Emission Control eDevice Per SAE J1930	
CMVXL02.5FFF	S3Q2-Y3T61DP	S3Q2-T	40.5@2400	45.0	17.8	89.2@2200	44.0	15.9	IDI,TC	aportos espesas como en engines e for tou
CMVXL02.5FFF	S3Q2-Y3TEPA1	S3Q2-T	41.6@2400	46.0	18.2	91.4@2200	45.0	16.3	IDI,TC	MALES THE PARTY OF THE RESIDENCE OF
CMVXL02.5FFF	S3Q2-Y3TSCM	S3Q2-T	40.5@2400	45.0	17.8	89.2@2200	44.0	15.9	IDI,TC	nak Agentinen i eentriite
CMVXL02.5FFF	S4Q2-Y3T61DP	S4Q2-T	48.5@2400	39.0	20.5	109.8@2000	39.5	17.3	IDI,TC	
CMVXL02.5FFF	S4Q2-Y3TSCM	S4Q2-T	48.5@2400	39.0	20.5	109.8@2000	39.5	17.3	IDI,TC	"Med difference was that of the difference and the distribution for the section of the section o