California Environmental Protection Agency		EXECUTIVE ORDER U-R-015-0253-1
	FPT INDUSTRIAL S.p.A.	New Off-Road
OD Air Resources Board	•	Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)			
2013	DFPXL03.4BPC	3.4	Diesel	8000			
	FEATURES & EMISSION		TYPICAL EQUIPMENT APPLICATION				
Control	ic Direct Injection, Turbo Module, Exhaust Gas Re tion Catalyst, and Period	ecirculation, Diesel	Loader, Tractor, Dozer, and Othe	r Industrial Equipment			

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED	EMISSION STANDARD			EX	HAUST (g/kw-h	OPACITY (%)				
POWER	CATEGORY		NMHC	NOx	NMHC+NOx	со	PM	ACCEL	LUG	PEAK
37 ≤ kW < 56	Tier 4 Final	STD	N/A	N/A	4.7	5.0	0.03	N/A	N/A	N/A
		CERT			4.5	0.1	0.02			

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

This Executive Order hereby supersedes Executive Order U-R-015-0253 dated November 26, 2012.

Executed at El Monte, California on this

___ day of December 2012.

Annette Hebert, Chief Mobile Source Operations Division

Engine Model Summary Template

U-R-015-0253-1

Allachment py 1/2

7/24/2013

Engine Family	1.Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm/stroke@peak torque		9.Emission Control eDevice Per SAE J1930
DFPXL03.4BPC	F5HFL464D*F	F5HFL464D*F	74 @ 1800	71	N/A	238 @ 1400	74	N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5DFL464D*F	F5DFL464D*F	74 @ 1800	71	N/A	N/A 238@1400 74		N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5DFL464D*F	854F-E34T 3970/1800	74 @ 1800	71	N/A	238 @ 1400	74	N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5DFL464D*F	C3.4B 3970/1800	74 @ 1800	71	N/A	238 @ 1400	74	N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5DFL463B*F	F5DFL463B*F	64 @ 2300	53	N/A	204 @ 1500	64	N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5DFL463A*F	F5DFL463A*F	74 @ 2300	60	N/A	229 @ 1500	72	N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5HFL463A*F	F5HFL463A*F	74 @ 2500	57	N/A	233 @ 1400	71	N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5DFL463C*F	F5DFL463C*F	58 @ 2300	48	N/A	181 @ 1500	57	N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5HFL464C*F	F5HFL464C*F	74 @ 2200	61	N/A	236 @ 1400	72	N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5DFL464C*F	F5DFL464C*F	74 @ 2200	61	N/A	236 @ 1400	72	N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5DFL464C*F	854F-E34T 3914/2200	74 @ 2200	61	N/A	236 @ 1400	72	N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5DFL464C*F	C3.4B 3914/2200	74 @ 2200	61	N/A	236 @ 1400	72	N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5DFL463D*F	F5DFL463D*F	74 @ 2200	61	N/A	236 @ 1400	72	N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5HFL464J*F	F5HFL464J*F	74 @ 2500	60	N/A	216 @ 1600	69	N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5DFL464J*F	F5DFL464J*F	74 @ 2500	60	N/A	216 @ 1600	69	N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5DFL464J*F	854F-E34T 3916/2500	74 @ 2500	60	N/A	216 @ 1600	69	N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5DFL464J*F	C3.4B 3916/2500	74 @ 2500	60	N/A	216 @ 1600	69	N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5HFL464B*F	F5HFL464B*F	63 @ 2500	50	N/A	181 @ 1600	58	N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5DFL464B*F	F5DFL464B*F	63 @ 2500	50	N/A	181 @ 1600	58	N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5DFL464B*F	854F-E34T 3912/2500	63 @ 2500	50	N/A	181 @ 1600	58	N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5DFL464B*F	C3.4B 3912/2500	63 @ 2500	50	N/A	181 @ 1600	58	N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5HFL464A*F	F5HFL464A*F	67 @ 2200	56	N/A	201 @ 1400	62	N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5DFL464A*F	F5DFL464A*F	67 @ 2200	56	N/A	201 @ 1400	62	N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5DFL464A*F	854F-E34T 3748/2200	67 @ 2200	56	N/A	201 @ 1400	62	N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5DFL464A*F	C3.4B 3748/2200	67 @ 2200	56	N/A	201 @ 1400	62	N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5HFL464E*F	F5HFL464E*F	60 @ 2200	51	N/A	180 @ 1400	55	N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5DFL464E*F	F5DFL464E*F	60 @ 2200	51	N/A	180 @ 1400	55	N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5DFL464E*F	854F-E34T 3750/2200	60 @ 2200	51	N/A	180 @ 1400	55	N/A	DDI ECM TC EGR OC PTOX

Engine Model Summary Template

.

U-R-015-0253-1 Attachment ng 212 7/24/72013 4. Fuel Rate: 5. Fuel Rate: 7. Fuel Rate: 7. Fuel Rate:									
Engine Family	1.Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	mm/stroke @ peak HP (for diesel only)	(lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	mm/stroke@peak torque	8.Fuel Rate: (lbs/hr)@peak torqu	9.Emission Control Penevice Per SAE J1930
DFPXL03.4BPC	F5DFL464E*F	C3.4B 3750/2200	60 @ 2200	51	N/A	180 @ 1400	55	N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5HFL464D*F	854F-E34T 3970/1800	74 @ 1800	71	N/A	238 @ 1400	74	N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5HFL464D*F	C3.4B 3970/1800	74 @ 1800	71	N/A	238 @ 1400	74	N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5HFL464C*F	854F-E34T 3914/2200	74 @ 2200	61	N/A	236 @ 1400	72	N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5HFL464C*F	C3.4B 3914/2200	74 @ 2200	61	N/A	236 @ 1400	72	N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5HFL464J*F	854F-E34T 3916/2500	74 @ 2500	60	N/A	216 @ 1600	69	N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5HFL464J*F	C3.4B 3916/2500	74 @ 2500	60	N/A	216 @ 1600	69	N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5HFL464B*F	854F-E34T 3912/2500	63 @ 2500	50	N/A	181 @ 1600	58	N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5HFL464B*F	C3.4B 3912/2500	63 @ 2500	50	N/A	181 @ 1600	58	N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5HFL464A*F	854F-E34T 3748/2200	67 @ 2200	56	N/A	201 @ 1400	62	N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5HFL464A*F	C3.4B 3748/2200	67 @ 2200	56	N/A	201 @ 1400	62	N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5HFL464E*F	854F-E34T 3750/2200	60 @ 2200	51	N/A	180 @ 1400	55	N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5HFL464E*F	854F-E34T 3750/2200	60 @ 2200	51	N/A	180 @ 1400	55	N/A	DDI ECM TC EGR OC PTOX
	and a second						en en en une ser en leur der seine Bendelstereten fin sollt men seine Bendelstereten.	en or ne o some bookstere statiskere og hanne for en en er som og han	Analyzine and the first independence in the address of a second
DFPXL03.4BPC	F5HFL463D*F	F5HFL463D*F	74 @ 2200	61	N/A	235 @ 1400	72	N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5HFL463B*F	F5HFL463B*F	58 @ 2500	47	N/A	185 @ 1400	58	N/A	DDI ECM TC EGR OC PTOX
DFPXL03.4BPC	F5HFL463C*F	F5HFL463C*F	64 @ 2500	52	N/A	193 @ 1400	60	N/A	DDI ECM TC EGR OC PTOX