EXECUTIVE ORDER U-R-001-0479 New Off-Road Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)			
2014	ECPXL09.3HTF	9.3	Diesel	8000			
	FEATURES & EMISSION (		TYPICAL EQUIPMENT APPLICATION				
Cooler Exhau	nic Direct Injection, Turboo, Oxidation Catalyst, Engin st Gas Recirculation, Peri Catalytic Reduction-Urea Catalyst	ne Control Module, odic Trap Oxidizer,	Loader, Tractor, Agricultural Combine, Scraper, Excavator, Motor Grader				

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED	EMISSION				EXHAUST (g/kw-l	OPACITY (%)				
POWER CLASS	STANDARD CATEGORY		NMHC	NOx	NMHC+NOx	СО	PM	ACCEL	LUG	PEAK
130 ≤ kW ≤ 560	Tier 4 Final	STD	0.19	0.40	N/A	3.5	0.02	N/A	N/A	N/A
	4	CERT	0.02	0.12		0.1	0.01			

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

19 day of August 2013.

Executed at El Monte, California on this \_\_\_

Érik White, Chief

Mobile Source Operations Division

ATTACHMENT 1972.

## **Engine Model Summary Template**

U-R-001-0479 R/C 12/9/2013

Engine Family	1.Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	5.Fuel Rate:  (lbs/hr) @ peak HP  (for diesels only)	P 6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm/stroke@peak torque	8.Fuel Rate: (lbs/hr)@peak torque	9.Emission Control Device Per SAE J1930
ECPXL09.3HTF	Cert Test 1	C9.3	325@1800	192	116.3	1260@1200	243	98.1	DFI,TC,ECM,CAC,EGR,PTQ OC,SCR-U,AMOX
ECPXL09.3HTF	1	C9.3	268@2150	138.3	100.0	881@1400	172.4	81.2	DFI,TC,ECM,CAC,EGR,PTO
ECPXL09.3HTF	2	C9.3	299@2200	148.5	109.9	1006@1400	187.8	88.4	DFI,TC,ECM,CAC,EGR,₹Ô OC,SCR-U,AMOX
ECPXL09.3HTF	3	C9.3	325@2200	161.7	119.7	1090@1400	206.6	97.3	DFI,TC,ECM,CAC,EGR,I
ECPXL09.3HTF	4	C9.3	349@2200	175.5	129.9	1174@1400	223.8	105.4	DFI,TC,ECM,CAC,EGR,PTO OC,SCR-U,AMOX
ECPXL09.3HTF	5	C9.3	388@2200	192.5	142.5	1269@1400	240.2	113.1	DFI,TC,ECM,CAC,EGR,PTO,OC,SCR-U,AMOX
ECPXL09.3HTF	6	C9.3	232@2000	129.3	87.0	850@1000	165.9	55.8	DFI,TC,ECM,CAC,EGR,PTO
ECPXL09.3HTF	6A	C9.3	232@2000	129.3	87.0	850@1000	165.9	55.8	DFI,TC,ECM,CAC,EGR,PTO,OC,SCR-U,AMOX
ECPXL09.3HTF	7	C9.3	253@2000	138.7	93.3	930@1000	183.0	61.6	DFI,TC,ECM,CAC,EGR,PTC) OC,SCR-U,AMOX
ECPXL09.3HTF	-7A	C9.3	253@2000	138.7	93.3	930@1000	183.0	61.6	DFI,TC,ECM,CAC,EGR,PT0; OC,SCR-U,AMOX
ECPXL09.3HTF	7B	C9.3	253@2000	138.7	93.3	930@1000	183.0	61.6	DFI,TC,ECM,CAC,EGR, FIO
ECPXL09.3HTF	8	C9.3	274@2000	146.3	98.4	1010@1000	196.7	66.2	DFI,TC,ECM,CAC,EGR,PTO,OC,SCR-U,AMOX
ECPXL09.3HTF	8A	C9.3	274@2000	146.3	98.4	1010@1000	196.7	66.2	DFI,TC,ECM,CAC,EGR,PTC,OC,SCR-U,AMOX
ECPXL09.3HTF	9	C9.3	295@2000	155.9	104.9	1090@1000	211.6	71.2	DFI,TC,ECM,CAC,EGR,PIOOC,SCR-U,AMOX
ECPXL09.3HTF	10	C9.3	296@2200	154.3	114.2	1166@1200	219.8	88.7	DFI,TC,ECM,CAC,EGR,PTO OC,SCR-U,AMOX
ECPXL09.3HTF	11	C9.3	299@2200	156.5	115.8	1261@1200	238.7	96.4	DFI,TC,ECM,CAC,EGR,PTO OC,SCR-U,AMOX
ECPXL09.3HTF	12	C9.3	303@2050	158.7	109.4	1263@1200	240.5	97.1	DFI,TC,ECM,CAC,EGR,PIO
ECPXL09.3HTF	13	C9.3	314@1800	183.4	111.0	1154@1300	221.0	96.6	DFI,TC,ECM,CAC,EGR,PIO OC,SCR-U,AMOX
ECPXL09.3HTF	14	C9.3	221@2000	123.7	83.2	1022@1100	201.1	74.4	DFI,TC,ECM,CAC,EGR,PTO OC,SCR-U,AMOX
ECPXL09.3HTF	14A	C9.3	221@2000	123.7	83.2	1022@1100	201.1	74.4	DFI,TC,ECM,CAC,EGR,PTO OC,SCR-U,AMOX

## ATTACHMENT 2012

## **Engine Model Summary Template**

U-R-001-0479

HC 12/9/2013

Engine Family	1.Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm/stroke@peak torque	8.Fuel Rate: (lbs/hr)@peak torque	9.Emission Control Device Per SAE J1930
ECPXL09.3HTF	15	C9.3	311@1800	181.7	110.0	1029@1400	199.3	93.9	DFI,TC,ECM,CAC,EGR,PTO OC,SCR-U,AMOX
ECPXL09.3HTF	15A	C9.3	311@1800	181.7	110.0	1029@1400	199.3		DFI,TC,ECM,CAC,EGR,PTO OC,SCR-U,AMOX
ECPXL09.3HTF	16	C9.3	325@1800	191.0	115.6	1262@1200	241.3	· · · · · · · · · · · · · · · · · · ·	DFI,TC,ECM,CAC,EGR,PTO OC,SCR-U,AMOX
ECPXL09.3HTF	17	C9.3	325@1800	191.0	115.6	1262@1200	241.3	97.4	DFI,TC,ECM,CAC,EGR,PTO OC,SCR-U,AMOX