EXECUTIVE ORDER U-R-015-0267-1 New Off-Road Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)			
2014	EFPXL08.7T4V	8.7	Diesel	8000			
SPECIAL FEATURES & EMISSION CONTROL SYSTEMS			TYPICAL EQUIPMENT APPLICATION				
Electroni Cooler Catalyst, S	c Direct Injection, Turbo , Engine Control Module elective Catalytic Reduc Oxidation Catal	, Diesel Oxidation tion - Urea, Ammonia	Loader, Tractor, and Other Industrial Equipment				

The engine models and codes are attached.

The following are the exhaust certification standards (STD), or family emission limit(s) (FEL) as applicable, and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED	EMISSION STANDARD CATEGORY		EXHAUST (g/kw-hr)				OPACITY (%)			
POWER CLASS			NMHC	NOx	NMHC+NOx	co	PM	ACCEL	LUG	PEAK
130 ≤ kW ≤ 560	Tier 4 Final	STD	0.19	0.40	N/A	3.5	0.02	N/A	N/A	N/A
		FEL	N/A	0.30	N/A	N/A	N/A	N/A	N/A	N/A
		CERT	0.01	0.22		0.04	0.01			

BE IT FURTHER RESOLVED: That the family emission limit(s) (FEL) is an emission level declared by the manufacturer for use in any averaging, banking and trading program and in lieu of an emission standard for certification. It serves as the applicable emission standard for determining compliance of any engine within this engine family under 13 CCR Sections 2423 and 2427.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

This Executive Order hereby supersedes Executive Order U-R-015-0267 dated December 27, 2013.

Executed at El Monte, California on this ______ day of July 20

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

Engine Model Summary Template

U-R-015-0267-1 6/17/2014 7. Fuel Rate: 8. Fuel Rate: 3.BHP@RPM mm/stroke @ peak HP (lbs/hr) @ peak HP 6.Torque @ RPM mm/stroke@peak 9.Emission Control 1.Engine Code 2.Engine Model **Engine Family** (lbs/hr)@peak torqueDevice Per SAE J1930 (SEA Gross) (SAE Gross) (for diesel only) (for diesels only) torque DDI ECM TC CAC OC SCR AMOX EFPXL08.7T4V F2CFE614A*B F2CFE614A*B 409 @ 2000 200 N/A 1370 @ 1400 248 N/A DDI ECM TC CAC CC SCR AMOX 410 @ 2100 240 N/A EFPXL08.7T4V F2CFE614B*B F2CFE614B*B 203 N/A 1321 @ 1400 DDI ECM TC CAC CC SCR AMOX EFPXL08.7T4V 243 N/A F2CFE614C*B F2CFE614C*B 370 @ 2000 182 N/A 1333 @ 1400 DDI ECM TC CAC OC SCR AMOX EFPXL08.7T4V F2CFE614D*B F2CFE614D*B N/A 1265 @ 1400 231 N/A 342 @ 2000 165 DDI ECM TC CAC DC EFPXL08.7T4V F2CFE614E*B F2CFE614E*B 340 @ 2100 153 N/A 1186 @ 1400 216 N/A DDI ECM TC CAC DC EFPXL08.7T4V N/A 1188 @ 1400 219 N/A F2CFE614F*B F2CFE614F*B 315 @ 2100 143 DDI ECM TC CAC DC SCR AMOX 311 @ 2000 N/A EFPXL08.7T4V F2CFE614G*B F2CFE614G*B 147 N/A 1154 @ 1400 211 DDI ECM TC CAC DC V EFPXL08.7T4V F2CFE614H*B F2CFE614H*B 289 @ 2100 131 N/A 1096@1400 201 N/A