PERKINS ENGINES COMPANY LTD.

EXECUTIVE ORDER U-R-022-0197 New Off-Road Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)		
2015	FPKXL04.4MU1	4.4	Diesel	8000		
SPECIAL	FEATURES & EMISSION		TYPICAL EQUIPMENT APPLICATION			
Coole	c Direct Injection, Turbo er, Engine Control Modu circulation, Diesel Oxida Selective Catalytic Redu Ammonia Oxidation (le, Exhaust Gas ation Catalyst, ction-Urea.	Crane, Loader, Tractor, Dozer, Pump, Compressor, Generator Set			

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kW-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER	EMISSION		EXHAUST (g/kw-hr)					OPACITY (%)		
CLASS	STANDARD CATEGORY		NMHC	NOx	NMHC+NOx	СО	PM	ACCEL	LUG	PEAK
75 ≤ kW < 130	Tier 4 Final	STD	0.19	0.40	N/A	5.0	0.02	N/A	N/A	N/A
		CERT	0.01	0.28		0.03	0.02			

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this

day of September 2014.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

Attachment 1 262

Engine Model Summary Template

V-R-022-0197 7-10-2015

Engine Family	1.Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm/stroke@peak torque	8.Fuel Rate: (lbs/hr)@peak torque	9.Emission Control Device Per SAE J1930	
FPKXL04.4MU1	Cert Test 1	4068/2200	174@2200	132	64	553@1400	163	50	DDI TAA ECM DOC EGR SCR AMOX EPR	
FPKXL04.4MU1	1	4068/2200	174@2200	132	64	553@1400	163	50	DDI TAA ECM DOC EGR SCR AMOX EPR	
FPKXL04.4MU1	2	4070/2200	157@2200	122	59	504@1400	148	45	DDI TAA ECM DOC EGR SCR AMOX EPR	
FPKXL04.4MU1	3	4186/2200	150@2200	118.5	57	479@1400	140.5	43	DDI TAA ECM DOC EGR SCR AMOX EPR	
FPKXL04.4MU1	4	3992/2200	141@2200	114	55	465@1400	135.5	42	DDI TAA ECM DOC EGR SCR AMOX EPR	

Attachment 1 462

Engine Model Summary Template

U-R-022-0197 7-10-2015

Engine Family	1.Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm/stroke@peak torque		9.Emission Control JeDevice Per SAE J1930
FPKXL04.4MU1	Cert Test 5	4526/1800	173@1800	154	61	505@1800	154	61	DDI TAA ECM DOC EGR SCR AMOX EPR
FPKXL04.4MU1	5 *	4526/1800	173@1800	154	61	505@1800	154	61	DDI TAA ECM DOC EGR SCR AMOX EPR

* : added per this running change

TAA: TC+CAC