EXECUTIVE ORDER U-R-015-0319 New Off-Road Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)		
2016	GFPXL03.4FSD .	3.4	Diesel			
SPECIAL	FEATURES & EMISSION C	ONTROL SYSTEMS	TYPICAL EQUIPMENT APPLICATION			
Cooler	c Direct Injection, Turboc , Electronic Control Modu lation, Diesel Oxidation C Reduction - Urea, and A	lle, Exhaust Gas atalyst, Selective	Loader, Tractor, and Other I	ndustrial Equipment		

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED	EMISSION STANDARD		EXHAUST (g/kw-hr)					OPACITY (%)		
POWER CLASS	CATEGORY		NMHC	NOx	NMHC+NOx	СО	PM	ACCEL	LUG	PEAK
56 ≤ kW < 130	Tier 4 Final	STD	0.19	0.40	N/A	5.0	0.02	N/A	N/A	N/A
		CERT	0.003	0.33	-	0.05	0.02			_

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has complied with the more stringent set of standards from the various power categories in conformance with Section 1039.230 (e) of the "California Exhaust Emission Standards and Test Procedures for 2008 and Later Tier 4 Off-Road Compression-Ignition Engines, Part I-C" adopted October 20, 2005 and last amended October 25, 2012.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this

\_\_ day of September 2015.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

## **Engine Model Summary Template**

U-12-015-0319

Attuckent pg 2/2

9/21/24

Engine Family	1.Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm/stroke@peak torque	8.Fuel Rate: (lbs/hr)@peak torqu	9.Emission Control PDevice Per SAE J1930
GFPXL03.4FSD	F5BFL414D*B	854F-E34TAN 4274/2500	101 @ 2500	70	N/A	319 @ 1400	95	N/A	DDI ECM TC CAC DOC SCR-u AMOX EGR.
GFPXL03.4FSD	F5BFL414D*B	C3.4B 4274/2500	101 @ 2500	70	N/A	319 @ 1400	95	N/A	DDI ECM TC CAC DOC SCR-u AMOX EGR.
GFPXL03.4FSD	F5BFL414C*B	F5BFL414C*B	115 @ 2500	80	N/A	352 @ 1400	101	N/A	DDI ECM TC CAC DOC SCR-u: AMOX EGR.
GFPXL03.4FSD	F5GFL414C*B	F5GFL414C*B	115 @ 2500	80	N/A	352 @ 1400	101	N/A	DDI ECM TC CAC DOC SCR-u AMOX EGR.
GFPXL03.4FSD	F5BFL414C*B	854F-E34TAN 4262/2500	115 @ 2500	80	N/A	352 @ 1400	101	N/A	DDI ECM TC CAC DOC SCR-IJ AMOX EGR.
GFPXL03.4FSD	F5BFL414C*B	C3.4B 4262/2500	115 @ 2500	80	N/A	352 @ 1400	101	N/A	DDI ECM TC CAC DOC SCR-u AMOX EGR:
GFPXL03.4FSD	F5GFL414J*B	854F-E34TAN 4260/2200	121 @ 2200	92	N/A	363 @ 1400	111	N/A	DDI ECM TC CAC DOC SCR-u AMOX EGR.
GFPXL03.4FSD	F5GFL414J*B	C3.4B 4260/2200	121 @ 2200	92	N/A	363 @ 1400	111	N/A	DDI ECM TC CAC DOC SCR-u AMOX EGR.
GFPXL03.4FSD	F5GFL414H*B	854F-E34TAN 4270/2200	84 @ 2200	63	N/A	262 @ 1400	78	N/A	DDI ECM TC CAC DOC SCR-u AMOX EGR.
GFPXL03.4FSD	F5GFL414H*B	C3.4B 4270/2200	84 @ 2200	63	N/A	262 @ 1400	78	N/A	DDI ECM TC CAC DOC SCR-u AMOX EGR.
GFPXL03.4FSD	F5GFL414E*B	854F-E34TAN 4276/2200	94 @ 2200	70	N/A	293 @ 1400	86	N/A	DDI ECM TC CAC DOC SCR-U AMOX EGR.
GFPXL03.4FSD	F5GFL414E*B	C3.4B 4276/2200	94 @ 2200	70	N/A	293 @ 1400	86	N/A	DDI ECM TC CAC DOC SCR-u AMOX EGR.
GFPXL03.4FSD	F5GFL414A*B	854F-E34TAN 4266/2200	101 @ 2200	75	N/A	319 @ 1400	95	N/A	DDI ECM TC CAC DOC SCR-u AMOX EGR.
GFPXL03.4FSD	F5GFL414A*B	C3.4B 4266/2200	101 @ 2200	75	N/A	319 @ 1400	95	N/A	DDI ECM TO CAC DOC SCR-U AMOX EGR.
GFPXL03.4FSD	F5GFL414B*B	854F-E34TAN 4264/2200	111 @ 2200	83	N/A	341 @ 1400	101	N/A	DDI ECM TC CAC DOC SCR-U AMOX EGR.
GFPXL03.4FSD	F5GFL414B*B	C3.4B 4264/2200	111 @ 2200	83	N/A	341 @ 1400	101	N/A	DDI ECM TC CAC DOC SCR-u AMOX EGR.
GFPXL03.4FSD	F5GFL414F*B	854F-E34TAN 4282/2500	88 @ 2500	62	N/A	274 @ 1400	84	N/A	DDI ECM TC CAC DOC SCR-u AMOX EGR.
GFPXL03.4FSD	F5GFL414F*B	C3.4B 4282/2500	88 @ 2500	62	N/A	274 @ 1400	84	N/A	DDI'ECM TO CAC DOC SCR-U AMOX EGR.
GFPXL03.4FSD	F5GFL414D*B	854F-E34TAN 4274/2500	101 @ 2500	70	N/A	319 @ 1400	95	N/A	DDI ECM TC CAC DOC SCR-U AMOX EGR.
GFPXL03.4FSD	F5GFL414D*B	C3.4B 4274/2500	101 @ 2500	70	N/A	319 @ 1400	95	N/A	DDI ECM TC CAC DOC SCR-u AMOX EGR.
GFPXL03.4FSD	F5GFL414C*B	854F-E34TAN 4262/2500	115 @ 2500	80	N/A	352 @ 1400	101	N/A	DDI ECM TC CAC DOC SCR-U AMOX EGR,
GFPXL03.4FSD	F5GFL414C*B	C3.4B 4262/2500	115 @ 2500	. 80	N/A	352 @ 1400	101	N/A	DDI ECM TC CAC DOC SCR-II AMOX EGR.

## **Engine Model Summary Template**

U-12-015-0319

Allashert ps 1/2

9/21/245

Engine Family	1.Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm/stroke@peak torque		9.Emission Control Device Per SAE J1930
GFPXL03.4FSD	F5BFL414J*B	F5BFL414J*B	121 @ 2200	92	N/A	363 @ 1400	111	N/A	DDI ECM TC CAC DOC SCR-u AMOX EGR.
GFPXL03.4FSD	F5GFL414J*B	F5GFL414J*B	121 @ 2200	92	N/A	363 @ 1400	111	N/A	DDI ECM TC CAC DOC SCR-u AMOX EGR.
GFPXL03.4FSD	F5BFL414J*B	854F-E34TAN 4260/2200	121 @ 2200	92	N/A	363 @ 1400	111	N/A.	DDI ECM TC CAC DOC SCR-4 AMOX EGR.
GFPXL03.4FSD	F5BFL414J*B	C3.4B 4260/2200	121 @ 2200	92	N/A	363 @ 1400	111	N/A	DDI ECM TC CAC DOC SCR-U AMOX EGR.
GFPXL03.4FSD	F5BFL414H*B	F5BFL414H*B	84 @ 2200	63	N/A	262 @ 1400	78	N/A	DDI ECM TO CAG DOC SCR-u AMOX EGR.
GFPXL03.4FSD	F5GFL414H*B	F5GFL414H*B	84 @ 2200	63	N/A	262 @ 1400	78	N/A	DDI ECM TC CAC DOC SCR-u AMOX EGR.
GFPXL03.4FSD	F5BFL414H*B	854F-E34TAN 4270/2200	84 @ 2200	63	N/A	262 @ 1400	78	N/A	DDI ECM TO CAC DOC SCR-u AMOX EGR.
GFPXL03.4FSD	F5BFL414H*B	C3.4B 4270/2200	84 @ 2200	63	N/A	262 @ 1400	78	N/A	DDI ECM TC CAC DOC SCR-u AMOX EGR.
GFPXL03.4FSD	F5BFL414E*B	F5BFL414E*B	94 @ 2200	70	N/A	293 @ 1400	86	N/A	DDI ECM TC CAC DOC SCR-u AMOX EGR.
GFPXL03.4FSD	F5GFL414E*B	F5GFL414E*B	94 @ 2200	70	N/A	293 @ 1400	86	N/A	DDI ECM TC CAC DOC SCR-u AMOX EGR.
GFPXL03.4FSD	F5BFL414E*B	854F-E34TAN 4276/2200	94 @ 2200	70	N/A	293 @ 1400	86	N/A	DDI ECM TC CAC DOC SCR-u AMOX EGR.
GFPXL03.4FSD	F5BFL414E*B	C3.4B 4276/2200	94 @ 2200	70	N/A	293 @ 1400	86	N/A	DIN ECM TO CAC DOC SCR-u AMOX EGR.
GFPXL03.4FSD	F5BFL414A*B	F5BFL414A*B	101 @ 2200	75	N/A	319 @ 1400	95	N/A	DDI ECM TC CAC DOC SCR-u AMOX EGR.
GFPXL03.4FSD	F5GFL414A*B	F5GFL414A*B	101 @ 2200	75	N/A	319 @ 1400	95	N/A	DDI ECM TC CAC DOC SCR-u AMOX EGR.
GFPXL03.4FSD	F5BFL414A*B	854F-E34TAN 4268/2200	101 @ 2200	75	N/A	319 @ 1400	95	N/A	DDI ECM TC CAC DOC SCR-u AMOX EGR.
GFPXL03.4FSD	F5BFL414A*B	C3.4B 4266/2200	101 @ 2200	75	N/A	319 @ 1400	95	N/A	DDÍ ECM TO CAC DOC SCR-u AMOX EGR.
GFPXL03.4FSD	F5BFL414B*B	F5BFL414B*B	111 @ 2200	83	N/A	341 @ 1400	101	N/A	DDI ECM TC CAC DOC SCR-u AMOX EGR.
GFPXL03.4FSD	F5GFL414B*B	F5GFL414B*B	111 @ 2200	83	N/A	341 @ 1400	101	N/A	DDFECM TC CAC DOC SCR-u AMOX EGR.
GFPXL03.4FSD	F5BFL414B*B	854F-E34TAN 4284/2200	111 @ 2200	83	N/A	341 @ 1400	101	N/A	DDI ECM TC CAC DOC SCR-II AMOX EGR.
GFPXL03.4FSD	F5BFL414B*B	C3.4B 4264/2200	111 @ 2200	83	N/A	341 @ 1400	101	N/A	DDI ECM TC GAC DOC SCR-u AMOX EGR.
GFPXL03.4FSD	F5BFL414F*B	F5BFL414F*B	88 @ 2500	62	N/A	274 @ 1400	84	N/A	DDI ECM TO CIAC DOC SCR-u AMOX EGR.
GFPXL03.4FSD	F5GFL414F*B	F5GFL414F*B	88 @ 2500	62	N/A	274 @ 1400	84	N/A	DDI ECM TC'CAC DOC SCR-u AMOX EGR.
GFPXL03.4FSD	F5BFL414F*B	854F-E34TAN 4282/2500	88 @ 2500	62	N/A	274 @ 1400	84	N/A	DDI ECM TC CAC DOC SCR-u AMOX EGR.
GFPXL03.4FSD	F5BFL414F*B	C3.4B 4282/2500	88 @ 2500	62	N/A	274 @ 1400	84	N/A	DDI ECM TC CAC DOC SCR-u AMOX EGR.
GFPXL03.4FSD	F5BFL414D*B	F5BFL414D*B	101 @ 2500	70	N/A	319 @ 1400	95	N/A	DDI ECM TC CAC DOC SCR-u AMOX EGR.
GFPXL03.4FSD	F5GFL414D*B	F5GFL414D*B	101 @ 2500	70	N/A	319 @ 1400	95	. N/A	DDI ECM TC CAC DOC SCR-u AMOX EGR.