#### DOOSAN INFRACORE CO., LTD.

EXECUTIVE ORDER U-R-019-0145 New Off-Road Compression-Ignition Engines Page 1 of 2

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUELTYPE	USEFUL LIFE (hours)			
2017	HDICL02.4LEA	2.392	Diesel	8000			
	FEATURES & EMISSION C		TYPICAL EQUIPMENT APPLICATION				
Ele	Gas Recirculation, Diesel ectronic Direct Injection, T ge Air Cooler, Electronic	urbocharger,	Loader, Tractor, Compressor, Generator, Excavator, Auxiliary Power Unit, Forklift, Toolcat, Construction Equipment				

The engine models and codes are attached.

The following are the exhaust certification standards (STD), or family emission limit(s) (FEL) as applicable, and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kW-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED	EMISSION		EXHAUST (g/kw-hr)					OPACITY (%)		
POWER CLASS	STANDARD CATEGORY		NMHC	NO.x	NMHC+NOx	co	PM	ACCEL	LUG	PEAK
19 ≤ kW < 56	Tier 4 Final	OPTIONAL STD	N/A	N/A	4.7	5.0	0.03	N/A	N/A	N/A
		CERT			3.9	0.1	0.02	nor has		

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has complied with the more stringent set of standards from the various power categories in conformance with Section 1039.230 (e) of the "California Exhaust Emission Standards and Test Procedures for New 2011 and Later Tier 4 Off-Road Compression Ignition Engines, Part 1-D" adopted October 20, 2005 and last amended October 25, 2012.

BE IT FURTHER RESOLVED: The listed engine family is conditionally certified pending submission and approval of manufacturer's tamper resistance method. The manufacturer has until April 30, 2017 to receive final approval from the Executive Officer. Failure to resolve concerns by the specified date, shall be cause for the Executive Officer to rescind this conditional certification, in which case all engines covered under this conditional certification would be deemed uncertified and subject to civil penalties pursuant to Health and Safety Code Section 43154.

DOOSAN INFRACORE CO., LTD.

**EXECUTIVE ORDER U-R-019-0145** 

New Off-Road Compression-Ignition Engines Page 2 of 2

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this \_\_\_\_\_\_ day of January 2017.

Emissions Compliance, Automotive Regulations and Science Division

# **Engine Model Summary Template**

#### **ATTACHMENT 1 of 2**

### U-R-019-0145 01/20/17

Engine Family	1.Engine Code	2.Engine Model	3.kW@RPM (SAE Gross)	4.Fuel Rate: mm³/stroke @ peak kW (for diesel only)	5.Fuel Rate: (kg/hr) @ peak kW 6 (for diesels only)	S.Torque Nm@ RPM mm (SEA Gross)	7.Fuel Rate:  3/stroke@peak torque	8.Fuel Rate: (kg/hr)@peak torque	9.Emission Control Device Per SAE J1930
HDICL02.4LEA	DL02-LEL05	D24NAP	55.4@2600	51.4	13.5	280@1600	63.1	10.2	EGR,DOC,DFI,TC, CAC,ECM
HDICL02.4LEA	DL02-LEL00	D24NAP	55.2@2600	48.8	12.8	280@1800	61.1	11.1	EGR,DOC,DFI,TC, CAC,ECM
HDICL02.4LEA	DL02-LEL01	D24NAP	49.2@2600	43.7	11.5	245@1800	53.8	9.8	EGR,DOC,DFI,TC, CAC,ECM
HDICL02.4LEA	DL02-LEL02	D24NAP	45.5@2600	41.0	10.7	225@1800	49.5	9.0	EGR,DOC,DFI,TC, CAC,ECM
HDICL02.4LEA	DL02-LEL03	D24NAP	36.6@2600	34,3	9.0	175@1800	39.1	7.1	EGR,DOC,DFI,TC, CAC,ECM
HDICL02.4LEA	DL02-LEL04	D24NAP	45.5@2600	41.0	10.7	225@1800	49.5	9.0	EGR,DOC,DFI,TC, CAC,ECM
HDICL02.4LEA	DL02-LEU00	D24NAP	<b>4</b> 5. <b>5</b> @2600	41.0	10.7	225@1800	49.5	9.0	EGR,DOC,DFI,TC, CAC,ECM
HDICL02.4LEA	DL02-LEE00	D24NAP	36.6@2200	37.3	8.3	205@1600	44.9	7.2	EGR,DOC,DFI,TC, CAC,ECM
HDICL02.4LEA	DL02-LEE01	D24NAP	31.3@2200	32.7	7.3	150@1600	34.7	5.6	EGR,DOC,DFI,TC, CAC,ECM
HDICL02.4LEA	DL02-LEF00	D24NAP	45.6@2200	45.3	10.0	262@1600	56.8	9.2	EGR,DOC,DFI,TC, CAC,ECM
HDICL02.4LEA	DL02-LEF01	D24NAP	44.7@2400	43.5	10.5	191@1600	44.2	7.1	EGR,DOC,DFI,TC, CAC,ECM
HDICL02.4LEA	DL02-LEG00	D24PP	51@1800	60.0	10.6	268@1800	60.0	10.6	EGR,DOC,DFI,TC, CAC,ECM

## **Engine Model Summary Template**

#### **ATTACHMENT 2 of 2**

### U-R-019-0145 01/20/17

Engine Family	1.Engine Code	2.Engine Model	3.kW@RPM (SAE Gross)	4.Fuel Rate: mm <sup>3</sup> /stroke @ peak kW (for diesel only)	5.Fuel Rate: (kg/hr) @ peak kW (for diesels only)	6.Torque Nm@ RPM mr (SEA Gross)	7.Fuel Rate: m³/stroke@peak torque	8.Fuel Rate: (kg/hr)@peak torque	9.Emission Control Device Per SAE J1930
HDICL02.4LEA	DL02-LEG00	D24PP	42@1500	57.9	8.8	267@1500	57.9	8.8	EGR,DOC,DFI,TC, CAC,ECM
HDICL02.4LEA	DL02-LEG01	D24PP	51@1800	60.0	10.6	268@1800	60.0	10.6	EGR,DOC,DFI,TC, CAC,ECM
HDICL02.4LEA	DL02-LEG01	D24PP	42@1500	57.9	8.8	267@1500	57.9	8.8	EGR,DOC,DFI,TC, CAC,ECM
HDICL02.4LEA	DL02-LER02	D24NAP	55.2@2600	48.8	12.8	280@1800	61.1	11.1	EGR,DOC,DFI,TC, CAC,ECM
HDICL02.4LEA	DL02-LER03	D24NAP	49.2@2600	43.7	11.5	245@1800	53.8	9.8	EGR,DOC,DFI,TC, CAC,ECM
HDICL02.4LEA	DL02-LER04	D24NAP	45.5@2600	41.0	10.7	225@1800	49.5	9.0	EGR,DOC,DFI,TC, CAC,ECM
HDICL02.4LEA	DL02-LER05	D24NAP	36.6@2600	34.3	9.0	175@1800	39.1	7.1	EGR,DOC,DFI,TC, CAC,ECM
HDICL02.4LEA	DL02-LER06	D24NAP	53.9@2600	47.3	12.8	280@1700	61.1	11.1	EGR,DOC,DFI,TC, CAC,ECM