California Environmental Protection Agency		EXECUTIVE ORDER U-R-020-0078
OB Air Resources Board	HINO MOTORS, LTD.	New Off-Road Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)		
2017	HHMXL07.7JVV 5.123, 7.684		Diesel	8,000		
SPECIAL	FEATURES & EMISSION	CONTROL SYSTEMS	TYPICAL EQUIPMENT APPLICATION			
Charg Electi Periodic	ectronic Direct Injection, ge Air Cooler, Exhaust G ronic Control Module, Ox Trap Oxidizer, Ammonia Selective Catalytic Redu	as Recirculation, kidation Catalyst, Oxidation Catalyst,	Crane, Excav	ator		

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kW-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER CLASS	EMISSION		EXHAUST (g/kW-hr)					OPACITY (%)		
	STANDARD CATEGORY		NMHC	NOx	NMHC+NOx	со	РМ	ACCEL	LUG	PEAK
$75 \le kW \le 560$	Tier 4 Final	OPTIONAL STD	0.19	0.40	N/A	3.5	0.02	N/A	N/A	N/A
		CERT	0.01	0.31		0.1	0.01			

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has complied with the more stringent set of standards from the various power categories in conformance with Section 1039.230(e) of the "California Exhaust Emission Standards and Test Procedures for 2008 and Later Tier 4 Off-Road Compression-Ignition Engines, Part I-C" adopted October 20, 2005 and last amended October 25, 2012.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this

day of December 2016.

Annette Hebert, Chief Emissions Compliance, Automotive Regulations and Science Division

Engine Model Summary Template

ATTACHMENT 10F2

U-F	2-0	20-	-00	28
				-

11-29-16

Engine Family	1.Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm/stroke@peak torque	8.Fuel Rate: (lbs/hr)@peak torqu	9.Emission Control PeDevice Per SAE J1930
HHMXL07.7JVV	05UMDA1	AA-J05E-UM	166/2000 (124kW)	132+-3.0	58+-1.3	487/1600 (660Nm)	149+-3.0	52+-1.1	DFI, TC, CAC, ECM, PTOX, OC, EGR, SCR , U AMOX
HHMXL07.7JVV	05UMDA2	AA-J05E-UM	166/2000 (124kW)	132+-3.0	58+-1.4	487/1600 (660Nm)	149+-3.0	52+-1.1	DFI, TC, CAC, ECM, PTOX, OC, EGR, SCR, AMOX
HHMXL07.7JVV	05UMDA3	AB-J05E-UM	134/2000 (100kW)	107+-3.0	47+-1.3	370/1600 (502Nm)	117+-3.0	41+-1.1	DFI, TC, CAC, ECM, PTOX, OC, EGR, SCR, AMOX
HHMXL07.7JVV	05UMDA4	AA-J05E-UM	166/2000 (124kW)	132+-3.0	58+-1.3	487/1600 (660Nm)	149+-3.0	52+-1.1	DFI, TC, CAC, ECM, PTOX, OC, EGR, SCR, AMOX
HHMXL07.7JVV	05UNDA1	AA-J05E-UN	185/2100 (138kW)	141+-3.0	65+-1.4	487/1600 (660Nm)	149+-3.0	52+-1.1	DFI, TC, CAC, ECM, PTOX, OC, EGR, SCR, AMOX
HHMXL07.7JVV	08VVFA1	AA-J08E-VV	286/2100 (213kW)	146+-3.0	101+-2.1	750/1600 (1017Nm)	149+-3.0	79+-1.6	DFI, TC, CAC, ECM, PTOX, OC, EGR, SCR, AMOX
HHMXL07.7JVV	08VVDA1	AA-J08E-VV	286/2100 (213kW)	146+-3.0	101+-2.1	750/1600 (1017Nm)	149+-3.0	79+-1.6	DFI, TC, CAC, ECM, PTOX, OC, EGR, SCR,
									AMOX
HHMXL07.7JVV	08VVDA2	AA-J08E-VV	286/2100 (213kW)	146+-3.0	101+-2.1	750/1600 (1017Nm)	149+-3.0	79+-1.6	DFI, TC, CAC, ECM, PTOX, OC, EGR, SCR, AMOX

Engine Model Summary Template

ATTACHMENT 20F2

U-R-020-0078 11-29-16

Engine Family	1.Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm/stroke@peak torque	8.Fuel Rate: (lbs/hr)@peak torque	9.Emission Control Device Per SAE J1930
HHMXL07.7JVV	08VVDA4	AC-J08E-VV	268/2100 (200kW)	134+-3.0	93+-2.1	750/1600 (1017Nm)	149+-3.0	79+-1.6	DFI, TC, CAC, ECM, PTOX, OC, EGR, SCR,\)
1462-61703-2263	0277022	10-7136-714			106-51	0000600	16-50		AMOX
·	istaev.	Warrib atrika	(ระปรณ์) หลังระบบ	laiking to	2 - 	(22.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.		e Auer Leit	Variation Politica de la companya Politica de la companya Politica de la companya Politica de la companya
					251-372				
	830,22743								
								,	