

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engine and emission control system produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)		
2018	JH3XL2.22TF4	2.216	Diesel	8000		
	FEATURES & EMISSION		TYPICAL EQUIPMENT			
Indirect Turbocha	Diesel Injection, Engin Inger, Exhaust Gas Rec Catalyst, Periodic Trap	e Control Module, irculation, Oxidation o Oxidizer	Loader, Tractor, Other Industrial Equipment			

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED	EMISSION STANDARD CATEGORY		EXHAUST (g/kw-hr)					OPACITY (%)		
POWER CLASS			NMHC	NOx	NMHC+NOx	со	PM	ACCEL	LUG	PEAK
37 <u>≤</u> kW < 56	Tier 4 Final	STD	N/A	N/A	4.7	5.0	0.03	N/A	N/A	N/A
		CERT			4.4	1.3	0.002			

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this

day of December 2017.

Annette Hebert, Chief Compliance, Automotive Regulations and Science Division

ATTACHMENT 1 OF 1

Engine Model Summary Template U-R-026-0502

12/5/2017

Engine Family	1.Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm/stroke@peak torque	8.Fuel Rate: (lbs/hr)@peak torqu	9.Emission Control PDevice Per SAE J1930
JH3XL2.22TF4	EP54/2600	404F-22T	53.6@2600	39.6	22.6	192.0@1800	49.0	19.4	EM, IFI, TC, EGR, ECM,
									PTOX, OC
JH3XL2.22TF4	EP56/2600B	404F-22T	55.7@2600	40.0	22.8	185.0@1800	47.0	18.6	EM, IFI, TC, EGR, ECM,
									PTOX, OC
JH3XL2.22TF4	EP60/2800	404F-22T	60.0@2800	42.0	25.8	192.0@1800	49.0	19.4	EM, IFI, TC, EGR, ECM, PTOX, OC
JH3XL2.22TF4	EP61/3000	404F-22T	61.0@3000	40.1	26.4	192.0@1800	47.8	18.9	EM, IFI, TC, EGR, ECM, PTOX, OC
							10.0	10.4	
JH3XL2.22TF4	EP54/2600	C2.2T	53.6@2600	39.6	22.6	192.0@1800	49.0	19.4	EM, IFI, TC, EGR, ECM, PTOX, OC
		00.0T	EE 7@0000	40.0	22.9	195 0@1900	47.0	18.6	EM, IFI, TC, EGR, ECM,
JH3XL2.22TF4	EP56/2600B	C2.2T	55.7@2600	40.0	22.8	185.0@1800	47.0	10.0	PTOX, OC
JH3XL2.22TF4	EP60/2800	C2.2T	60.0@2800	42.0	25.8	192.0@1800	49.0	19.4	EM, IFI, TC, EGR, ECM,
0110AL2.2211 4	LI 00/2000	02.21	00.0@2000	TL.U	20.0	102.00010000		Construction of the second secon	PTOX, OC
JH3XL2.22TF4	EP61/3000	C2.2T	61.0@3000	40.1	26.4	192.0@1800	47.8	18.9	EM, IFI, TC, EGR, ECM,
		Paddaurin 61 Malayer - Marie Ann, Balladin (1997 - anger 664) - Mayor ya - 1 (1997 - 1997 - 1997 - 1997 - 1997	And the second sec		en ander skolten er versta fallt av versen an en proper fri en des verself an e		991 Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y	all anna 1976 a bhlian ann a shriann ann ann ann ann ann ann ann ann ann	PTOX, OC
JH3XL2.22TF4	4T43-28	N844LT-F	58.2@2800	39.9	24.5	186.0@1800	46.7	18.2	EM, IFI, TC, EGR, ECM,
and and the rate of a final of an and an and a second of the	and a serie could all an order for the second		anna in it ya " ada ka ^{Ti} ntan mwanishi Ata	an handen gere an range der Britzgebereit bin gegenn in dien eine Britzen		an namang ngangkan pengangan naman nang Produce nang sebagai kanang sebagai kang sebagai kang sebagai kang seb			PTOX, OC
JH3XL2.22TF4	EP61/3000US	404F-22T	61.0@3000	40.1	26.4	192.0@1800	47.8	18.9	EM, IFI, TC, EGR, ECM,
			an, in many more parameters () where a subscription of the						PTOX, OC
JH3XL2.22TF4	EP61/3000US	C2.2T	61.0@3000	40.1	26.4	192.0@1800	47.8	18.9	EM, IFI, TC, EGR, ECM,
									PTOX, OC