Pursuant to the authority vested in California Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engine and emission control system produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)			
2019	KH3XL2.22TDI	2.22	Diesel	8000			
SPECIAL	FEATURES & EMISSION	CONTROL SYSTEMS	TYPICAL EQUIPMENT APPLICATION				
Electronic Cooler, (c Direct Injection, Turbo Dxidation Catalyst, Engi Exhaust Gas Recirc	charger, Charge Air ne Control Module, ulation	Tractor, Generator, Other Industrial Equipment				

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423);

RATED POWER CLASS	EMISSION STANDARD CATEGORY			E	XHAUST (g/kw-h	OPACITY (%)				
			NMHC	NOx	NMHC+NOx	со	PM	ACCEL	LUG	PEAK
19 <u><</u> kW < 56	Tier 4 Final	STD .	N/A	N/A	4.7	5.0	0.03	N/A	N/A	N/A
		CERT			4.6	3.7	0.03			

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has complied with the more stringent set of standards from the various power categories in conformance with Section 1039.230 (e) of the "California Exhaust Emission Standards and Test Procedures for New 2011 and Later Tier 4 Off-Road Compression Ignition Engines, Part I-D" adopted October 20, 2005 and last amended October 25, 2012.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this

day of September 2018. Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

ATTACHMENTIOF2

Engine Model Summary Template U-R-026-0524

RIC 8/29/2019

Engine Family	1.Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	5.Displacement (I) /Fuel Rate: (Ibs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm/stroke@peak torque	8.Fuel Rate: 9.Emission Control (Ibs/hr)@peak torqueDevice Per SAE J1930
KH3XL2.22TDI	N4LDI-TA	502800	67.1@2800	43	2.22	208@1800	48.3	DDI,ECM,TC,CAC,EGR, OC
KH3XL2.22TDI	N4LDI-TA	502800L	67.1@2800	43	2.22	208@1800	48.3	DDI,ECM,TC,CAC,EGR, OC
KH3XL2.22TDI	404F-E22TA	ER67DI/2800	67.1@2800	43	2.22	208@1800	48.3	DDI,ECM,TC,CAC,EGR, OC
KH3XL2.22TDI	C2.2	ER67DI/2800	67.1@2800	43	2.22	208@1800	48.3	DDI,ECM,TC,CAC,EGR, OC
KH3XL2.22TDI	N4LDI-TA	452800	60.0@2800	40.9	2.22	183@1800	42.8	DDI,ECM,TC,CAC,EGR, OC
KH3XL2.22TDI	N4LDI-TA	492600	65.1@2600	45.9	2.22	208@1800	48.3	DDI,ECM,TC,CAC,EGR, OC
KH3XL2.22TDI	N4LDI-TA	412600	55.0@2600	40.4	2.22	183@1800	42.8	DDI,ECM,TC,CAC,EGR, OC
KH3XL2.22TDI	N4LDI-TA	361800C	48.3@1800	44	2.22	193@1800	44.0	DDI,ECM,TC,CAC,EGR, OC
KH3XL2.22TDI	C2.2	ER49DI/1800C	48.3@1800	44	2.22	193@1800	44.0	DDI,ECM,TC,CAC,EGR, OC
KH3XL2.22TDI	C2.2	ER67DI/2800B CP	67.1@2800	43	2.22	208@1800	48.3	DDI,ECM,TC,CAC,EGR, OC
KH3XL2.22TDI	N4LDI-TA	432400	57.7@2400	43.7	2.22	197@1800	46	DDI,ECM,TC,CAC,EGR, OC
KH3XL2.22TDI	N4LDI-TA	432600-4513	57.3@2600	40.9	2.22	192@1600	43.5	DDI,ECM,TC,CAC,EGR, OC
KH3XL2.22TDI	N4LDI-TA	432600-4514	57.3@2600	40.9	2.22	192@1600	43.5	DDI,ECM,TC,CAC,EGR, OC
KH3XL2.22TDI	N4LDI-TA	402600-4519	53.6@2600	38.5	2.22	191@1600	44.2	DDI,ECM,TC,CAC,EGR, OC

ATTACHMENT 2 of 2

Engine Model Summary Template U-R-026-0524

R/C 8/29/2019

	1.Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	/Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm/stroke@peak torque	8.Fuel Rate: 9.Emission Control (lbs/hr)@peak torqueDevice Per SAE J1930
KH3XL2.22TDI	N4LDI-TA	402600-4520	53.6@2600	38.5	2.22	191@1600	44.2	DDI,ECM,TC,CAC,EGR, OC
KH3XL2.22TDI	N4LDI-TA	402600-4517	59.9@2600	42.1	2.22	200@1600	46.6	DDI,ECM,TC,CAC,EGR, OC
KH3XL2.22TDI	N4LDI-TA	402600-4518	59.9@2600	42.1	2.22	200@1600	46.6	DDI,ECM,TC,CAC,EGR, OC
KH3XL2.22TDI	404F-E22TA	ER67DI/2800- CD	67.1@2800	43	2.22	208@1800	48.3	DDI,ECM,TC,CAC,EGR, OC
KH3XL2.22TDI	C2.2	ER67DI/2800- CD	67.1@2800	43	2.22	208@1800	48.3	DDI,ECM,TC,CAC,EGR, OC
KH3XL2.22TDI	C2.2	ER49DI/1800C- CD	48.3@1800	44	2.22	193@1800	44	DDI,ECM,TC,CAC,EGR, OC
KH3XL2.22TDI	404F-E22TA	ER49DI/1800C	48.3@1800	44	2.22	193@1800	44	DDI,ECM,TC,CAC,EGR, OC
KH3XL2.22TDI	404F-E22TA	ER49DI/1800C- CD	48.3@1800	44	2.22	193@1800	44	DDI,ECM,TC,CAC,EGR, OC
KH3XL2.22TDI	404F-E22TA	6588/2600 *	53.6@2600	38.5	2.22	191@1600	44.2	DDI,ECM,TC,CAC,EGR, OC
KH3XL2.22TDI	404F-E22TA	6382/2400*	57.7@2400	43.7	2.22	197@1800	46	DDI,ECM,TC,CAC,EGR, OC
KH3XL2.22TDI	404F-E22TA	6372/2600 x	57.3@2600	40.9	2.22	192@1600	43.5	DDI,ECM,TC,CAC,EGR, OC
KH3XL2.22TDI	404F-E22TA	6590/2600¥	59.9@2600	42.1	2.22	200@1600	46.6	DDI,ECM,TC,CAC,EGR, OC
KH3XL2.22TDI	404F-E22TA	6380/2800*	60.0@2800	40.9	2.22	183@1800	42.8	DDI,ECM,TC,CAC,EGR, OC
KH3XL2.22TDI	404F-E22TA	6384/28007	67.1@2800	43	2.22	208@1800	48.3	DDI,ECM,TC,CAC,EGR, OC