Pursuant to the authority vested in California Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)			
2020	LCEXL04.5AAK	4.5	Diesel	8000			
SPECIAL	FEATURES & EMISSION	CONTROL SYSTEMS	TYPICAL EQUIPMENT APPLICATION				
Electron Cooler, Ele Diesel Oxi	ic Direct Injection, Turbo ectronic Control Module, F dation Catalyst, Selective Urea, Ammonia Oxidatio	charger, Charge Air Periodic Trap Oxidizer, e Catalytic Reduction- on Catalyst	Crane, Loaders, Dozer, Pump, Compressor				

The engine models and codes are attached.

CALIFORNIA

AIR RESOURCES BOARD

The following are the exhaust certification standards (STD), or family emission limit(s) (FEL) as applicable, and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kW-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER CLASS	EMISSION			OPACITY (%)						
	CATEGORY		NMHC	NOx	NMHC+NOx	co	PM	ACCEL	LUG	PEAK
75 ≤ kW < 130	Tier 4 Final	STD	0.19	0.40	N/A	5.0	0.02	N/A	N/A	N/A
		CERT	0.05	0.12		0.01	0.02			

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this _____

day of November 2019.

Allen Lyons, Chief Emissions Certification and Compliance Division

EO#: U-R-002-0741 Attachment: Page lof2 8/29/2019

Engine Model Summary Template

ingine Family	1.Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm/stroke@peak torque	8.Fuel Rate: (Ibs/hr)@peak torque	9.Emission Control Device Per SAE J1930
EXL04.5AAK	4936:FR95722	QSB4.5	173@2000	130	58	575@1500	163	53	ECM, SCR, DDI, TC, A
				an dia mandri mandri da					CAC,DOC,PTOX SCA
EXLO4.5AAK	4937:FR95718	QSB4.5	173@2500	138	58	575@1500	161	54	ECM,SCR,DDI,TC,
									CAC,DOC,PTOX
EXLO4.5AAK	4937:FR95719	QSB4.5	162@2500	125	57	520@1500	141	50	ECM,SCR,DDI,TC,
			-						CAC,DOC,PTOX
EXL04.5AAK	4937:FR95720	QSB4.5	13002500	115	52	480@1500	128	44	ECM,SCR,DDI,TC,
									CAC,DOC,PTOX
EXLO4.5AAK	4938:FR95721	QSB4.5	173 2200	138	58	575@1500	161	54	ECM,SER,DDI,TC,
									CAC,DOC,PTOX
EXLO4.5AAK	4938:FR95723	QSB4.5	165@2200	125	57	561@1200	160	43	ECM, SOR, DDI, TC.
									CAC,DOC,PTOX
EXLO4.5AAK	4938:FR95724	QSB4.5	15502200	115	52	525@1200	141	40	ECM,SER,DDI,TC,
									CAC,DOC,PTOX
EXL04.5AAK	4938:FR95725	QSB4.5	133@2200	94	47	467@1200	124	34	ECM,SER,DDI,TC,
									CAC,DOC,PTOX
EXL04.5AAK	4938:FR95726	QSB4.5	121@2200	86	42	370@1500	99	34	ECM,SER,DDI,TC,
									CAC,DOC,PTOX
EXL04.5AAK	4938:FR95727	QSB4.5	173@2000	138	58	575@1500	163	54	ECM,SER,DDI,TC,
									CAC,DOC,PTOX
EXL04.5AAK	4938:FR95728	QSB4.5	165@2000	126	55	561@1200	160	43	ECM,SOR,DDI,TC,
							and a second		CAC,DOC,PTOX



Engine Model Summary Template

Engine Family	1.Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP (for dieset only)	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm/stroke@peak torque	8.Fuel Rate: (lbs/hr)@peak torq	9.Emission Control ueDevice Per SAE J1930
LCEXL04.5AAK	4938:FR95730	QSB4.5	155@2000	115	52	525@1200	141	40	ECM,SOR,DDI,TC,
									CAC,DOC,PTOX
									Amox
									SCR-4