

Pursuant to the authority vested in California Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-19-095;

**IT IS ORDERED AND RESOLVED:** That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)
2020	LVPXL05.1CJA	5.1	Diesel	8000
SPECIAL FEATURES & EMISSION CONTROL SYSTEMS			TYPICAL EQUIPMENT APPLICATION	
Electronic Direct Injection, Electronic Control Module, Charge Air Cooler, Turbocharger, Smoke Puff Limiter, Selective Catalytic Reduction-Urea, Exhaust Gas Recirculation, Ammonia Oxidation Catalyst			Crane, Loaders, Pump, Compressor, Generator Set	

The engine models and codes are attached.

The following are the exhaust certification standards (STD), or family emission limit(s) (FEL) as applicable, and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kW-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER CLASS	EMISSION STANDARD CATEGORY		EXHAUST (g/kW-hr)					OPACITY (%)		
			NMHC	NOx	NMHC+NOx	CO	PM	ACCEL	LUG	PEAK
75 ≤ kW ≤ 560	Tier 4 Final	<b>Optional STD</b>	0.19	0.40	N/A	3.5	0.02	N/A	N/A	N/A
		<b>FEL</b>	N/A	N/A	N/A	N/A	0.03	N/A	N/A	N/A
		<b>CERT</b>	0.01	0.34	-	0.1	0.02	-	-	-

**BE IT FURTHER RESOLVED:** That the family emission limit(s) (FEL) is an emission level declared by the manufacturer for use in any averaging, banking and trading program and in lieu of an emission standard for certification. It serves as the applicable emission standard for determining compliance of any engine within this engine family under 13 CCR Sections 2423 and 2427.


**BE IT FURTHER RESOLVED:** That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

**BE IT FURTHER RESOLVED:** That for the listed engine models, the manufacturer has complied with the more stringent set of standards from the various power categories in conformance with Section 1039.230 (e) of the "California Exhaust Emission Standards and Test Procedures for New 2011 and Later Tier 4 Off-Road Compression Ignition Engines, Part 1-D" adopted October 20, 2005 and last amended October 25, 2012

Engines certified under this Executive Order must conform to all applicable California emission regulations.

**This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.**

Executed at El Monte, California on this 14<sup>th</sup> day of November 2019.



Allen Lyons, Chief  
Emissions Certification and Compliance Division

## Engine Model Summary Template

ATTACHMENT 1 OF 1

EO # : U-R-014-0174

Date : 10/25/2019

Engine Family	1.Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: nm/stroke@peakHP (for diesel only)	5.Fuel Rate: (lbs/hr)@peak HP (for diesels only)	6.Torque@RPM (SEA Gross)	7.Fuel Rate: mm/stroke@peak torque	8.Fuel Rate: (lbs/hr)@peak torque	9.Emission Control Device Per SAE J193C
LVPXL05.1CJA	I	TAD570 VE	141@2300	102	79	710Nm@1200	158	64	DDI,EM, ECM, CAC, TC, SPL, SCR-U, EGR, AMOX
LVPXL05.1CJA	II	TAD571 VE	173@2300	123	95	810Nm@1200	181	73	DDI,EM, ECM, CAC, TC, SPL, SCR-U, EGR, AMOX
LVPXL05.1CJA *	III	TAD572 VE	214@2300	148	114	910Nm@1450	189	92	DDI,EM, ECM, CAC, TC, SPL, SCR-U, EGR, AMOX

\* TESTED ENGINE MODEL