Pursuant to the authority vested in California Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

| MODEL YEAR | ENGINE FAMILY DISPLACEMENT (liters) | | FUEL TYPE | USEFUL LIFE (hours) | | | |
|------------------------|--|--|--|------------------------|--|--|--|
| 2021 | MFPLX03.4ESD | 3.4 | Diesel | 8000 | | | |
| SPECIAL | FEATURES & EMISSION C | ONTROL SYSTEMS | TYPICAL EQUIPMENT APPLICATION | | | | |
| Turboch Catalyst, S | ic Direct Injection, Electro harger, Charged Air Coole Selective Catalytic Reducti ation Catalyst, Exhaust Ga | r, Diesel Oxidation ion – Urea, Ammonia | Loader, Tractor, Dozer, Other Industrial Equipment | | | | |

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

| RATED | EMISSION | | | E | EXHAUST (g/kW-ł | OPACITY (%) | | | | | |
|-------|---------------|----------------------|------|-------|-----------------|-------------|-----|------|-------|-----|------|
| | POWER CLASS | STANDARD CATEGORY | | NMHC | NOx | NMHC+NOx | со | РМ | ACCEL | LUG | PEAK |
| | 56 ≤ kW < 130 | Tier 4 Final | STD | 0.19 | 0.40 | N/A | 5.0 | 0.02 | N/A | N/A | N/A |
| | | | CERT | 0.002 | 0.17 | | 0.2 | 0.02 | | | |

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

BE IT FURTHER RESOLVED: That for the listed engine models which include engines from different power categories in the same engine family, the manufacturer is complying with the more stringent set of standards from the $56 \le kW < 130$ power categories in conformance with the incorporated Section 1039.230 (e) of the "California Exhaust Emission Standards and Test Procedures for New 2011 and Later Tier 4 Off-Road Compression Ignition Engines, Part 1-D" adopted October 20, 2005 and last amended October 25, 2012.

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed on this <u>28th</u> day of October 2020.

Allen Lyons, Chief Emissions Certification and Compliance Division

Engine Model Summary Template EO#:U-R-015-0443

Attachment: 1 of 2

Date: 9/8/2020

| | | | 3.BHP@RPM | 4.Fuel Rate: mm/stroke @ peak HP | 5.Fuel Rate: | 6 Torque @ RPM | 7.Fuel Rate: mm/stroke@peak | 8.Fuel Rate: | 9.Emission Control |
|---------------|---------------|----------------|-------------|-------------------------------------|--------------------|----------------|--------------------------------|--------------|---------------------------------------|
| Engine Family | 1.Engine Code | 2.Engine Model | (SAE Gross) | (for diesel only) | (for diesels only) | (SEA Gross) | torque | | Per SAE J1930 |
| MFPXL03.4ESD | F5GFL413E*B | F5GFL413E*B | 115 @ 2200 | 87 | N/A | 374@ 1500 | 115 | N/A | DDI ECM TC CAC DOC SCR-u AMOX EGR. |
| MFPXL03.4ESD | F5BFL413F*B | F5BFL413F*B | 96 @ 2000 | 79 | N/A | 305 @ 1400 | 93 | N/A | DDI ECM TC CAC DOC SCR-u AMOX EGR. |
| MFPXL03.4ESD | F5BFL413D*B | F5BFL413D*B | 114 @ 2500 | 80 | N/A | 340 @ 1400 | 103 | N/A | DDI ECM TC CAC DOC SCR-u AMOX EGR. |
| MFPXL03.4ESD | F5BFL413E*B | F5BFL413E*B | 90 @ 2500 | 65 | N/A | 283 @ 1400 | 85 | N/A | DDI ECM TC CAC DOC SCR-u AMOX EGR. |
| MFPXL03.4ESD | F5BFL413A*B | F5BFL413A*B | 110 @ 2200 | 86 | N/A | 340 @ 1400 | 103 | N/A | DDI ECM TC CAC DOC SCR-u AMOX EGR. |
| MFPXL03.4ESD | F5BFL413B*B | F5BFL413B*B | 96 @ 2200 | 75 | N/A | 335 @ 1400 | 101 | N/A | DDI ECM TC CAC DOC SCR-u AMOX EGR. |
| MFPXL03.4ESD | F5BFL413C*B | F5BFL413C*B | 90 @ 2200 | 70 | N/A | 307 @ 1300 | 94 | N/A | DDI ECM TC CAC DOC SCR-u AMOX EGR. |
| MFPXL03.4ESD | F5GFL413D*B | F5GFL413D*B | 84 @ 2300 | 64 | N/A | 271 @ 1500 | 81 | N/A | DDI ECM TC CAC DOC SCR-u AMOX EGR. |
| MFPXL03.4ESD | F5GFL413A*B | F5GFL413A*B | 115 @ 2300 | 85 | N/A | 360 @ 1500 | 108 | N/A | DDI ECM TC CAC DOC SCR-u AMOX EGR. |
| MFPXL03.4ESD | F5GFL413B*B | F5GFL413B*B | 106 @ 2300 | 78 | N/A | 345 @ 1500 | 103 | N/A | DDI ECM TC CAC DOC SCR-u AMOX EGR. |
| MFPXL03.4ESD | F5GFL413C*B | F5GFL413C*B | 98 @ 2300 | 72 | N/A | 313 @ 1500 | 93 | N/A | DDI ECM TC CAC DOC SCR-u AMOX EGR. |
| MFPXL03.4ESD | F5GFL413F*B | F5GFL413F*B | 106 @ 2300 | 78 | N/A | 341 @ 1500 | 102 | N/A | DDI ECM TC CAC DOC SCR-u AMOX EGR. |
| MFPXL03.4ESD | F5GFL413G*B | F5GFL413G*B | 115 @ 2300 | 85 | N/A | 359 @ 1500 | 107 | N/A | DDI ECM TC CAC DOC SCR-u AMOX EGR. |
| MFPXL03.4ESD | F5GFL413N*B | F5GFL413N*B | 123 @ 2300 | 91 | N/A | 370 @ 1500 | 113 | N/A | DDI ECM TC CAC DOC SCR-u AMOX EGR. |
| MFPXL03.4ESD | F5GFL413M*B | F5GFL413M*B | 82 @ 2300 | 62 | N/A | 247 @ 1500 | 72 | N/A | DDI ECM TC CAC DOC SCR-u AMOX EGR. |
| MFPXL03.4ESD | F5GFL413L*B | F5GFL413L*B | 90 @ 2300 | 67 | N/A | 271 @ 1500 | 81 | N/A | DDI ECM TC CAC DOC SCR-u AMOX EGR. |
| MFPXL03.4ESD | F5GFL413K*B | F5GFL413K*B | 95 @ 2300 | 70 | N/A | 271 @ 1500 | 81 | N/A | DDI ECM TC CAC DOC SCR-u AMOX EGR. |
| MFPXL03.4ESD | F5GFL413J*B | F5GFL413J*B | 101 @ 2300 | 74 | N/A | 297 @ 1500 | 88 | N/A | DDI ECM TC CAC DOC SCR-u AMOX EGR. |
| MFPXL03.4ESD | F5GFL413H*B | F5GFL413H*B | 103 @ 2300 | 76 | N/A | 299 @ 1700 | 89 | N/A | DDI ECM TC CAC DOC SCR-u AMOX EGR. |
| MFPXL03.4ESD | F5GFL413T*B | F5GFL413T*B | 98@2200 | 72 | N/A | 313 @ 1500 | 93 | N/A | DDI ECM TC CAC DOC SCR-u AMOX EGR. |
| MFPXL03.4ESD | F5GFL413S*B | F5GFL413S*B | 101 @ 2200 | 76 | N/A | 319 @ 1400 | 95 | N/A | DDI ECM TC CAC DOC SCR-u AMOX EGR. |
| MFPXL03.4ESD | F5GFL413R*B | F5GFL413R*B | 94 @ 2200 | 68 | N/A | 293 @ 1400 | 87 | N/A | DDI ECM TC CAC DOC SCR-u AMOX EGR. |
| MFPXL03.4ESD | F5GFL413P*B | F5GFL413P*B | 84 @ 2200 | 62 | N/A | 262 @ 1400 | 78 | N/A | DDI ECM TC CAC DOC SCR-u AMOX EGR. |
| MFPXL03.4ESD | F5GFL413U*B | F5GFL413U*B | 115 @ 2300 | 89 | N/A | 361 @ 1500 | 106 | N/A | DDI ECM TC CAC DOC SCR-u AMOX EGR. |
| MFPXL03.4ESD | F5GFL413V*B | F5GFL413V*B | 106 @ 2300 | 82 | N/A | 352 @ 1500 | 101 | N/A | DDI ECM TC CAC DOC SCR-u AMOX EGR. |
| MFPXL03.4ESD | F5GFL413W*B | F5GFL413W*B | 98 @ 2300 | 75 | N/A | 319 @ 1500 | 92 | N/A | DDI ECM TC CAC DOC SCR-u AMOX EGR. |

Engine Model Summary Template

EO#:U-R-015-0443

Attachment: 2 of 2

Date: 9/8/2020

| Engine Family | 1.Engine Code | 2.Engine Model | 3.BHP@RPM (SAE Gross) | 4.Fuel Rate: mm/stroke @ peak HP (for diesel only) | 5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only) | 6.Torque @ RPM (SEA Gross) | 7.Fuel Rate: mm/stroke@peak torque | | 9.Emission Control Device Per SAE J1930 |
|---------------|---------------|----------------|--------------------------|--|--|-------------------------------|--|-----|--|
| MFPXL03.4ESD | F5BFL413H*B | F5BFL413H*B | 121 @ 2200 | 74 | N/A | 363 @ 1400 | 86 | N/A | DDI ECM TC CAC DOC SCR-u AMOX EGR. |
| MFPXL03.4ESD | F5BFL415A*B | F5BFL415A*B | 125 @ 1800 | 89 | N/A | 378 @ 1500 | 89 | N/A | DDI ECM TC CAC DOC SCR-u AMOX EGR. |
| MFPXL03.4ESD | F5BFL415B*B | F5BFL415B*B | 98 @ 1800 | 68 | N/A | 319 @ 1400 | 74 | N/A | DDI ECM TC CAC DOC SCR-u AMOX EGR. |
| MFPXL03.4ESD | F5BFL413J*B | F5BFL413J*B | 101 @ 2300 | 74 | N/A | 297 @ 1500 | 88 | N/A | DDI ECM TC CAC DOC SCR-u AMOX EGR. |