

JOHN DEERE POWER SYSTEMS

EXECUTIVE ORDER U-R-004-0625

New Off-Road Compression-Ignition Engines Page 1 of 2

Pursuant to the authority vested in California Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-19-095:

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)				
2022	NJDXL13.5300	13.5	Diesel	8000				
SPECIAL	FEATURES & EMISSION (CONTROL SYSTEMS	TYPICAL EQUIPMENT APPLICATION					
Direct Inje Gas	Air Cooler, Oxidation C ection, Electronic Contr Recirculation, Periodic arger, Selective Catalys Ammonia Oxidation (ol Module, Exhaust Trap Oxidizer, st Reduction-Urea,	Crane, Loader, Tractor, Dozer, Pump, Compressor, Generator Set, Other Industrial Equipment					

The engine models and codes are attached.

The following are the exhaust certification standards (STD), or family emission limit(s) (FEL) as applicable, and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kW-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER	EMISSION			I	EXHAUST (g/kw-l	OPACITY (%)				
CLASS	STANDARD CATEGORY		NMHC	NOx	NMHC+NOx	СО	PM	ACCEL	LUG	PEAK
130 <u><</u> kW <u><</u> 560	Tier 4 Final	STD	0.19	0.40	N/A	3.5	0.02	N/A	N/A	N/A
		FEL	N/A	N/A	N/A	N/A	0.01			
		CERT	0.03	0.06		0.03	0.003			

BE IT FURTHER RESOLVED: That the family emission limit(s) (FEL) is an emission level declared by the manufacturer for use in any averaging, banking and trading program and in lieu of an emission standard for certification. It serves as the applicable emission standard for determining compliance of any engine within this engine family under 13 CCR Sections 2423 and 2427.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).



JOHN DEERE POWER SYSTEMS

EXECUTIVE ORDER U-R-004-0625

New Off-Road Compression-Ignition Engines Page 2 of 2

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed on this 19th day of December 2021.

Allen Lyons, Chief

Emissions Certification and Compliance Division

Attachment: Engine Models

EO #: U-R-004-0625

Family: NJDXL13.5300 Attachment Last Revised: 11/10/2021

Model	Code	Trim	Config	Displacement	Displacement - Units	Peak Power	Peak Power - Units	Peak Power - Speed (rpm)	Peak Power - Fueling	Peak Power - Fuel Units	Peak Torque	Peak Torque - Units	Peak Torque - Speed (rpm)	Peak Torque - Fuel	Peak Torque - Fuel Units	OBD	GHG	Special	Notes
6135	6135HPRNT2	111111	I-6	13.5	Liters	489	kilowatt	2100	337.6	mm3/stroke	2902	N-m	1550	416.5	mm3/stroke		N/A	Special	Notes
6135	6135HFNN12	_	I-6	13.5	Liters	314	kilowatt	1800	245.8	mm3/stroke	2099	N-m	1500	290.2	mm3/stroke		N/A		+
0133	013311008	_	1-0	15.5	Liters	314	KIIOWatt	1000	245.6	IIIII5/Stroke	2099	IN-III	1300	290.2	IIIII5/Stroke	IN/ A	IN/ A		+
		-														_	_		+
		-														_	_		+
																	_		+
		-														-	_		
		-														-	_		
		-	-													-			+
																-			
																			T
							1	1											
				<u> </u>			<u> </u>		1										
																			+
																_			
		_							+							_	_		+
						1												1	