

KOMATSU, LTD.

EXECUTIVE ORDER U-R-005-0513

New Off-Road Compression-Ignition Engines Page 1 of 1

Pursuant to the authority vested in California Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)					
2022	NKLXL06.7AAM	6.7	Diesel	8000					
SPECIAL	. FEATURES & EMISSION (CONTROL SYSTEMS	TYPICAL EQUIPMENT APPLICATION						
Recircula Control M Amm	harger, Charge Air Coc ttion, Electronic Direct I lodule, Selective Cataly onia Oxidation Catalys idation Catalyst, Oxida	njection, Electronic vst Reduction-Urea, t, Periodic Trap	Loader, Dozer, Motor Gra	ader					

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER	EMISSION			ı	EXHAUST (g/kw-l	nr)		OF	PACITY (%	6)
CLASS	STANDARD CATEGORY		NMHC	NOx	NMHC+NOx	СО	PM	ACCEL	LUG	PEAK
130 ≤ kW ≤ 560	Tier 4 Final	STD	0.19	0.40	N/A	3.5	0.02	N/A	N/A	N/A
		CERT	0.001	0.14		0.4	0.001			

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed on this 22nd day of December 2021.

Allen Lyons, Chief

Emissions Certification and Compliance Division

EO #: U-R-005-0513 Family: NKLXL06.7AAM Attachment Last Revised: 11/23/2021

Attachment: Engine Models

					Displacement -		Peak Power -	Peak Power -	Peak Power -	Peak Power - Fuel		Peak Torque -	Peak Torque -		Peak Torque - Fue				
Model	Code	Trim	Config	Displacement	Units	Peak Power	Units	Speed (rpm)	Fueling	Units	Peak Torque	Units	Speed (rpm)	Peak Torque - Fuel	Units	OBD	GHG	Special	Notes
SAA6D107 E-3-B	CPL4458 :FR5C01		16	6.7	Liters	222	horsepower	2200	107	mm3/stroke	697	lb-ft	1500	136	mm3/stroke	N/A	N/A	N/A	EM, TC, CAC, EGR, DFI, ECM, SCR-U, AMOX, PTOX, OC
SAAGD107	CPL4458 :FR9455		16	6.7	Liters	221	horsepower	2100	111	mm3/stroke	694	lb-ft	1450	135	mm3/stroke	N/A	N/A	N/A	EM, TC, CAC, EGR, DFI, ECM, SCR-U, AMOX, PTOX, OC
SAA6D107 E-3-B	CPL4458 FR94557	, N/A	16	6.7	Liters	213	horsepower	2050	108	mm3/stroke	694	lb-ft	1500	135	mm3/stroke	N/A	N/A	N/A	EM, TC, CAC, EGR, DFI, ECM, SCR-U, AMOX, PTOX, OC
SAAPDIU/	CPL4458 :FR9458 3		16	6.7	Liters	189	horsepower	2000	99	mm3/stroke	618	lb-ft	1500	121	mm3/stroke	N/A	N/A	N/A	EM, TC, CAC, EGR, DFI, ECM, SCR-U, AMOX, PTOX, OC
F-3-R	CPL4458 :FR9458 4		16	6.7	Liters	192	horsepower	2100	95	mm3/stroke	694	lb-ft	1450	133	mm3/stroke	N/A	N/A	N/A	EM, TC, CAC, EGR, DFI, ECM, SCR-U, AMOX, PTOX, OC
SAA6D107	CPL5454 :FR9692 6		16	6.7	Liters	221	horsepower	2100	111	mm3/stroke	694	lb-ft	1450	135	mm3/stroke	N/A	N/A	N/A	EM, TC, CAC, EGR, DFI, ECM, SCR-U, AMOX, PTOX, OC
SAA6D107	CPL5454 :FR9692 5		16	6.7	Liters	213	horsepower	2050	108	mm3/stroke	694	lb-ft	1500	135	mm3/stroke	N/A	N/A	N/A	EM, TC, CAC, EGR, DFI, ECM, SCR-U, AMOX, PTOX, OC
SAA6D107 F-3-B	CPL5454 :FR9692 3		16	6.7	Liters	189	horsepower	2000	99	mm3/stroke	618	lb-ft	1500	121	mm3/stroke	N/A	N/A	N/A	EM, TC, CAC, EGR, DFI, ECM, SCR-U, AMOX, PTOX, OC

Attachment: Engine Models EO #: U-R-005-0513 Family: NKLXL06.7AAM Attachment Last Revised: 11/23/2021

					Displacement -		Peak Power -	Peak Power -	Peak Power -	Peak Power - Fuel		Peak Torque -	Peak Torque -		Peak Torque - Fue	el			
Model	Code	Trim	Config	Displacement	Units	Peak Power	Units	Speed (rpm)	Fueling	Units	Peak Torque	Units	Speed (rpm)	Peak Torque - Fuel	Units	OBD	GHG	Special	Notes
SAA6D101 E-3-B	CPL5454 :FR9692 4		16	6.7	Liters	192	horsepower	2100	95	mm3/stroke	694	lb-ft	1450	133	mm3/stroke	N/A	N/A	N/A	EM, TC, CAC, EGR, DFI, ECM, SCR-U, AMOX, PTOX, OC
SAA6D101 E-3-B	7 CPL5454 :FR9763 5		16	6.7	Liters	221	horsepower	2100	111	mm3/stroke	694	lb-ft	1450	135	mm3/stroke	N/A	N/A	N/A	EM, TC, CAC, EGR, DFI, ECM, SCR-U, AMOX, PTOX, OC
SAA6D101 E-3-B	7 CPL5454 :FR9763 4		16	6.7	Liters	213	horsepower	2050	108	mm3/stroke	694	lb-ft	1500	135	mm3/stroke	N/A	N/A	N/A	EM, TC, CAC, EGR, DFI, ECM, SCR-U, AMOX, PTOX, OC