

DEUTZ AG

EXECUTIVE ORDER U-R-013-0662 New Off-Road

New Off-Road Compression-Ignition Engines

Pursuant to the authority vested in California Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)					
2022	NDZXL02.9119	2.925	Diesel	8000					
SPECIAL	. FEATURES & EMISSION C	CONTROL SYSTEMS	TYPICAL EQUIPMENT APPLICATION						
Charge Exhau	non Rail Direct Injection e Air Cooler, Electronic ust Gas Recirculation, I catalyst, Continuous Tra	Control Module, Diesel Oxidation	Off-road Crane, Loader, Tractor, Dozer, Pump, Compressor, Material Handler						

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER CLASS	EMISSION				EXHAUST (g/kw-l	OPACITY (%)				
	STANDARD CATEGORY		NMHC	NOx	NMHC+NOx	СО	PM	ACCEL	LUG	PEAK
37 ≤ kW < 56	Tier 4 Final	STD	N/A	N/A	4.7	5.0	0.03	N/A	N/A	N/A
		CERT			4.2	0.07	0.004			

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed on this 19th day of December 2021.

Allen Lyons, Chief

Emissions Certification and Compliance Division

Attachment: Engine Models EO #: U-R-013-0662 Family: NDZXL02.9119 Attachment Last Revised: 3/29/2022

					Displacement -		Peak Power -	Peak Power -	Peak Power -	Peak Power - Fu	el	Peak Torque -	Peak Torque -	Peak Torque -	Peak Torque -				
Model	Code	Trim	Config	Displacement	Units	Peak Power	Units	Speed (rpm)	Fueling	Units	Peak Torque	Units	Speed (rpm)	Fuel	Fuel Units	OBD	GHG	Special	Notes
TCD2.9L4	C5EI55E		L4	2.925	Liters	74.3	horsepower	2200	27.8	lb/hr	375	N-m	1400	23	lb/hr	N/A	N/A	N/A	N/A
TCD2.9L4	C5EI45E		L4	2.925	Liters	60.3	horsepower	2200	23.4	lb/hr	240	N-m	1600	19.1	lb/hr	N/A	N/A	N/A	N/A
TCD2.9L4	C5EI45D		L4	2.925	Liters	60.3	horsepower	2300	23.5	lb/hr	240	N-m	1600	19.1	lb/hr	N/A	N/A	N/A	N/A
TCD2.9L4	C5EI45A		L4	2.925	Liters	60.3	horsepower	2600	26.5	lb/hr	240	N-m	1600	19.1	lb/hr	N/A	N/A	N/A	N/A
TCD2.9L4	C5EI50D		L4	2.925	Liters	67.1	horsepower	2300	26	lb/hr	270	N-m	1600	21.3	lb/hr	N/A	N/A	N/A	N/A
TCD2.9L4	C5EI55EZ		L4	2.925	Liters	74.3	horsepower	2200	27.8	lb/hr	300	N-m	1600	22.3	lb/hr	N/A	N/A	N/A	N/A
TCD2.9L4	C5EI55DZ		L4	2.925	Liters	74.3	horsepower	2300	28.6	lb/hr	300	N-m	1600	22.3	lb/hr	N/A	N/A	N/A	N/A
TCD2.9L4	C5EI55D		L4	2.925	Liters	74.3	horsepower	2300	28.6	lb/hr	375	N-m	1400	23	lb/hr	N/A	N/A	N/A	N/A
TCD2.9L4	C5EI55AZ		L4	2.925	Liters	74.3	horsepower	2600	31.1	lb/hr	300	N-m	1600	22.3	lb/hr	N/A	N/A	N/A	N/A
TCD2.9L4	C5EI55A		L4	2.925	Liters	74.3	horsepower	2600	31.1	lb/hr	375	N-m	1400	23	lb/hr	N/A	N/A	N/A	N/A
TCD2.9L4	C5EI55ES		L4	2.925	Liters	74.3	horsepower	2200	27.8	lb/hr	260	N-m	1600	20.6	lb/hr	N/A	N/A	N/A	N/A
TCD2.9L4	C5ET45E		L4	2.925	Liters	60.3	horsepower	2200	23.4	lb/hr	246	N-m	1600	19.5	lb/hr	N/A	N/A	N/A	N/A
TCD2.9L4	C5ET50E		L4	2.925	Liters	67.1	horsepower	2200	26.3	lb/hr	272	N-m	1600	21.3	lb/hr	N/A	N/A	N/A	N/A
TCD2.9L4	C5ET55E		L4	2.925	Liters	74.3	horsepower	2200	27.8	lb/hr	300	N-m	1600	22.3	lb/hr	N/A	N/A	N/A	N/A
TCD2.9L4	C5ET55EA		L4	2.925	Liters	74.3	horsepower	2200	27.8	lb/hr	375	N-m	1400	23	lb/hr	N/A	N/A	N/A	N/A
TCD2.9L4	C5ET50EA		L4	2.925	Liters	67.1	horsepower	2200	26.3	lb/hr	375	N-m	1400	23	lb/hr	N/A	N/A	N/A	N/A
TCD2.9L4	C5EI55AG		L4	2.925	Liters	74.3	horsepower	2600	31.1	lb/hr	375	N-m	1400	23	lb/hr	N/A	N/A	N/A	New Code