

AB VOLVO PENTA

EXECUTIVE ORDER U-R-014-0190

New Off-Road Compression-Ignition Engines Page 1 of 2

Pursuant to the authority vested in California Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-19-095:

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)						
2022	NVPXL05.1CJA	5.1	Diesel	8,000						
SPEC	IAL FEATURES & EMISSIO	N CONTROL SYSTEMS	TYPICAL EQUIPMENT APPLICATION							
Turboc	Electronic Diesel stronic Control Module, harger, Selective Cataly Gas Recirculation, Amn	Charge Air Cooler,	Crane, Loader, Pump, Compressor, Generator Set							

The engine models and codes are attached.

The following are the exhaust certification standards (STD), or family emission limit(s) (FEL) as applicable, and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kW-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED	EMISSION STANDARD CATEGORY		EXHAUST (g/kw-hr)				OPACITY (%)			
POWER CLASS			NMHC	NOx	NMHC+NOx	СО	PM	ACCEL	LUG	PEAK
75 ≤ kW ≤ 560	Tier 4 Final	STD	0.19	0.40	N/A	3.5	0.02	N/A	N/A	N/A
		FEL	N/A	N/A	N/A	N/A	0.03	N/A	N/A	N/A
		CERT	0.01	0.36		0.1	0.02			

BE IT FURTHER RESOLVED: That the family emission limit(s) (FEL) is an emission level declared by the manufacturer for use in any averaging, banking and trading program and in lieu of an emission standard for certification. It serves as the applicable emission standard for determining compliance of any engine within this engine family under 13 CCR Sections 2423 and 2427.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

BE IT FURTHER RESOLVED: That for the listed engine models which include engines from different power categories in the same engine family, the manufacturer is complying with the more stringent set of standards from the 130 ≤ kW ≤ 560 power category in conformance with the incorporated Section 1039.230 (e) of the "California Exhaust Emission Standards and Test Procedures for New 2011 and Later Tier 4 Off-Road Compression Ignition Engines, Part 1-D" adopted October 20, 2005 and last amended October 25, 2012.



AB VOLVO PENTA

EXECUTIVE ORDER U-R-014-0190

New Off-Road Compression-Ignition Engines Page 2 of 2

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed on this //th day of January 2022.

Allen Lyons, Chief

Emissions Certification and Compliance Division

Attachment 1 of 1: Engine Models EO #: U-R-014-0190 Family: NVPXL05.1CJA Attachment Revised: 12/13/2021 Displacement -Peak Power -Peak Power -Peak Power -Peak Power -Peak Torque -Peak Torque -Peak Torque -Peak Torque -Model Code Trim Config Displacement Units Units Speed (rpm) Fueling **Fuel Units** Peak Torque Units Speed (rpm) Fuel **Fuel Units** OBD GHG Special Notes TAD570VE N/A 5.1 lb/hr 710 1200 lb/hr N/A N/A 14 Liters 141 horsepower 2300 79 N/A N/A 14 173 810 1200 73 N/A N/A TAD571VE N/A 5.1 horsepower 2301 95 lb/hr N-m lb/hr N/A N/A 5.1 Liters 214 2302 114 lb/hr 910 1450 92 lb/hr N/A TAD572VE Ш N/A 14 horsepower N-m N/A N/A N/A