Pursuant to the authority vested in California Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-19-095;

**IT IS ORDERED AND RESOLVED:** That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)					
2022	NFPXL08.7T4V	8.7	Diesel	8,000					
SPECIAL	FEATURES & EMISSION C	ONTROL SYSTEMS	TYPICAL EQUIPMENT APPLICATION						
Turboc	nic Direct Injection, Engin harger, Charge Air Cooler Selective Catalytic Reduct Oxidation Cataly	, Diesel Oxidation ion - Urea, Ammonia	Loader, Tractor, Generator Set, and Other	Industrial Equipment					

The engine models and codes are attached.

The following are the exhaust certification standards (STD), or family emission limit(s) (FEL) as applicable, and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kW-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED	EMISSION				EXHAUST (g/kw-ł		OPACITY (%)				
POWER CLASS	STANDARD CATEGORY		NMHC	NOx	NMHC+NOx	со	РМ	ACCEL	LUG	PEAK	
130 ≤ kW ≤ 560	Tier 4 Final	STD	0.19	0.40	N/A	N/A 3.5 0		N/A	N/A	N/A	
		FEL	N/A	0.25	N/A	N/A	N/A	N/A	N/A	N/A	
		CERT	0.002	0.23		0.02	0.02				

**BE IT FURTHER RESOLVED:** That the family emission limit(s) (FEL) is an emission level declared by the manufacturer for use in any averaging, banking and trading program and in lieu of an emission standard for certification. It serves as the applicable emission standard for determining compliance of any engine within this engine family under 13 CCR Sections 2423 and 2427.

**BE IT FURTHER RESOLVED:** That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed on this <u>29th</u> day of December 2021.

Allen Lyons, Chief Emissions Certification and Compliance Division

EO #: U-R-015-0510

Family: NFPXL08.7T4V Attachment Last Revised: 11/4/2021

			Displa	Displacement -		Peak Power -	Peak Power -	Peak Power -	Peak Power - Fuel		Peak Torque -	Peak Torque -	Peak Torque - Fuel						
Model	Code	Trim	Config	Displacement	Units	Peak Power	Units	Speed (rpm)	Fueling	Units	Peak Torque	Units	Speed (rpm)	Peak Torque - Fuel	Units	OBD	GHG	Special	Notes
F2CFE614A*B	F2CFE614A*B	N/A	16	8.7	Liters	409	horsepower	2000	200	mm3/stroke	1370.37	lb-ft	1400	248	mm3/stroke	N/A	N/A	N/A	DDI ECM TC CAC DOC SCR-u AMOX
F2CFE614B*B	F2CFE614B*B	N/A	16	8.7	Liters	409	horsepower	2100	193	mm3/stroke	1321.48	lb-ft	1400	239	mm3/stroke	N/A	N/A	N/A	DDI ECM TC CAC DOC SCR-u AMOX
F2CFE614C*B	F2CFE614C*B	N/A	16	8.7	Liters	370	horsepower	2000	182	mm3/stroke	1333.33	lb-ft	1400	243	mm3/stroke	N/A	N/A	N/A	DDI ECM TC CAC DOC SCR-u AMOX
F2CFE614D*B	F2CFE614D*B	N/A	16	8.7	Liters	342	horsepower	2000	165	mm3/stroke	1265.19	lb-ft	1400	231	mm3/stroke	N/A	N/A	N/A	DDI ECM TC CAC DOC SCR-u AMOX
F2CFE614E*B	F2CFE614E*B	N/A	16	8.7	Liters	340	horsepower	2100	153	mm3/stroke	1185.93	lb-ft	1400	216	mm3/stroke	N/A	N/A	N/A	DDI ECM TC CAC DOC SCR-u AMOX
F2CFE614G*B	F2CFE614G*B	N/A	16	8.7	Liters	311	horsepower	2000	147	mm3/stroke	1154.07	lb-ft	1400	211	mm3/stroke	N/A	N/A	N/A	DDI ECM TC CAC DOC SCR-u AMOX
F2CFE614S*B	F2CFE614S*B	N/A	16	8.7	Liters	390	horsepower	2000	192	mm3/stroke	1370.37	lb-ft	1400	248	mm3/stroke	N/A	N/A	N/A	DDI ECM TC CAC DOC SCR-u AMOX