

PERKINS ENGINES COMPANY LTD.

EXECUTIVE ORDER U-R-022-0305

New Off-Road Compression-Ignition Engines

Pursuant to the authority vested in California Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)					
2022	NPKXL04.4SU1	4.4	Diesel	8000					
SPECIAL	. FEATURES & EMISSION C	CONTROL SYSTEMS	TYPICAL EQUIPMENT APPLICATION						
Control M Trap Oxi	c Direct Injection, Turbo Module, Diesel Oxidation dizer, Exhaust Gas Red er, Selective Catalytic I Ammonia Oxidation (n Catalyst, Periodic circulation, Charge Reduction – Urea,	Crane, Loaders, Tractor, Dozer, Pump, Compressor, Generator Set						

The engine models and codes are attached.

The following are the exhaust certification standards (STD), or family emission limit(s) (FEL) as applicable, and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kW-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER CLASS	EMISSION			ı	EXHAUST (g/kw-l	OPACITY (%)				
	STANDARD CATEGORY		NMHC	NOx	NMHC+NOx	СО	PM	ACCEL	LUG	PEAK
75 ≤ kW ≤ 560	Tier 4 Final	STD	0.19	0.40	N/A	3.5	0.02	N/A	N/A	N/A
		FEL	N/A	N/A	N/A	N/A	0.01	N/A	N/A	N/A
		CERT	0.01	0.39		0.2	0.004	1	1	

BE IT FURTHER RESOLVED: That the family emission limit(s) (FEL) is an emission level declared by the manufacturer for use in any averaging, banking and trading program and in lieu of an emission standard for certification. It serves as the applicable emission standard for determining compliance of any engine within this engine family under 13 CCR Sections 2423 and 2427.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

BE IT FURTHER RESOLVED: That for the listed engine models which include engines from different power categories in the same engine family, the manufacturer is complying with the more stringent set of standards from the 130 ≤ kW ≤ 560 power category in conformance with the incorporated Section 1039.230 (e) of the "California Exhaust Emission Standards and Test Procedures for New 2011 and Later Tier 4 Off-Road Compression Ignition Engines, Part 1-D" adopted October 20, 2005 and last amended October 25, 2012.



PERKINS ENGINES COMPANY LTD.

EXECUTIVE ORDER U-R-022-0305

New Off-Road Compression-Ignition Engines

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed on this 14th day of December 2021.

Allen Lyons, Chief

Emissions Certification and Compliance Division

Attachment: Engine Models EO #: U-R-022-0305 Family: NPKXL04.4SU1 Attachment Last Revised: 11/9/2021

					Displacement -		Peak Power -	Peak Power -	Peak Power -	Peak Power - Fue	el	Peak Torque -	Peak Torque -	Peak Torque -	Peak Torque -				
Model	Code	Trim	Config	Displacement	Units	Peak Power	Units	Speed (rpm)	Fueling	Units	Peak Torque	Units	Speed (rpm)	Fuel	Fuel Units	OBD	GHG	Special	Notes
1204J-E44TTA/C4.4	5094/2200	N/A	16	4.4	Liters	200	horsepower	2200	72.2	lb/hr	608	lb-ft	1400	54.9	lb/hr	N/A	N/A	N/A	N/A
1204J-E44TA/C4.4	4938/2200	N/A	16	4.4	Liters	110	horsepower	2200	39.8	lb/hr	332	lb-ft	1400	29.9	lb/hr	N/A	N/A	N/A	N/A
1204J-E44TA/C4.4	4940/2200	N/A	16	4.4	Liters	131	horsepower	2200	46.6	lb/hr	391	lb-ft	1400	35	lb/hr	N/A	N/A	N/A	N/A
1204J-E44TA/C4.4	4942/2200	N/A	16	4.4	Liters	122	horsepower	2200	43.7	lb/hr	369	lb-ft	1400	33.2	lb/hr	N/A	N/A	N/A	N/A
1204J-E44TA/C4.4	4922/2200	N/A	16	4.4	Liters	114	horsepower	2200	41.5	lb/hr	369	lb-ft	1400	33.1	lb/hr	N/A	N/A	N/A	N/A
1204J-E44TA/C4.4	4946/2200	N/A	16	4.4	Liters	148	horsepower	2200	52.9	lb/hr	413	lb-ft	1400	37.3	lb/hr	N/A	N/A	N/A	N/A
1204J-E44TA/C4.4	4948/2200	N/A	16	4.4	Liters	124	horsepower	2200	44.4	lb/hr	391	lb-ft	1400	35.1	lb/hr	N/A	N/A	N/A	N/A
1204J-E44TA/C4.4	4950/2200	N/A	16	4.4	Liters	137	horsepower	2200	48.6	lb/hr	413	lb-ft	1400	37.1	lb/hr	N/A	N/A	N/A	N/A
1204J-E44TA/C4.4	4952/2200	N/A	16	4.4	Liters	142	horsepower	2200	50.7	lb/hr	413	lb-ft	1400	37.1	lb/hr	N/A	N/A	N/A	N/A
1204J-E44TTA/C4.4	4954/2200	N/A	16	4.4	Liters	157	horsepower	2200	56.9	lb/hr	524	lb-ft	1400	46.9	lb/hr	N/A	N/A	N/A	N/A
1204J-E44TTA/C4.4	4956/2200	N/A	16	4.4	Liters	174	horsepower	2200	61.8	lb/hr	553	lb-ft	1400	49.2	lb/hr	N/A	N/A	N/A	N/A
1204J-E44TTA/C4.4	4958/2200	N/A	16	4.4	Liters	150	horsepower	2200	54.7	lb/hr	479	lb-ft	1400	42.9	lb/hr	N/A	N/A	N/A	N/A
1204J-E44TTA/C4.4	4960/2200	N/A	16	4.4	Liters	141	horsepower	2200	50.7	lb/hr	465	lb-ft	1400	41.3	lb/hr	N/A	N/A	N/A	N/A
1204J-E44TTA/C4.4	4964/2200	N/A	16	4.4	Liters	186	horsepower	2200	65.8	lb/hr	608	lb-ft	1400	53.5	lb/hr	N/A	N/A	N/A	N/A
1204J-E44TTA/C4.4	6260/2200	N/A	16	4.4	Liters	174	horsepower	2200	61.6	lb/hr	601	lb-ft	1400	53.2	lb/hr	N/A	N/A	N/A	N/A
1204J-E44TTA/C4.4	6262/2200	N/A	16	4.4	Liters	157	horsepower	2100	54	lb/hr	589	lb-ft	1400	53	lb/hr	N/A	N/A	N/A	N/A
1204J-E44TTA/C4.4	6320/1800	N/A	16	4.4	Liters	173	horsepower	1800	57.4	lb/hr	505	lb-ft	1800	57.4	lb/hr	N/A	N/A	N/A	N/A
1204J-E44TTA/C4.4	6324/1500	N/A	16	4.4	Liters	168	horsepower	1500	55.4	lb/hr	587	lb-ft	1500	55.4	lb/hr	N/A	N/A	N/A	N/A