

SCANIA CV AB

EXECUTIVE ORDER U-R-024-0052

New Off-Road Compression-Ignition Engines Page 1 of 2

Pursuant to the authority vested in California Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)			
2022	NY9XL16.4DAA	16.4	Diesel	8000			
SPECIAL	FEATURES & EMISSION C	CONTROL SYSTEMS	TYPICAL EQUIPMENT APPLICATION				
Cooler, E Select	Direct Injection, Turbo ngine Control Module, s ive Catalytic Reduction ion Catalyst, Exhaust G	Smoke Puff Limiter, -Urea, Ammonia	Crane, Loader, Tractor, Dozer, Pump, Compressor, Generator				

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER CLASS	EMISSION STANDARD CATEGORY		EXHAUST (g/kw-hr)					OPACITY (%)		
			NMHC	NOx	NMHC+NOx	co	PM	ACCEL	LUG	PEAK
130 ≤ kW ≤ 560	Tier 4 Final	STD	0.19	0.40	N/A	3.5	0.02	N/A	N/A	N/A
		CERT	0.08	0.36		0.2	0.02	-		

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

BE IT FURTHER RESOLVED: That the manufacturer has elected to include engine models in this engine family which are identified for "emergency vehicle use only". These "emergency vehicle use only" engines are exempt from requirements imposed pursuant to California law and the regulations adopted pursuant thereto for motor vehicle pollution control devices per California Vehicle Code Section 27156.2. The manufacturer must clearly label these engines for "emergency vehicle use only" on the engines' emission control label.

BE IT FURTHER RESOLVED: That the listed engine family is conditionally certified pending submission of additional test data to verify compliance with useful-life emission standards. The manufacturer must submit the necessary data by March 15, 2022. to confirm or correct the certification emissions levels on this conditional certification. Failure to submit the necessary data or resolve concerns by the specified date, shall be cause for the Executive Officer to rescind this conditional certification, in which case all engines covered under this conditional certification and introduced into commerce in the State of California shall be deemed uncertified pursuant to Health and Safety Code Section 43153 and subject to civil penalties pursuant to Health and Safety Code Section 43154.

Engines certified under this Executive Order must conform to all applicable California emission regulations.



SCANIA CV AB

EXECUTIVE ORDER U-R-024-0052 New Off-Road Compression-Ignition Engines
Page 2 of 2

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed on this 7th day of January 2022.

Allen Lyons, Chief

Emissions Certification and Compliance Division

EO #: U-R-024-0052 Family: NY9XL16.4DAA Attachment Last Revised: 12/14/2021 **Attachment: Engine Models**

Displacement -Peak Power -Peak Power -Peak Power -Peak Power -Peak Torque -Peak Torque -Peak Torque -Peak Torque -Model Displacement OBD GHG Code Config Units Peak Power Units Speed (rpm) Fueling **Fuel Units** Peak Torque Units Speed (rpm) Fuel Fuel Units Special Notes DC16 2722734 N/A V8 16.4 Liters 405 kilowatt 2100 202 mm3/stroke 2944 1200 294 mm3/stroke N/A N/A N/A N/A N-m 084A DC16 2668179 N/A V8 16.4 Liters 441 kilowatt 2100 220 mm3/stroke 3070 N-m 1300 306 mm3/stroke N/A N/A N/A N/A 084A DC16 2722755 N/A V8 478 mm3/stroke 1400 N/A N/A N/A 16.4 Liters kilowatt 2100 239 3138 N-m 314 mm3/stroke N/A 084A DC16 2722756 N/A V8 16.4 Liters 493 kilowatt 2100 247 mm3/stroke 3192 N-m 1400 320 mm3/stroke N/A N/A N/A N/A 084A Emergenc N/A N/A 2722758 V8 16.4 Liters 405 kilowatt 2100 202 mm3/stroke 2944 1200 394 mm3/stroke N/A N/A N-m 091A Emergenc N/A N/A 2722759 V8 16.4 Liters 493 kilowatt 2100 247 mm3/stroke 3192 N-m 1400 320 mm3/stroke N/A N/A 091A