



YANMAR POWER TECHNOLOGY CO., LTD

EXECUTIVE ORDER U-R-028-1039
New Off-Road
Compression-Ignition Engines

Pursuant to the authority vested in California Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)
2022	NYDXL03.1HDA	3.054	Diesel	8,000
SPECIAL FEATURES & EMISSION CONTROL SYSTEMS			TYPICAL EQUIPMENT APPLICATION	
Electronic Diesel Injection, Exhaust Gas Recirculation, Electronic Control Module, Turbocharger, Charge Air Cooler, Periodic Trap Oxidizer, Oxidation Catalyst, Selective Catalytic Reduction – Urea, Ammonia Oxidation Catalyst			Crane, Loader, Tractor, Dozer, Pump, Compressor, Skid Steer Loader	

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER CLASS	EMISSION STANDARD CATEGORY		EXHAUST (g/kw-hr)					OPACITY (%)		
			NMHC	NOx	NMHC+NOx	CO	PM	ACCEL	LUG	PEAK
56 ≤ kW < 130	Tier 4 Final	STD	0.19	0.40	N/A	5.0	0.02	N/A	N/A	N/A
		CERT	0.06	0.21	--	0.4	0.001	--	--	--

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

BE IT FURTHER RESOLVED: That for the listed engine models which include engines from different power categories in the same engine family, the manufacturer is complying with the more stringent set of standards from the 56 ≤ kW < 130 power categories in conformance with the incorporated Section 1039.230 (e) of the "California Exhaust Emission Standards and Test Procedures for New 2011 and Later Tier 4 Off-Road Compression Ignition Engines, Part 1-D" adopted October 20, 2005 and last amended October 25, 2012.

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed on this 2nd day of January 2022.

Allen Lyons, Chief
Emissions Certification and Compliance Division

Attachment: Engine Models

EO #: **U-R-028-1039**

Family: **NYDXL03.1HDA**

Attachment Last Revised: **12/15/2021**

Model	Code	Trim	Config	Displacement	Displacement - Units	Peak Power	Peak Power - Units	Peak Power - Speed (rpm)	Peak Power - Fueling	Peak Power - Fuel Units	Peak Torque	Peak Torque - Units	Peak Torque - Speed (rpm)	Peak Torque - Fuel	Peak Torque - Fuel Units	OBD	GHG	Special	Notes
4QHNPC	N/A	N/A	I4	3.054	Liters	120.9	horsepower	2500	80.7	mm3/stroke	302.2	lb-ft	1700	93.1	mm3/stroke	N/A	N/A	N/A	N/A
4QHNAC	N/A	N/A	I4	3.054	Liters	118.5	horsepower	2500	78.6	mm3/stroke	290.5	lb-ft	1700	88.2	mm3/stroke	N/A	N/A	N/A	N/A
4QHNACJ	N/A	N/A	I4	3.054	Liters	118.5	horsepower	2500	78.6	mm3/stroke	290.5	lb-ft	1700	88.2	mm3/stroke	N/A	N/A	N/A	N/A
4QHWAC	N/A	N/A	I4	3.054	Liters	93.6	horsepower	2000	74.4	mm3/stroke	290.5	lb-ft	1475	88.3	mm3/stroke	N/A	N/A	N/A	N/A