

Pursuant to the authority vested in California Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-19-095;

**IT IS ORDERED AND RESOLVED:** That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)					
2022	NDCLL01.6D87	1.648	Diesel	3000					
SPECIAL	FEATURES & EMISSION C	CONTROL SYSTEMS	TYPICAL EQUIPMENT APPLICATION						
	Indirect Diesel Inje	ection	Tractor						

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED	EMISSION				EXHAUST (g/kw-l		OPACITY (%)				
POWER CLASS	STANDARD CATEGORY		NMHC NOx		NMHC+NOx	со	РМ	ACCEL	LUG	PEAK	
8 ≤ kW < 19	Tier 4 Final	STD	N/A	N/A	7.5	6.6	0.40	20	15	50	
		CERT			6.9	1.2	0.08	5	4	7	

**BE IT FURTHER RESOLVED:** That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

**BE IT FURTHER RESOLVED:** That the listed engine family is conditionally certified pending submission of additional test data to demonstrate compliance with useful-life emission standards. The manufacturer must submit the necessary data by September 30, 2022 to confirm or correct the certification emissions levels on this conditional certification. Failure to submit the necessary data or resolve concerns by the specified date, shall be cause for the Executive Officer to rescind this conditional certification, in which case all engines covered under this conditional certification and introduced into commerce in the State of California shall be deemed uncertified pursuant to Health and Safety Code Section 43153 and subject to civil penalties pursuant to Health and Safety Code Section 43154.



Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed on this <u>3/at</u> day of May 2022.

Johna Schi for

Allen Lyons, Chief Emissions Certification and Compliance Division

Attachment: Engine Models

EO #: U-R-044-0174

Family: NDCLL01.6D87 Attachmer

Attachment Last Revised: 6/23/2022

					Displacement -		Peak Power -	Peak Power -	Peak Power -	Peak Power - Fue	l	Peak Torque -								
Model		Trim	Config	Displacement	Units	Peak Power	Units	Speed (rpm)	Fueling	Units	Peak Torque	Units	Speed (rpm)	Peak Torque - Fue	l Units	OBD	GHG	Special	Notes	
3A165	3A165L W	N/A	L3	1.648	Liters	18.3	kilowatt	2600	25.1	mm3/stroke	84	lb-ft	1700	27.9	mm3/stroke	N/A	N/A	N/A	N/A	
3A165	3A165L W-U	N/A	L3	1.648	Liters	18.3	kilowatt	2400	26.1	mm3/stroke	84	lb-ft	1700	27.9	mm3/stroke	N/A	N/A	N/A	N/A	
3A165	1821- 2214E	N/A	L3	1.648	Liters	18.4	kilowatt	2200	28.2	mm3/stroke	97	lb-ft	1600	33.2	mm3/stroke	N/A	N/A	N/A	N/A	
3A165	1833- 2414E	N/A	L3	1.648	Liters	18.4	kilowatt	2400	26.6	mm3/stroke	97	lb-ft	1600	33.2	mm3/stroke	N/A	N/A	N/A	N/A	
												_								
																			-	
																-			-	
									_											