



KOMATSU, LTD.

EXECUTIVE ORDER U-R-005-0525
New Off-Road
Compression-Ignition Engines

Pursuant to the authority vested in California Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)
2023	PKLXL15.2EDD	15.2	Diesel	8000
SPECIAL FEATURES & EMISSION CONTROL SYSTEMS			TYPICAL EQUIPMENT APPLICATION	
Turbocharger, Charge Air Cooler, Exhaust Gas Recirculation, Electronic Control Module, Periodic Trap Oxidizer, Oxidation Catalyst, Selective Catalyst Reduction-Urea, Ammonia Oxidation Catalyst, Electronic Direct Injection, Ammonia Oxidation Catalyst			Loader, Dozer, Dump Truck, Motor Grader	

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER CLASS	EMISSION STANDARD CATEGORY		EXHAUST (g/kw-hr)					OPACITY (%)		
			NMHC	NOx	NMHC+NOx	CO	PM	ACCEL	LUG	PEAK
130 ≤ kW ≤ 560	Tier 4 Final	STD	0.19	0.40	N/A	3.5	0.02	N/A	N/A	N/A
		CERT	0.01	0.10	--	0.02	0.003	--	--	--

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed on this 2nd day of June 2022.

Allen Lyons, Chief
Emissions Certification and Compliance Division

Attachment: Engine Models

EO #: U-R-005-0525

Family: PKLXL15.2EDD

Attachment Last Revised: 5/19/2022

Model	Code	Trim	Config	Displacement	Displacement - Units	Peak Power	Peak Power - Units	Peak Power - Speed (rpm)	Peak Power - Fueling	Peak Power - Fuel Units	Peak Torque	Peak Torque - Units	Peak Torque - Speed (rpm)	Peak Torque - Fuel	Peak Torque - Fuel Units	OBD	GHG	Special	Notes
SAA6D14 0E-7	5C02	N/A	I6	15.2	Liters	357	horsepower	1900	206	mm3/stroke	1331	lb-ft	1250	258	mm3/stroke	N/A	N/A	N/A	EM, TC, CAC, EGR, ECM, PTOX, OC, SCR-U, AMOX, DFI
SAA6D14 0E-7	5C03	N/A	I6	15.2	Liters	543	horsepower	1800	313	mm3/stroke	1772	lb-ft	1350	354	mm3/stroke	N/A	N/A	N/A	EM, TC, CAC, EGR, ECM, PTOX, OC, SCR-U, AMOX, DFI
SAA6D14 0E-7	5C04	N/A	I6	15.2	Liters	439	horsepower	1800	254	mm3/stroke	1453	lb-ft	1400	287	mm3/stroke	N/A	N/A	N/A	EM, TC, CAC, EGR, ECM, PTOX, OC, SCR-U, AMOX, DFI
SAA6D14 0E-7	5C05	N/A	I6	15.2	Liters	360	horsepower	1900	206	mm3/stroke	1353	lb-ft	1300	264	mm3/stroke	N/A	N/A	N/A	EM, TC, CAC, EGR, ECM, PTOX, OC, SCR-U, AMOX, DFI
SAA6D14 0E-7	5C07	N/A	I6	15.2	Liters	473	horsepower	2000	255	mm3/stroke	1678	lb-ft	1400	333	mm3/stroke	N/A	N/A	N/A	EM, TC, CAC, EGR, ECM, PTOX, OC, SCR-U, AMOX, DFI
SAA6D14 0E-7	5C08	N/A	I6	15.2	Liters	518	horsepower	2000	274	mm3/stroke	1601	lb-ft	1400	312	mm3/stroke	N/A	N/A	N/A	EM, TC, CAC, EGR, ECM, PTOX, OC, SCR-U, AMOX, DFI

Attachment: Engine Models

EO #: U-R-005-0525

Family: PKLXL15.2EDD

Attachment Last Revised: 5/19/2022

Model	Code	Trim	Config	Displacement	Displacement - Units	Peak Power	Peak Power - Units	Peak Power - Speed (rpm)	Peak Power - Fueling	Peak Power - Fuel Units	Peak Torque	Peak Torque - Units	Peak Torque - Speed (rpm)	Peak Torque - Fuel	Peak Torque - Fuel Units	OBD	GHG	Special	Notes
SAA6D14 0E-7	5C09	N/A	I6	15.2	Liters	543	horsepower	2000	284	mm3/stroke	1873	lb-ft	1350	367	mm3/stroke	N/A	N/A	N/A	EM, TC, CAC, EGR, ECM, PTOX, OC, SCR-U, AMOX, DFI
SAA6D14 0E-7	5C10	N/A	I6	15.2	Liters	426	horsepower	1900	234	mm3/stroke	1613	lb-ft	1350	319	mm3/stroke	N/A	N/A	N/A	EM, TC, CAC, EGR, ECM, PTOX, OC, SCR-U, AMOX, DFI
SAA6D14 0E-7	7C02	N/A	I6	15.2	Liters	357	horsepower	1900	206	mm3/stroke	1331	lb-ft	1250	258	mm3/stroke	N/A	N/A	N/A	EM, TC, CAC, EGR, ECM, PTOX, OC, SCR-U, AMOX, DFI
SAA6D14 0E-7	7C03	N/A	I6	15.2	Liters	543	horsepower	1800	313	mm3/stroke	1772	lb-ft	1350	354	mm3/stroke	N/A	N/A	N/A	EM, TC, CAC, EGR, ECM, PTOX, OC, SCR-U, AMOX, DFI
SAA6D14 0E-7	7C04	N/A	I6	15.2	Liters	439	horsepower	1800	254	mm3/stroke	1453	lb-ft	1400	287	mm3/stroke	N/A	N/A	N/A	EM, TC, CAC, EGR, ECM, PTOX, OC, SCR-U, AMOX, DFI
SAA6D14 0E-7	7C05	N/A	I6	15.2	Liters	360	horsepower	1900	206	mm3/stroke	1353	lb-ft	1300	264	mm3/stroke	N/A	N/A	N/A	EM, TC, CAC, EGR, ECM, PTOX, OC, SCR-U, AMOX, DFI

Attachment: Engine Models

EO #: U-R-005-0525

Family: PKLXL15.2EDD

Attachment Last Revised: 5/19/2022

Model	Code	Trim	Config	Displacement	Displacement - Units	Peak Power	Peak Power - Units	Peak Power - Speed (rpm)	Peak Power - Fueling	Peak Power - Fuel Units	Peak Torque	Peak Torque - Units	Peak Torque - Speed (rpm)	Peak Torque - Fuel	Peak Torque - Fuel Units	OBD	GHG	Special	Notes
SAA6D14 0E-7	7C07	N/A	I6	15.2	Liters	473	horsepower	2000	255	mm3/stroke	1678	lb-ft	1400	333	mm3/stroke	N/A	N/A	N/A	EM, TC, CAC, EGR, ECM, PTOX, OC, SCR-U, AMOX, DFI
SAA6D14 0E-7	7C10	N/A	I6	15.2	Liters	426	horsepower	1900	234	mm3/stroke	1613	lb-ft	1350	319	mm3/stroke	N/A	N/A	N/A	EM, TC, CAC, EGR, ECM, PTOX, OC, SCR-U, AMOX, DFI