

FPT INDUSTRIAL S.p.A.

EXECUTIVE ORDER U-R-015-0530

New Off-Road Compression-Ignition Engines

Pursuant to the authority vested in California Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)				
2023	PFPXL06.7CLA	6.7	Diesel	8,000				
SPE	CIAL FEATURES & EMISSI	ON CONTROL SYSTEMS	TYPICAL EQUIPMENT APPLICATION					
Charge A	Direct Injection, Engine C ir Cooler, Diesel Oxidatior Reduction - Urea, Ammoni	Control Module, Turbocharger, n Catalyst, Selective Catalytic ia Oxidation Catalyst	Tractor, Loader, Generator Set, and Other Industrial Equipment					

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER	EMISSION			E	EXHAUST (g/kw-l	OPACITY (%)				
CLASS	STANDARD CATEGORY		NMHC	NOx	NMHC+NOx	CO	PM	ACCEL	LUG	PEAK
130 ≤ kW ≤ 560	Tier 4 Final	STD	0.19	0.40	N/A	3.5	0.02	N/A	N/A	N/A
		CERT	0.000	0.36	-	0.02	0.02			

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed on this _____ day of June 2022.

Allen Lyons, Chief

Jahne Ehri for

Emissions Certification and Compliance Division

Attachment: Engine Models EO #: U-R-015-0530 Family: PFPXL06.7CLA Attachment Last Revised: 4/29/22

					Displacement -	Peak	Peak Power -	Peak Power -		Peak Power -	Peak	Peak Torque -	Peak Torque -	Peak Torque -	Peak Torque -				
Model	Code	Trim	Config	Displacement	Units	Power	Units	Speed (rpm)	Peak Power - Fueling	Fuel Units	Torque	Units	Speed (rpm)	Fuel	Fuel Units	OBD	GHG	Special	Notes
F4DFE617H*B	F4DFE617H*B	N/A	16	6.7	Liters	280	horsepower	2150	131	mm3/stroke	945.19	lb-ft	1400	178	mm3/stroke	N/A	N/A	N/A	DDI ECM TC CAC DOC
. 101202711 0	1 151 202711 5	,,,		0.7	Liters	200	погосроител	2250	101	THITIS/ SCI ORC	3 13.13		2.00	1,0		,,,	1.4,7.1	.,,,,	SCR-u AMOX
F4DFE617G*B	F4DFE617G*B	N/A	16	6.7	Liters	257	horsepower	2150	122	mm3/stroke	861.48	lb-ft	1400	162	mm3/stroke	NI/A	N/A	N/A	DDI ECM TC CAC DOC
140110170 8	14D1E017G B	IN/A	10	0.7	Liters	237	norsepower	2130	122	IIIII3/3tioke	801.48	10-10	1400	102	IIIII3/3tioke	IN/A	IN/A	IN/A	SCR-u AMOX
F4DFE617B*B	F4DFE617B*B	NI/A	ıc	6.7	Liters	249	horsepower	2150	118	mm3/stroke	838.52	lb-ft	1400	160	mm3/stroke	NI/A	N/A	N/A	DDI ECM TC CAC DOC
F4DFE017B B	F4DFE017B B	IN/A	10	6.7	Liters	249	norsepower	2130	110	IIIII5/SUOKE	030.32	ID-IL	1400	160	IIIII3/Stroke	IN/A	IN/A		SCR-u AMOX
F4DFE617F*B	F4DFE617F*B	NI/A	16 6.7 Liters	240	horsepower	2150	114	mm3/stroke	794.07	lb-ft	1300	151	mm3/stroke	NI/A	N/A	N/A	DDI ECM TC CAC DOC		
F4DFE01/F B	F4DFE017F B	IN/A	16	6.7	Liters	240	norsepower	2130	114	IIIII5/SUOKE	794.07	ID-IL	1500	151	IIIII3/SUOKE	IN/A	IN/A	IN/A	SCR-u AMOX
F4DFE617D*B	F40FF6470*0	NI/A	16	6.7	Liters	225	harcanawar	2150	108	mm3/stroke	752.59	9 lb-ft	1400	144	mm3/stroke	NI/A	N/A	N/A	DDI ECM TC CAC DOC
F4DFE61/D'B	F4DFE617D*B	N/A	lb lb	6.7	Liters	225	horsepower	2150	108	mm3/stroke	752.59	ID-IL				IN/A			SCR-u AMOX
F4DFF6476*D	DFE617C*B F4DFE617C*B		1.0	6.7	Liters	205	horsepower	2150	97	mm3/stroke	607.04	4 lb-ft	1400	131	mm3/stroke	N/A	N/A	N/A	DDI ECM TC CAC DOC
F4DFE617C*B		IN/A	I D								697.04								SCR-u AMOX
F411FF647D*D	F411556470*0		1.5	6.7		240									-4			T	DDI ECM TC CAC DOC
F4HFE617B*B	F4HFE617B*B	N/A	IБ	6.7	Liters	249	horsepower	2150	118	mm3/stroke	838.52	lb-ft	1400	160	mm3/stroke	IN/A	N/A	N/A	SCR-u AMOX