Pursuant to the authority vested in California Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)				
2023	PFPXL03.6EH2	3.6	Diesel	8,000				
SPECIAL	FEATURES & EMISSION (CONTROL SYSTEMS	TYPICAL EQUIPMENT APPLICATION					
Exhau Module, Perio	nic Direct Injection, Cha st Gas Recirculation, E Turbocharger, Diesel (odic Trap Oxidizer, Sele ion – Urea, Ammonia C	lectronic Control Dxidation Catalyst, ective Catalytic	Loader, Tractor, Doze	r				

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER	EMISSION			I	EXHAUST (g/kw-l	hr)	OPACITY (%)			
CLASS	STANDARD CATEGORY		NMHC	NOx	NMHC+NOx	со	РМ	ACCEL	LUG	PEAK
56 ≤ kW < 130	Tier 4 Final	STD	0.19	0.40	N/A	5.0	0.02	N/A	N/A	N/A
		CERT	0.01	0.30		0.02	0.004			

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

BE IT FURTHER RESOLVED: That for the listed engine models which include engines from different power categories in the same engine family, the manufacturer is complying with the more stringent set of standards from the $56 \le kW < 130$ power categories in conformance with the incorporated Section 1039.230 (e) of the "California Exhaust Emission Standards and Test Procedures for New 2011 and Later Tier 4 Off-Road Compression Ignition Engines, Part 1-D" adopted October 20, 2005 and last amended October 25, 2012.

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed on this 24^{th} day of June 2022.

Johna Schi for

Allen Lyons, Chief Emissions Certification and Compliance Division

Attachment: Engine Models

EO #: U-R-015-0542 Family: PFPXL03.6EH2 Attachmer

PXL03.6EH2 Attachment Last Revised: 6/9/2022

					Displacement -		Peak Power -	Peak Power -	Peak Power -	Peak Power - Fue		Peak Torque -	Peak Torque -	Peak Torque -	Peak Torque -				
Model	Code	Trim	Config	Displacement	Units	Peak Power	Units	Speed (rpm)	Fueling	Units	Peak Torque	Units	Speed (rpm)	Fuel	Fuel Units	OBD	GHG	Special	Notes
F5LGL413W*V	551 CL 41 204/81/			2.6			h	2300	02	man 2 (staslas	382		1300		24.1				DDI CAC EGR ECM TC DOO
F5LGL413W*V	F5LGL413W*V	IN/A	14	3.6	Liters	118	horsepower	2300	93	mm3/stroke	382	lb-ft	1300	119	mm3/stroke	IN/A	N/A	IN/A	DPF SCR AMOX
F5LGL413X*V	F5LGL413X*V	N/A	14	3.6	Liters	109	horsepower	2300	89	mm3/stroke	362	lb-ft	1300	109	mm3/stroke	N/A	NI / A	N/A	DDI CAC EGR ECM TC DOO
FSLGL415X V	F5LGL415X V	IN/A	14	5.0	Liters	109	norsepower	2300	69	mms/stroke	502	10-11	1500	109	mm5/stroke	IN/A	N/A		DPF SCR AMOX
F5LGL413G*V	F5LGL413G*V	N/A	14	3.6	Liters	98	horsonowor	2300	80	mm3/stroke	300	lb-ft	1300	90	mm2/stroke	N/A	N/A	N/A	DDI CAC EGR ECM TC DOO
F5LGL413G*V	F5LGL413G*V					98	horsepower	2300							mm3/stroke	IN/A	IN/A		DPF SCR AMOX
F5LGL413H*V	FELCI 4121181/	N/A	14	3.6	Liters	85	h	2300	67	mm3/stroke	259	59 lb-ft	lb-ft 1300	1300 78	mm3/stroke	N/A	N/A	N/A	DDI CAC EGR ECM TC DOO
F5LGL413H*V	F5LGL413H*V					85	horsepower												DPF SCR AMOX