

FPT INDUSTRIAL S.p.A.

EXECUTIVE ORDER U-R-015-0559

New Off-Road Compression-Ignition Engines Page 1 of 2

Pursuant to the authority vested in California Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)								
2023	PFPXL12.9TDS	12.9	Diesel 8,000									
SPECIAL	. FEATURES & EMISSION C	CONTROL SYSTEMS	TYPICAL EQUIPMENT APPLICATION									
Turbocha	c Direct Injection, Engir arger, Charge Air Coole st, Selective Catalytic R Ammonia Oxidation (r, Diesel Oxidation eduction – Urea,	Loader, Tractor, Generator Set, and Equipment	Other Industrial								

The engine models and codes are attached.

The following are the exhaust certification standards (STD), or family emission limit(s) (FEL) as applicable, and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kW-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER	EMISSION			ı	EXHAUST (g/kw-l	OPACITY (%)				
CLASS	STANDARD CATEGORY		NMHC	NOx	NMHC+NOx	СО	PM	ACCEL	LUG	PEAK
130 ≤ kW ≤ 560	Tier 4 Final	STD	0.19	0.40	N/A	3.5	0.02	N/A	N/A	N/A
		FEL	N/A	N/A	N/A	N/A	0.03			
		CERT	0.02	0.34	N/A	0.9	0.02			

BE IT FURTHER RESOLVED: That the family emission limit(s) (FEL) is an emission level declared by the manufacturer for use in any averaging, banking and trading program and in lieu of an emission standard for certification. It serves as the applicable emission standard for determining compliance of any engine within this engine family under 13 CCR Sections 2423 and 2427.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

BE IT FURTHER RESOLVED: That the listed engine family is conditionally certified pending submission of additional test data to verify compliance with useful-life emission standards. The manufacturer must submit the necessary data by July 31, 2023 to confirm or correct the certification emissions levels on this conditional certification. Failure to submit the necessary data or resolve concerns by the specified date, shall be cause for the Executive Officer to rescind this conditional certification, in which case all engines covered under this conditional certification and introduced into commerce in the State of California shall be deemed uncertified pursuant to Health and Safety Code Section 43153 and subject to civil penalties pursuant to Health and Safety Code Section 43154.



FPT INDUSTRIAL S.p.A.

EXECUTIVE ORDER U-R-015-0559

New Off-Road Compression-Ignition Engines Page 2 of 2

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed on this 10th day of May 2023.

Robin U. Lang, Chief

Robin U. Lang, Chief
Emissions Certification and Compliance Division

Attachment: Engine Models	EO #: U-R-015-0559	Family: PFPXL12.9TDS	Attachment Last Revised:	5/1/2023
---------------------------	--------------------	----------------------	--------------------------	----------

					Displacement -		Peak Power -	Peak Power -	Peak Power -	Peak Power - Fue	l	Peak Torque -	Peak Torque -	Peak Torque -	Peak Torque -													
Model	Code	Trim	Config	Displacement	Units	Peak Power	Units	Speed (rpm)	Fueling	Units	Peak Torque	Units	Speed (rpm)	Fuel	Fuel Units	OBD	GHG	Special	Notes									
F2DFF642F*D	F2DFF6425*D		16	42.0	Liters	666	horsepower	2100	333	mm3/stroke	2207.41	lb-ft	1400	417	mm3/stroke	N/A	N/A	N/A	DDI ECM TC CAC DOC									
F3DFE613F*B	F3DFE613F*B	N/A		12.9															SCR-u AMOX									
F3DFE613J*B	F3DFE613J*B	NI/A	ıc	12.9	Litors	595	harranawar	2100	297	mm3/stroke	1950.37	lb-ft	1400	364	mm3/stroke	N1 / A	N/A	N1 / A	DDI ECM TC CAC DOC									
L3DLE0131.R	L3DLE0131, B	IN/A	Ib	12.9	Liters	292	horsepower	2100	297	mm3/stroke	1950.37	ID-IT	1400	364	mm3/stroke	N/A		N/A	SCR-u AMOX									
F3DFE613G*B	F3DFE613G*B	N1 / A	NI/A	NI/A	ıc	10	10	ıc	10	ıc	ıc	ıc	12.9	Liters	626		2100	314	2/	2066.67	11- 64	1400	200		N1 /A	N1 /A	N1/A	DDI ECM TC CAC DOC
L2DLEQ13G.B	LODLEGI3G.B	IN/A	16	12.9	Liters	020	horsepower	2100	514	mm3/stroke	2000.07	lb-ft	1400	386	mm3/stroke	N/A	N/A	N/A	SCR-u AMOX									