



PERKINS ENGINES COMPANY LTD.

EXECUTIVE ORDER U-R-022-0351
New Off-Road
Compression-Ignition Engines

Pursuant to the authority vested in California Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)
2023	PPKXL07.0VM1	7.01	Diesel	8000
SPECIAL FEATURES & EMISSION CONTROL SYSTEMS			TYPICAL EQUIPMENT APPLICATION	
Electronic Direct Injection, Turbocharger, Electronic Control Module, Diesel Oxidation Catalyst, Periodic Trap Oxidizer, Exhaust Gas Recirculation, Charge Air Cooler, Selective Catalytic Reduction – Urea, Ammonia Oxidation Catalyst			Crane, Loader, Tractor, Dozer, Pump, Compressor, Generator Set	

The engine models and codes are attached.

The following are the exhaust certification standards (STD), or family emission limit(s) (FEL) as applicable, and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kW-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER CLASS	EMISSION STANDARD CATEGORY		EXHAUST (g/kw-hr)					OPACITY (%)		
			NMHC	NOx	NMHC+NOx	CO	PM	ACCEL	LUG	PEAK
130 ≤ kW ≤ 560	Tier 4 Final	STD	0.19	0.40	N/A	3.5	0.02	N/A	N/A	N/A
		FEL	N/A	N/A	N/A	N/A	0.01	N/A	N/A	N/A
		CERT	0.01	0.28	--	0.1	0.001	--	--	--

BE IT FURTHER RESOLVED: That the family emission limit(s) (FEL) is an emission level declared by the manufacturer for use in any averaging, banking and trading program and in lieu of an emission standard for certification. It serves as the applicable emission standard for determining compliance of any engine within this engine family under 13 CCR Sections 2423 and 2427.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed on this 26th day of September 2022.

Robin U. Lang, Chief
Emissions Certification and Compliance Division

Attachment: Engine Models

EO #: U-R-022-0351

Family: PPKXL07.0VM1

Attachment Last Revised: 9/16/2022

Model	Code	Trim	Config	Displacement	Displacement - Units	Peak Power	Peak Power - Units	Peak Power - Speed (rpm)	Peak Power - Fueling	Peak Power - Fuel Units	Peak Torque	Peak Torque - Units	Peak Torque - Speed (rpm)	Peak Torque - Fuel	Peak Torque - Fuel Units	OBD	GHG	Special	Notes
1206J-E70TTA/C7.1	4884/2200	N/A	I6	7.01	Liters	275	horsepower	2200	99.5	lb/hr	927	lb-ft	1400	84	lb/hr	N/A	N/A	N/A	N/A
1206J-E70TTA/C7.1	4886/2200	N/A	I6	7.01	Liters	202	horsepower	2200	72.5	lb/hr	725	lb-ft	1400	64.5	lb/hr	N/A	N/A	N/A	N/A
1206J-E70TTA/C7.1	4888/2200	N/A	I6	7.01	Liters	202	horsepower	2200	73	lb/hr	725	lb-ft	1400	63.5	lb/hr	N/A	N/A	N/A	N/A
1206J-E70TTA/C7.1	4890/2200	N/A	I6	7.01	Liters	302	horsepower	2200	111.3	lb/hr	946	lb-ft	1400	86.7	lb/hr	N/A	N/A	N/A	N/A
1206J-E70TTA/C7.1	4892/2200	N/A	I6	7.01	Liters	225	horsepower	2200	80.4	lb/hr	805	lb-ft	1400	73	lb/hr	N/A	N/A	N/A	N/A
1206J-E70TTA/C7.1	4894/2200	N/A	I6	7.01	Liters	302	horsepower	2200	111.3	lb/hr	940	lb-ft	1400	85.5	lb/hr	N/A	N/A	N/A	N/A
1206J-E70TTA/C7.1	4896/2200	N/A	I6	7.01	Liters	250	horsepower	2200	89.3	lb/hr	895	lb-ft	1400	82.1	lb/hr	N/A	N/A	N/A	N/A
1206J-E70TTA/C7.1	4898/2200	N/A	I6	7.01	Liters	225	horsepower	2200	80.4	lb/hr	805	lb-ft	1400	73	lb/hr	N/A	N/A	N/A	N/A
1206J-E70TTA/C7.1	4900/2200	N/A	I6	7.01	Liters	250	horsepower	2200	88.7	lb/hr	895	lb-ft	1400	81.3	lb/hr	N/A	N/A	N/A	N/A
1206J-E70TTA/C7.1	4922/2200	N/A	I6	7.01	Liters	269	horsepower	2200	111.3	lb/hr	918	lb-ft	1400	86.7	lb/hr	N/A	N/A	N/A	N/A
1206J-E70TTA/C7.1	4924/2200	N/A	I6	7.01	Liters	248	horsepower	2200	100.6	lb/hr	908	lb-ft	1400	58.9	lb/hr	N/A	N/A	N/A	N/A
1206J-E70TTA/C7.1	4936/2200	N/A	I6	7.01	Liters	227	horsepower	2200	83.3	lb/hr	805	lb-ft	1400	75.1	lb/hr	N/A	N/A	N/A	N/A
1206J-E70TTA/C7.1	6224/2000	N/A	I6	7.01	Liters	225	horsepower	2000	82.3	lb/hr	845	lb-ft	1400	80.2	lb/hr	N/A	N/A	N/A	N/A
1206J-E70TTA/C7.1	4902/1800	N/A	I6	7.01	Liters	321	horsepower	1800	115.4	lb/hr	935	lb-ft	1800	115.4	lb/hr	N/A	N/A	N/A	N/A
1206J-E70TTA/C7.1	6318/1800	N/A	I6	7.01	Liters	274	horsepower	1800	82.7	lb/hr	720	lb-ft	1800	82.7	lb/hr	N/A	N/A	N/A	N/A
1206J-E70TTA/C7.1	6316/1500	N/A	I6	7.01	Liters	268	horsepower	1500	93.2	lb/hr	940	lb-ft	1500	93.2	lb/hr	N/A	N/A	N/A	N/A