

Pursuant to the authority vested in California Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-19-095;

**IT IS ORDERED AND RESOLVED:** That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)
2023	PDCLL01.8HTV	1.826	Diesel	8000
SPECIAL FEATURES & EMISSION CONTROL SYSTEMS			TYPICAL EQUIPMENT APPLICATION	
Electronic Control Module, Electronic Direct Injection, Periodic Trap Oxidizer, Exhaust Gas Recirculation, Oxidation Catalyst			Tractor, Generator Set, Forklift	

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER CLASS	EMISSION STANDARD CATEGORY		EXHAUST (g/kw-hr)					OPACITY (%)		
			NMHC	NOx	NMHC+NOx	CO	PM	ACCEL	LUG	PEAK
19 ≤ kW < 56	Tier 4 Final	<b>STD</b>	N/A	N/A	4.7	5.0	0.03	N/A	N/A	N/A
		<b>CERT</b>	--	--	4.0	0.1	0.01	--	--	--

**BE IT FURTHER RESOLVED:** That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

**BE IT FURTHER RESOLVED:** That for the listed engine models which include engines from different power categories in the same engine family, the manufacturer is complying with the more stringent set of standards from the 37 ≤ kW < 56 power category in conformance with the incorporated Section 1039.230 (e) of the "California Exhaust Emission Standards and Test Procedures for New 2011 and Later Tier 4 Off-Road Compression Ignition Engines, Part 1-D" adopted October 20, 2005 and last amended October 25, 2012.

Engines certified under this Executive Order must conform to all applicable California emission regulations.

**This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.**

Executed on this 29th day of December 2022.



Robin U. Lang, Chief  
 Emissions Certification and Compliance Division

**Attachment: Engine Models**

**EO #:** U-R-044-0182

**Family:** PDCLL01.8HTV

**Attachment Last Revised:** 12/12/2022

Model	Code	Trim	Config	Displacement	Displacement - Units	Peak Power	Peak Power - Units	Peak Power - Speed (rpm)	Peak Power - Fueling	Peak Power - Fuel Units	Peak Torque	Peak Torque - Units	Peak Torque - Speed (rpm)	Peak Torque - Fuel Units	OBD	GHG	Special	Notes	
3HT4	4318-2654	N/A	L3	1.826	Liters	43	kilowatt	2600	51	mm3/stroke	187	N-m	1700	59.3	mm3/stroke	N/A	N/A	N/A	N/A
3HT4	4120-2654	N/A	L3	1.826	Liters	41	kilowatt	2600	47.9	mm3/stroke	181	N-m	1700	56.9	mm3/stroke	N/A	N/A	N/A	N/A
3HT4	3820-2654	N/A	L3	1.826	Liters	37.5	kilowatt	2600	43.9	mm3/stroke	166	N-m	1700	51.8	mm3/stroke	N/A	N/A	N/A	N/A
3HT4	3420-2654	N/A	L3	1.826	Liters	33.5	kilowatt	2600	39.5	mm3/stroke	148	N-m	1700	45.7	mm3/stroke	N/A	N/A	N/A	N/A
3HT4	3424-2254	N/A	L3	1.826	Liters	34.3	kilowatt	2200	45.3	mm3/stroke	185	N-m	1600	57.1	mm3/stroke	N/A	N/A	N/A	N/A
3HT4	3121-2254	N/A	L3	1.826	Liters	31.3	kilowatt	2200	41.7	mm3/stroke	164.7	N-m	1600	49.3	mm3/stroke	N/A	N/A	N/A	N/A
3HT4	2830-2254	N/A	L3	1.826	Liters	27.7	kilowatt	2200	36.9	mm3/stroke	156	N-m	1600	46.9	mm3/stroke	N/A	N/A	N/A	N/A
3HT4	3100-1894	N/A	L3	1.826	Liters	31.2	kilowatt	1800	51.7	mm3/stroke	168	N-m	1800	51.7	mm3/stroke	N/A	N/A	N/A	N/A
3HT4	2600-1594	N/A	L3	1.826	Liters	26	kilowatt	1500	50.3	mm3/stroke	165	N-m	1500	50.3	mm3/stroke	N/A	N/A	N/A	N/A